TECHNICAL MANUAL

ORGANIZATIONAL, DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LISTS

RADIO RECEIVER R-725/URR

HEADQUARTERS, DEPARTMENT OF THE ARMY
MAY 1972

TECHNICAL MANUAL
No. 11–5825–231–25P–6

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, D.C., *2 May 1972*

Organizational, Direct Support, General Support, and Depot Maintenance Repair Parts and Special Tools Lists

RADIO RECEIVER R–725/URR

Current as of 29 May 1971

		Paragraph	Page
SECTION I.	INTRODUCTION		
	Scope	1–1	1–1
	General	1–2	1–1
	Explanation of columns	1–3	1–1
	Special information	1–4	1–2
	Location of repair parts	1–5	1–3
	Federal supply codes for manufacturers	1–6	1–3
	Reporting of equipment publication improvements	1–7	1–3
II.	REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE	----	2–1
	SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT FOR ORGANIZATIONAL MAINTENANCE (Not applicable)		
III.	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE	----	3–1
	SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (not applicable)		
IV.	INDEX-FEDERAL STOCK NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER OR REFERENCE DESIGNATION	----	4–1
V.	INDEX-REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND REFERENCE DESIGNATION OR ITEM NUMBER	----	5–1
VI.	INDEX-REFERENCE DESIGNATION CROSS-REFERENCE TO PAGE NUMBER	----	6–1

*This manual supersedes so much of TM 11–5825–231–25P, 27 July 1966, as pertains to Radio Receiver R–725/URR.

LIST OF ILLUSTRATIONS

Number	*Title*	*Page*
1	Audio frequency subchassis, bottom view	3–131
2	Audio frequency subchassis, top view	3–132
3	Intermediate frequency subchassis, bottom view, front section	3–133
4	Intermediate frequency subchassis, Mod 1, top view	3–134
5	Intermediate frequency subchassis, Mod 1, bottom view, rear section	3–135
6	Radio frequency subchassis, top view	3–136
7	Radio frequency subchassis, bottom view, front section	3–137
8	Radio frequency subchassis, bottom view, rear section	3–138
9	Antenna relay assembly, internal view	3–139
10	Crystal-oscillator subchassis, top view	3–140
11	Crystal-oscillator subchassis, bottom view	3–141
12	Variable-frequency oscillator subchassis, top view	3–142
13	Variable-frequency oscillator subchassis, bottom view	3–143
14	Power-supply subchassis, top view	3–144
15	Radio Receiver R–725/URR, front panel and interior of main frame	3–145
16	Power-supply subchassis, bottom view	3–146

SECTION I

INTRODUCTION

1-1. Scope

This manual lists repair parts required for the performance of organizational, direct support, general support, and depot maintenance of the R-725/URR.

NOTE

No special tools, test, and support equipment are required.

1-2. General

This Repair Parts List is divided into the following sections:

a. Repair Parts for Organizational Maintenance —Section II. A list of repair parts authorized for the performance of maintenance at the organizational level.

b. Repair Parts for Direct Support, General Support, and Depot Maintenance—Section III. A list of repair parts authorized for the performance of maintenance at the direct support, general support, and depot level.

c. Index-Federal Stock Number Cross-Reference to Figure and Item Number or Reference Designation—Section IV. A list of Federal stock numbers in ascending numerical sequence, cross-referenced to the illustration figure number and reference designation.

d. Index-Reference Number Cross-Reference to Figure and Reference Designation or Item Number—Section V. A list of reference numbers appearing in ascending alpha-numeric sequences, cross-referenced to figure number and reference designation.

e. Index-Reference Designation Cross-Reference to Page Number—Section VI. A list of reference designations cross-referenced to page numbers.

1-3. Explanation of Columns

The following provides an explanation of columns in the tabular lists:

a. Source, Maintenance, and Recoverability Codes (SMR).

(1) Source code indicates the selection status and source for the listed item. Source codes are—

Code	*Explanation*
P	Repair parts which are stocked in or supplied from the GSA/DSA, or Army supply system and authorized for use at indicated maintenance categories.
P2	Repair parts which are procured and stocked for insurance purposes because the combat or military essentiality of the end item dictates that a minimum quantity be available in the supply system.
P9	Assigned to items which are NSA design controlled: unique repair parts, special tools, test, measuring and diagnostic equipment, which are stocked and supplied by the Army COMSEC logistic system, and which are not subject to the provisions of AR 380-41.
P10	Assigned to items which are NSA design controlled: special tools, test, measuring and diagnostic equipment for COMSEC support, which are accountable under the provisions of AR 380-41, and which are stocked and supplied by the Army COMSEC logistic system.
M	Repair parts which are not procured or stocked, but are to be manufactured in indicated maintenance levels.
A	Assemblies which are not procured or stocked as such, but are made up of two or more units. Such component units carry individual stock numbers and descriptions, are procured and stocked separately, and can be assembled to form the required assembly at indicated maintenance categories.
X	Parts and assemblies which are not procured or stocked and the mortality of which is below that of the applicable end item or component. The failure of such part or assembly should result in

Code	Explanation
	retirement of the end item from the supply system.
X1	Repair parts which are not procured or stocked. The requirement for such items will be filled by use of the next higher assembly or component.
X2	Repair parts which are not stocked. The indicated maintenance category requiring such repair parts will attempt to obtain same through cannibalization. Where such repair parts are not obtainable through cannibalization, requirements will be requisitioned, with accompanying justification, through normal supply channels.
G	Major assemblies that are procured with PEMA funds for initial issue only as exchange assemblies at DSU and GSU level. These assemblies will not be stocked above direct support and general support level or returned to depot supply level.

(2) Maintenance code indicates the lowest category of maintenance authorized to install the listed item. The maintenance level codes are—

Code	Explanation
C	Operator/crew
O	Organizational maintenance
F	Direct support maintenance
H	General support maintenance
D	Depot maintenance

(3) Recoverability code indicates whether unserviceable items should be returned for recovery or salvage. Items not coded are expendable. Recoverability codes are—

Code	Explanation
R	Repair parts and assemblies that are economically repairable at DSU and GSU activities and are normally furnished by supply on an exchange basis.
S	Repair parts and assemblies which are economically repairable at DSU and GSU activities and which normally are furnished by supply on an exchange basis. When items are determined by GSU to be uneconomically repairable, they will be evacuated to a depot for evaluation and analysis before final disposition.
T	High dollar value recoverable repair parts which are subject to special handling and are issued on an exchange basis. Such repair parts normally are repaired or overhauled at depot maintenance activities.
U	Repair parts specifically selected for salvage by reclamation units because of precious metal content, critical materials, or high dollar value reusable castings or castings.

b. Federal Stock Number. Indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.

c. Description. Indicates the Federal item name and any additional description of the item required. The index number has been included as part of the description to aid in the location of "SAME AS" items. A part number, or other reference number, is followed by the applicable five-digit Federal supply code for manufacturers in parentheses.

d. Unit of Measure (U/M). A two-character alphabetic abbreviation indicating the amount or quantity of the item upon which the allowances are based; e.g., ft, ea, pr, etc.

e. Quantity Incorporated in Unit. Indicates the quantity of the item used in the R–725/URR. Subsequent appearances of the same item in the same assembly are indicated by the letters "REF".

f. Allowances (15-Day Organizational Maintenance, 30-Day DS/GS Maintenance, 1 Year Per Equipment (Contingency), and Depot Maintenance). Items authorized for requisition as required are identified by an asterisk in the allowance column.

g. Illustrations.

(1) *Figure number.* Indicates the figure number of the illustration in which the item is shown.

(2) *Item number or reference designation.* Indicates the reference designation used to identify the item in the illustration.

1–4. Special Information

The following publications pertain to the R–725/URR:

TM 11–5825–231–10	Operator's Manual: Direction Finder Set AN/TRD–15.
TM 11–5825–231–25	Organizational, DS, GS, and Depot Maintenance Manual: Direction Finder Set AN/TRD–15.

1–5. Location of Repair Parts

a. This manual contains three cross-reference indexes (sec. IV, V, and VI) to be used to locate a repair part when either the Federal stock number, reference number (manufacturer's part number), or reference designation is known. The first column in each index is prepared in numerical or alpha-numeric sequence in ascending order. Where a Federal stock number is listed, refer to section IV. Where a Federal stock number is not listed refer to section V.

b. When the Federal stock number or reference number is known, follow the procedures given in (1) and (2) below.

(1) Refer to section IV (index of Federal stock numbers) or section V (index of reference numbers) and note the applicable figure and reference designation.

(2) When the reference designation is determined, refer to the reference designation index (sec. VI). The reference designations are listed in alpha-numeric ascending order and are cross-referenced to the page number on which they appear in the repair parts lists (sec. II or sec. III). Refer to the page number noted in the index and locate the reference designation in the repair parts list (col. 7b, Repair Parts for Organizational Maintenance or col. 10b, Repair Parts for Direct Support, General Support and Depot Maintenance). If the Description column indicates that it is a "SAME AS" item, locate the first appearance of the item by the index number referenced.

c. When the reference designation is known, follow the procedures given in *b*(2) above.

d. When neither the Federal stock number, reference number, nor reference designation is known, identify the part in the illustration and follow directions given in *c* above or scrutinize column 3 of the repair parts lists (sec. II or sec. III).

1–6. Federal Supply Codes for Manufacturers

Code	*Manufacturer*
02660	Amphenol Corp
06540	Amatom Electronic Hardware Co Inc
13499	Collins Radio Co
18212	American Trans-Coil Corp
30684	Industrial Products Co
72962	Elastic Stop Nut Div of Amerace Esna Corp
76854	Oak Mfg Co Div of Oak Electro/netics Corp
78189	Illinois Tool Works Inc Shakeproof Div
79136	Waldes Kohinoor Inc
79727	Continental-Wirt Electronics Corp
79963	Zierick Mfg Co
80063	Army Elect Com Proc & Prod Div
81312	Winchester Electronics Division Litton Industries Inc
81349	MIL SPEC Promolgated by Std Div Div of Log Serv DSA
81350	Joint Army-Navy Spec Promolgated by Std Div Div of Log Serv DSA
82142	Jeffers Electronics Div of Speer Carbon Co
83267	Clifton Mfg Co Inc
83330	Smith Herman H Inc
86906	Schuessler William
94375	Automatic Metal Products Corp
96096	American Carbonic Engineering Co
96906	MIL STD Promolgated by Std Div of Logistics Serv Div
98291	Sealectro Corp
98738	Stewart & Warner Electronics Div of Stewart & Warner Corp

1–7. Reporting of Equipment Publication Improvements

The reporting of errors, omissions, and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications) and forwarded direct to Commanding General, US Army Electronics Command, ATTN: AMSEL–MA–A, Fort Monmouth, N.J., 07703.

SECTION II. REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS.	(5) QTY. INC. IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
	5820-926-0180	A1 RADIO RECEIVER R-725/URR: (This item is nonexpendable)									
P-0	5960-686-8087	A34 SHIELD, ELECTRON TUBE: MS24233-5	(96906)	EA	2	*	*	*	*		A1A2B601
P-0	5960-686-8087	A35 SHIELD, ELECTRON TUBE: SAME AS A34		EA	REF	*	*	*	*		A1A2B602
P-0	5960-686-8085	A36 SHIELD, ELECTRON TUBE: MS24233-2	(96906)	EA	2	*	*	*	*		A1A2B603
P-0	5960-686-8085	A37 SHIELD, ELECTON TUBE: SAME AS A36		EA	REF	*	*	*	*		A1A2B604
P-0	5960-263-9913	A38 SHIELD, ELECTON TUBE: SMB249207	(80063)	EA	1	*	*	*	*		A1A2B605
P-0	5960-262-0210	A121 ELECTON TUBE: 5814A	(81349)	EA	2	*	*	*	*	2	A1A2V601
P-0	5960-262-0210	A122 ELECTON TUBE: SAME AS A121		EA	REF	*	*	*	*	2	A1A2V602
P-0	5960-188-3551	A123 ELECTRON TUBE: 6AK6	(81349)	EA	2	*	*	*	*	2	A1A2V603
P-0	5960-188-3551	A124 ELECTRON TUBE: SAME AS A123		EA	REF	*	*	*	*	2	A1A2V604
P-0	5960-503-4880	A125 ELECTRON TUBE: 0A2W	(81349)	EA	1	*	*	*	*	2	A1A2V605
P-0	5960-686-8085	A319 SHIELD, ELECTRON TUBE: SAME AS A36		EA	8	*	*	*	*		A1A3E1
P-0	5960-686-8085	A320 SHIELD, ELECTRON TUBE: SAME AS A36		EA	REF	*	*	*	*		A1A3E2
P-0	5960-686-8085	A321 SHIELD, ELECTRON TUBE: SAME AS A36		EA	REF	*	*	*	*		A1A3E3
P-0	5960-686-8085	A322 SHIELD, ELECTRON TUBE: SAME AS A36		EA	REF	*	*	*	*		A1A3E4
P-0	5960-686-8085	A323 SHIELD, ELECTRON TUBE: SAME AS A36		EA	REF	*	*	*	*		A1A3E5
P-0	5960-686-8085	A324 SHIELD, ELECTRON TUBE: SAME AS A36		EA	REF	*	*	*	*		A1A3E6
P-0	5960-686-8085	A325 SHIELD, ELECTRON TUBE: SAME AS A36		EA	REF	*	*	*	*		A13E7

SECTION II REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	REFERENCE NUMBER & MFR. CODE	(3) DESCRIPTION	USABLE ON CODE	(4) UNIT OF MEAS.	(5) QTY. INC. IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-O	5960-686-8085	A326	SHIELD, ELECTRON TUBE: SAME AS A36		EA	REF	*	*	*	*		A1A3E8
P-O	5960-686-8087	A327	SHIELD, ELECTRON TUBE: SAME AS A34		EA	3	*	*	*	*		A1A3E9
P-O	5960-686-8087	A328	SHIELD, ELECTRON TUBE: SAME AS A34		EA	REF	*	*	*	*		A1A3E10
P-O	5960-686-8087	A329	SHIELD, ELECTRON TUBE: SAME AS A34		EA	REF	*	*	*	*		A1A3E11
P-O	5960-752-5857	A330	SHIELD, ELECTRON TUBE: MS24233-6	(96906)	EA	1	*	*	*	*		A1A3E12
P-O	5960-188-6589	A521	ELECTRON TUBE: 6BJ6	(81350)	EA	6	*	*	*	*	4	A1A3V501
P-O	5960-188-6589	A522	ELECTRON TUBE: SAME AS A521		EA	REF	*	*	*	*	4	A1A3V502
P-O	5960-188-6589	A523	ELECTRON TUBE: SAME AS A521		EA	REF	*	*	*	*	4	A1A3V503
P-O	5960-188-6589	A524	ELECTRON TUBE: SAME AS A521		EA	REF	*	*	*	*	4	A1A3V504
P-O	5960-188-6589	A525	ELECTRON TUBE: SAME AS A521		EA	REF	*	*	*	*	4	A1A3V505
P-O	5960-188-3551	A526	ELECTRON TUBE: SAME AS A123		EA	1	*	*	*	*	4	A1A3V506
P-O	5960-636-2218	A527	ELECTRON TUBE: 6189/12AU7WA	(81350)	EA	3	*	*	*	*	4	A1A3V507
P-O	5960-264-2089	A528	ELECTRON TUBE: 5749/6BA6W	(81350)	EA	1	*	*	*	*	4	A1A3V508
P-O	5960-188-6589	A529	ELECTRON TUBE: SAME AS A521		EA	REF	*	*	*	*	4	A1A3V509
P-O	5960-636-2218	A530	ELECTRON TUBE: SAME AS A527		EA	REF	*	*	*	*		A1A3V510
P-O	5960-636-2218	A531	ELECTRON TUBE: SAME AS A527		EA	REF	*	*	*	*		A1A3V511

SECTION II REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS.	(5) QTY. INC. IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-O		A600 CRYSTAL UNIT QUARTZ: CR45/U-455KC (81349)		EA	1	*	*	*	*		A1A3Y501
P-O	5960-686-8085	A679 SHIELD, ELECTRON TUBE: SAME AS A36		EA	4	*	*	*	*		A1A4A1E201
P-O	5960-686-8085	A680 SHIELD, ELECTRON TUBE: SAME AS A36		EA	REF	*	*	*	*		A1A4A1E202
P-O	5960-686-8085	A681 SHIELD, ELECTRON TUBE: SAME AS A36		EA	REF	*	*	*	*		A1A4A1E203
P-O	5960-686-8085	A682 SHIELD, ELECTRON TUBE: SAME AS A36		EA	REF	*	*	*	*		A1A4A1E204
P-O		A683 SHIELD, ELECTRON TUBE: MS24232-5 (96906)		EA	2	*	*	*	*		A1A4A1E205
P-O		A684 SHIELD, ELECTRON TUBE: SAME AS A683		EA	REF	*	*	*	*		A1A4A1E206
P-O	5960-686-8119	A685 SHIELD, ELECTRON TUBE: MS24233-1 (96906)		EA	1	*	*	*	*		A1A4A1E207
P-O	5960-985-8987	A946 ELECTRON TUBE: 6DC6 (81349)		EA	1	*	*	*	*	6	A1A4A1V201
P-O	5960-557-6780	A947 ELECTRON TUBE: 6C4WA (81349)		EA	3	*	*	*	*	6	A1A4A1V202
P-O	5960-557-6780	A948 ELECTRON TUBE: SAME AS A947		EA	REF	*	*	*	*	6	A1A4A1V203
P-O	5960-557-6780	A949 ELECTRON TUBE: SAME AS A947		EA	REF	*	*	*	*	6	A1A4A1V204
P-O	5960-262-0210	A950 ELECTRON TUBE: SAME AS A121		EA	2	*	*	*	*	6	A1A4A1V205
P-O	5960-262-0210	A951 ELECTRON TUBE: SAME AS A121		EA	REF	*	*	*	*	6	A1A4A1V206
P-O	5960-262-1357	A952 ELECTRON TUBE: 5654/6AK5W (81349)		EA	1	*	*	*	*	6	A1A4A1V207
P-O	5955-295-7441	B31 CRYSTAL UNIT, QUARTZ, 200KC: CR-47/U (81349)		EA	1	*	*	*	*	6	A1A4A1Y201

SECTION II REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS.	(5) QTY. INC. IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-0		B32 CRYSTAL UNIT QUARTZ, 17000KC: CR27/U	(81349)	EA	1	*	*	*	*	6	A1A4A1Y203
P-0-S	5820-511-4258	B67A OSCILLATOR ASSEMBLY: SMD249007 (80063)		EA	1	*	*	*	*		A1A5
P-0	5960-686-8119	B101 SHIELD, ELECTRON TUBE: SAME AS A685		EA	1	*	*	*	*		A1A5A4E401
P-0	5960-262-1357	B143 ELECTRON TUBE: SAME AS A952		EA	1	*	*	*	*	10	A1A5A1V401
P-0	5955-267-4203	B148 CRYSTAL UNIT QUARTZ: CR36U10000KC	(81349)	EA	1	*	*	*	*	10	A1A5A1Y401
P-0	5955-892-3649	B149 CRYSTAL UNIT QUARTZ: CR36AV10500KC	(81349)	EA	1	*	*	*	*	10	A1A5A1Y402
P-0	5955-892-3603	B150 CRYSTAL UNIT QUARTZ: CR36U11000KC	(81349)	EA	1	*	*	*	*	10	A1A5A1Y403
P-0	5955-267-4197	B151 CRYSTAL UNIT QUARTZ: CR36U11500KC	(81349)	EA	1	*	*	*	*	10	A1A5A1Y404
P-0	5955-881-9363	B152 CRYSTAL UNIT QUARTZ: CR36AU12000KC	(81349)	EA	1	*	*	*	*	10	A1A5A1Y405
P-0	5955-667-2665	B153 CRYSTAL UNIT QUARTZ: CR36U12500KC	(81349)	EA	1	*	*	*	*	10	A1A5A1Y406
P-0	5955-267-4196	B154 CRYSTAL UNIT QUARTZ: CR36U13000KC	(81349)	EA	1	*	*	*	*	10	A1A5A1Y407
P-0	5955-267-4208	B155 CRYSTAL UNIT QUARTZ: CR36U9000KC	(81349)	EA	1	*	*	*	*	10	A1A5A1Y408
P-0	5955-892-3797	B156 CRYSTAL UNIT QUARTZ: CR36AU14000KC	(81349)	EA	1	*	*	*	*	10	A1A5A1Y409
P-0	5955-892-3604	B157 CRYSTAL UNIT QUARTZ: CR36AU15000KC	(81349)	EA	1	*	*	*	*	10	A1A5A1Y410
P-0		B158 CRYSTAL UNIT QUARTZ: CR36U16000KC	(81349)	EA	1	*	*	*	*	10	A1A5A1Y411
P-0		B159 CRYSTAL UNIT QUARTZ: CR36U17000KC	(81349)	EA	1	*	*	*	*	10	A1A5A1Y412
P-0	5955-267-4205	B160 CRYSTAL UNIT QUARTZ: CR36U9500KC	(81349)	EA	1	*	*	*	*	10	A1A5A1Y413

SECTION II REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	REFERENCE NUMBER & MFR. CODE	(3) DESCRIPTION	USABLE ON CODE	(4) UNIT OF MEAS.	(5) QTY. INC. IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-O	5955-087-0603	B161	CRYSTAL UNIT QUARTZ: CR36U14500KC	(81349)	EA	1	*	*	*	*	10	A1A5A1Y414
P-O	5955-648-9272	B162	CRYSTAL UNIT QUARTZ: CR36U15500KC	(81349)	EA	1	*	*	*	*	10	A1A5A1Y415
P-O	5960-636-1818	B165	SHIELD, ELECTRON TUBE: SMB-114043	(80063)	EA	1	*	*	*	*		A1A6E701
P-O	6240-155-7857	B198	LAMP, INCANDESCENT: MS25237-328	(96906)	EA	2	*	*	*	*		A1A7A2I101
P-O	6240-155-7857	B199	LAMP, INCANDESCENT: SAME AS B198		EA	REF	*	*	*	*		A1A7A2I102
P-O	5355-990-8568	B216	KNOB: 1220-02	(78189)	EA	1	*	*	*	*		A1A7J102H1
P-O	5355-990-8568	B237	KNOB: SAME AS B216		EA	1	*	*	*	*		A1A7MP3H1
P-O	5355-990-8568	B243	KNOB: SAME AS B216		EA	1	*	*	*	*		A1A7MP4H1
P-O	5355-990-8568	B248	KNOB: SAME AS B216		EA	1	*	*	*	*		A1A7MP6H1
P-O	5355-990-8568	B253	KNOB: SAME AS B216		EA	1	*	*	*	*		A1A7MP7H1
P-O		B257	KNOB: SAME AS B216		EA	1	*	*	*	*		A1A7MP8H1
P-O	5355-990-8568	B271	KNOB: SAME AS B216		EA	1	*	*	*	*		A1A7MP12H1
P-O	5355-990-8568	B274	KNOB: SAME AS B216		EA	1	*	*	*	*		A1A7R103H1
P-O	5355-990-8568	B277	KNOB: SAME AS B216		EA	1	*	*	*	*		A1A7R104H1
P-O	5355-990-8568	B280	KNOB: SAME AS B216		EA	1	*	*	*	*		A1A7R105H1
P-O	5355-990-8568	B285	KNOB: SAME AS B216		EA	1	*	*	*	*		A1A7R120H1

SECTION II REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS.	(5) QTY. INC. IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-O	5355-990-8568	B287 KNOB: SAME AS B216		EA	1	*	*	*	*		A1A7S101H1
P-O	5355-990-8568	B290 KNOB: SAME AS B216		EA	1	*	*	*	*		A1A7S102H1
P-O	5355-990-8568	B293 KNOB: SAME AS B216		EA	1	*	*	*	*		A1A7S103H1
P-O	5355-990-8568	B296 KNOB: SAME AS B216		EA	1	*	*	*	*		A1A7S104H1
P-O	5355-990-8568	B299 KNOB: SAME AS B216		EA	1	*	*	*	*		A1A7S105H1
P-O	5355-990-8568	B302 KNOB: SAME AS B216		EA	1	*	*	*	*		A1A7S107H1
A-O-S		B304 POWER SUPPLY: SMD248984	(80063)	EA	1						A1A8
P-O		B305 SHIELD, ELECTRON TUBE: SAME AS A683		EA	2	*	*	*	*		A1A8E801
P-O		B306 SHIELD, ELECTRON TUBE: SAME AS A683		EA	REF	*	*	*	*		A1A8E802
P-O	5960-262-0221	B320 ELECTRON TUBE: 26Z5W	(81349)	EA	2	*	*	*	*	14	A1A8V801
P-O	5960-262-0221	B321 ELECTRON TUBE: SAME AS B320		EA	REF	*	*	*	*	14	A1A8V802
P-O-S	6130-946-0781	B332 POWER SUPPLY, FILAMENT: SMC536032	(80063)	EA	1	*	*	*	*		A1A9
P-O	5920-280-5019	B360 FUSE, CARTRIDGE: MS90078-27-1	(96906)	EA	1	*	*	*	*	15	A1A10F101
P-O	5920-504-8634	B361 FUSE, CARTRIDGE: MS90078-20	(96906)	EA	1	*	*	*	*		A1A10F102
P-O		B362 FUSE, CARTRIDGE: MS90078-4	(96906)	EA	1	*	*	*	*		A1A10F103
P-O	5355-990-8568	B370 KNOB: SAME AS B216		EA	1	*	*	*	*		A1A10S106H1

SECTION II REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE		USABLE ON CODE	(4) UNIT OF MEAS.	(5) QTY. INC. IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-O	5355-667-9338	B485	KNOB: SMB249242-1	(80063)	EA	8	*	*	*	*		A1E101
P-O	5355-667-9338	B487	KNOB: SAME AS B485		EA	REF	*	*	*	*		A1E102
P-O	5355-667-9338	B489	KNOB: SAME AS B485		EA	REF	*	*	*	*		A1E103
P-O	5355-667-9338	B491	KNOB: SAME AS B485		EA	REF	*	*	*	*		A1E104
P-O	5355-667-9338	B493	KNOB: SAME AS B485		EA	REF	*	*	*	*		A1E105
P-O	5355-667-9338	B495	KNOB: SAME AS B485		EA	REF	*	*	*	*		A1E106
P-O	5355-667-9338	B497	KNOB: SAME AS B485		EA	REF	*	*	*	*		A1E107
P-O	5355-667-9338	B499	KNOB: SAME AS B485		EA	REF	*	*	*	*		A1E108
P-O	5355-665-1307	B501	KNOB: SMB249242-2	(80063)	EA	5	*	*	*	*		A1E109
P-O	5355-665-1307	B503	KNOB: SAME AS B501		EA	REF	*	*	*	*		A1E110
P-O	5355-665-1307	B505	KNOB: SAME AS B501		EA	REF	*	*	*	*		A1E111
P-O	5355-665-1307	B507	KNOB: SAME AS B501		EA	REF	*	*	*	*		A1E112
P-O	5355-665-1307	B509	KNOB: SAME AS B501		EA	REF	*	*	*	*		A1E113
P-O	5355-669-1711	B511	KNOB: SMB249242-3	(80063)	EA	2	*	*	*	*		A1E114
P-O	5355-669-1711	B513	KNOB: SAME AS B511		EA	REF	*	*	*	*		A1E115
P-O	5355-668-1466	B515	KNOB: SMB249243	(80063)	EA	2	*	*	*	*		A1E117

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F		A12 SPACER, SLEEVE: SMB248822-1 (80063)		EA	2										A1A2A1H2
X2-F	5310-011-1041	A13 WASHER, SPLIT: MS35338-79 (96906)		EA	4										A1A2A1H4
P-F	5905-299-2012	A14 RESISTOR, FIXED, COMPOSITION: RC32GF563K (81349)		EA	1	*	*	*	*	*	*	*	*	1	A1A2A1R605
P-F	5905-279-1723	A15 RESISTOR, FIXED, COMPOSITION: RC32GF222J (81349)		EA	1	*	*	*	*	*	*	*	*	1	A1A2A1R606
P-F	5905-185-6946	A16 RESISTOR, FIXED, COMPOSITION: RC20GF474K (81349)		EA	1	*	*	*	*	*	*	*	*	1	A1A2A1R608
P-F	5905-195-6791	A17 RESISTOR, FIXED, COMPOSITION: RC20GF681J (81349)		EA	2	*	*	*	*	*	*	*	*	1	A1A2A1R610
P-F	5905-279-2597	A18 RESISTOR, FIXED, COMPOSITION: RC32GF184J (81349)		EA	2	*	*	*	*	*	*	*	*	1	A1A2A1R611
P-F	5905-299-2000	A19 RESISTOR, FIXED, COMPOSITION: RC32GF224J (81349)		EA	1	*	*	*	*	*	*	*	*	1	A1A2A1R612
P-F	5905-299-2049	A20 RESISTOR, FIXED, COMPOSITION: RC32GF561K (81349)		EA	2	*	*	*	*	*	*	*	*	1	A1A2A1R614
P-F	5905-279-1897	A21 RESISTOR, FIXED, COMPOSITION: RC20GF560J (81349)		EA	1	*	*	*	*	*	*	*	*	1	A1A2A1R615

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5905-195-6791	A22 RESISTOR, FIXED, COMPOSITION: SAME AS A17		EA	REF	*	*	*	*	*	*	*	*	1	A1A2A1R621
P-F	5905-279-2597	A23 RESISTOR, FIXED, COMPOSITION: SAME AS A18		EA	REF	*	*	*	*	*	*	*	*	1	A1A2A1R622
P-F	5905-171-2002	A24 RESISTOR, FIXED, COMPOSITION: RC20GF470K (81349)		EA	1	*	*	*	*	*	*	*	*	1	A1A2A1R623
P-F	5905-299-2049	A25 RESISTOR, FIXED, COMPOSITION: SAME AS A20		EA	REF	*	*	*	*	*	*	*	*	1	A1A2A1R625
P-F	5905-299-1999	A26 RESISTOR, FIXED, COMPOSITION: RC21GF154J (81349)		EA	1	*	*	*	*	*	*	*	*	1	A1A2A1R626
P-F	5905-195-6817	A27 RESISTOR, FIXED, COMPOSITION: RC20GF102K (81349)		EA	1	*	*	*	*	*	*	*	*	1	A1A2A1R627
X2-F		A28 TERMINAL BOARD: SMB248987 (80063)		EA	1										A1A2A1TB601
P-F		A29 CAPACITOR, FIXED, PAPER DIELECTRIC: SAME AS A6		EA	1	*	*	*	*	*	*	*	*	1	A1A2C601
P-F	5910-683-3022	A30 CAPACITOR, FIXED, ELECTROLYTIC: CE53C300N (81349)		EA	1	*	*	*	*	*	*	*	*	2	A1A2C603
P-F	5910-889-4302	A31 CAPACITOR, FIXED, ELECTROLYTIC: CE52C450N (81349)		EA	1	*	*	*	*	*	*	*	*	2	A1A2C606
P-F	5910-667-6123	A32 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SMB283227 (80063)		EA	1	*	*	*	*	*	*	*		1	A1A2C611

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F		A33 CAPACITOR, FIXED, MICA DIELECTRIC: CM15C680GN3 (81349)		EA	1	*	*	*	*	*	*	*	*	1	A1A2C612
P-O	5960-686-8087	A34 SHIELD, ELECTRON TUBE: MS24233-5 (96906)		EA	2	*	*	*	*	*	*	*	*		A1A2E601
P-O	5960-686-8087	A35 SHIELD, ELECTRON TUBE: SAME AS A34		EA	REF	*	*	*	*	*	*	*	*		A1A2E602
P-O	5960-686-8085	A36 SHIELD, ELECTRON TUBE: MS24233-2 (96906)		EA	2	*	*	*	*	*	*	*	*		A1A2E603
P-O	5960-686-8085	A37 SHIELD, ELECTRON TUBE: SAME AS A36		EA	REF	*	*	*	*	*	*	*	*		A1A2E604
P-O	5960-263-9913	A38 SHIELD, ELECTRON TUBE: SMB249207 (80063)		EA	1	*	*	*	*	*	*	*	*		A1A2E605
P-F	5935-201-7922	A39 JACK, TIP: SMB283184 (80063)		EA	1	*	*	*	*	*	*	*	*		A1A2E607
P-F	5915-504-7560	A40 FILTER, BAND PASS: SMC283216 (80063)		EA	1	*	*	*	*	*	*	*	*	2	A1A2FL601
X2-F	5940-156-7345	A41 TERMINAL, LUG: 2102-6 (78189)		EA	1										A1A2FL601H1
X2-F	5310-271-4644	A42 NUT, PLAIN, HEXAGON: MS35649-64 (96906)		EA	4										A1A2FL601H4
X2-F	5310-011-1041	A43 WASHER, SPLIT: SAME AS A13		EA	4										A1A2FL601H4

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F		A45 RING, RETAINING: SMB283175 (80063)		EA	4	*	*	*	*	*	*	*	*		A1A2H4
X2-F	5305-054-6671	A46 SCREW, MACHINE: MS35216-43 (96906)		EA	4										A1A2H4
X2-F		A47 WASHER, SPLIT: MS35338-80 (96906)		EA	4										A1A2H4
P-F	5935-259-6798	A48 CONNECTOR, RECEPTACLE, ELECTRICAL: SMC283191 (80063)		EA	1	*	*	*	*	*	*	*	*	2	A1A2J619
X2-F		A49 SCREW, MACHINE: MS35216-17 (96906)		EA	2										A1A2J619H2
X2-F		A50 NUT, PLAIN, HEXAGON: SMD248801-15 (80063)		EA	2										A1A2J619H2
P-F	5935-295-5006	A51 CONNECTOR, RECEPTACLE, ELECTRICAL: SMC283194 (80063)		EA	1	*	*	*	*	*	*	*	*	2	A1A2J620
X2-F		A52 SCREW, MACHINE: SAME AS A49		EA	2										A1A2J620H2
X2-F		A53 NUT, PLAIN, HEXAGON: SAME AS A50		EA	2										A1A2J620H2
P-F	5945-204-6392	A54 RELAY, ARMATURE: SMC283244 (80063)		EA	1	*	*	*	*	*	*	*	*	2	A1A2K601
X2-F	5310-271-4644	A55 NUT, PLAIN, HEXAGON: SAME AS A42		EA	3										A1A2K601H3
X2-F	5310-011-1041	A56 WASHER, SPLIT: SAME AS A13		EA	3										A1A2K601H3

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE		USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5950-510-1772	A57	REACTOR: SMC283220 (80063)		EA	1	*	*	*	*	*	*	*	*	2	A1A2L601
X2-F	5310-271-4644	A58	NUT, PLAIN, HEXAGON: SAME AS A42		EA	4										A1A2L601H4
X2-F	5310-011-1041	A59	WASHER, SPLIT: SAME AS A13		EA	4										A1A2L601H4
P-F	5950-510-1771	A61	REACTOR: SMC283219 (80063)		EA	1	*	*	*	*	*	*	*	*	2	A1A2L602
X2-F	5310-271-4644	A62	NUT, PLAIN, HEXAGON: SAME AS A42		EA	4										A1A2L602H4
X2-F	5310-011-1041	A63	WASHER, SPLIT: SAME AS A13		EA	4										A1A2L602H4
P-F	5950-295-7304	A65	REACTOR: SMC283276 (80063)		EA	1	*	*	*	*	*	*	*	*	2	A1A2L603
X2-F	5310-271-4644	A66	NUT, PLAIN, HEXAGON: SAME AS A42		EA	4										A1A2L603H4
X2-F	5310-011-1041	A67	WASHER, SPLIT: SAME AS A13		EA	4										A1A2L603H4
M-D		A69	CHASSIS ASSEMBLY: SMC248989 (80063)		EA	1										A1A2MP1
M-D		A70	CHASSIS, ELECTRICAL EQUIPMENT: SMD248990 (80063)		EA	1										A1A2MP2

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F		A71 BUSHING, SLEEVE: SMB248875 (80063)		EA	4										A1A2MP2H4
X2-F		A73 TERMINAL, STUD: SMB249267 (80063)		EA	3										A1A2MP2H3
X2-F		A74 PLATE, COVER: SMB248988 (80063)		EA	1										A1A2MP3
X2-F		A75 RETAINER, COMPACITOR: SMB248985 (80063)		EA	2										A1A2MP603
X2-F		A76 SPACER, SLEEVE: SMD248822-2 (80063)		EA	4										A1A2MP603
X2-F		A77 SCREW, MACHINE: MS35216-25 (96906)		EA	4										A1A2MP603H2
X2-F		A78 SCREW, MACHINE: MS35216-27 (96906)		EA	1										A1A2MP603H1
X2-F	5310-011-1041	A79 WASHER, SPLIT: SAME AS A13		EA	2										A1A2MP603H2
X2-F		A81 NUT, SELF-LOCKING: 79NM62 (72962)		EA	1										A1A2MP603H1
X2-F		A82 RETAINER, CAPACITOR: SAME AS A75		EA	REF										A1A2MP606
X2-F		A83 SPACER, SLEEVE: SAME AS A76		EA	REF										A1A2MP606A
X2-F		A84 SCREW, MACHINE: SAME AS A77		EA	2										A1A2MP606H2

SECTION REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F		A85 SCREW, MACHINE: SAME AS A78		EA	1										A1A2MP606H1
X2-F	5310-011-1041	A86 WASHER, SPLIT: SAME AS A13		EA	2										A1A2MP606H2
X2-F		A88 NUT, SELF-LOCKING: SAME AS A81		EA	1										A1A2MP606H1
P-F	5905-221-5842	A89 RESISTOR, FIXED, COMPOSITION: RC20GF684K (81349)		EA	2	*	*	*	*	*	*	*	*	1	A1A2R601
P-F	5905-279-1881	A90 RESISTOR, FIXED, COMPOSITION: RC20GF275J (81349)		EA	1	*	*	*	*	*	*	*	*	1	A1A2R602
P-F	5905-221-5842	A91 RESISTOR, FIXED, COMPOSITION: SAME AS A89		EA	REF	*	*	*	*	*	*	*	*	1	A1A2R603
P-F	5905-190-8880	A92 RESISTOR, FIXED, COMPOSITION: RC20GF122J (81349)		EA	1	*	*	*	*	*	*	*	*	1	A1A2R604
P-F	5905-185-6946	A93 RESISTOR, FIXED, COMPOSITION: SAME AS A16		EA	1	*	*	*	*	*	*	*	*	1	A1A2R609
P-F	5905-100-7070	A94 RESISTOR, FIXED, WIRE WOUND: RW31G162 (81349)		EA	1	*	*	*	*	*	*	*	*	1	A1A2R617
X2-F		A95 SCREW, MACHINE: SAME AS A77		EA	2										A1A2R617H2
X2-F	5310-011-1041	A96 WASHER, SPLIT: SAME AS A13		EA	1										A1A2R617H1
X2-F		A98 WASHER, NONMETALLIC: SMD248801-3 (80063)		EA	4										A1A2R617H4
X2-F		A99 WASHER, FLAT: MS15795-309 (96906)		EA	1										A1A2R618H1
X2-F		A100 SPACER, SLEEVE: SMB248864 (80063)		EA	1										A1A2R618H1

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5905-279-2256	A101 RESISTOR, FIXED, WIRE WOUND: RW31G122 (81349)		EA	1	*	*	*	*	*	*	*	*	1	A1A2R618
X2-F		A102 SCREW, MACHINE: SAME AS A77		EA	2										A1A2R618H2
X2-F	5310-011-1041	A103 WASHER, SPLIT: SAME AS A13		EA	1										A1A2R618H1
X2-F		A105 WASHER, NONMETALLIC: SAME AS A98		EA	4										A1A2R618H4
X2-F		A106 WASHER, FLAT: SAME AS A99		EA	1										A1A2R618H1
X2-F		A107 SPACER, SLEEVE: SAME AS A100		EA	1										A1A2R618H1
P-F	5905-157-2129	A108 RESISTOR, FIXED, WIRE WOUND: RW30G801 (81349)		EA	1	*	*	*	*	*	*	*	*	1	A1A2R619
X2-F		A109 SCREW, MACHINE: MS35216-14 (96906)		EA	2										A1A2R619H2
X2-F	5310-042-9609	A110 WASHER, SPLIT: MS35338-78 (96906)		EA	1										A1A2R619H1
X2-F		A112 WASHER, NONMETALLIC: SAME AS A98		EA	4										A1A2R619H4
X2-F		A113 WASHER, FLAT: SAME AS A99		EA	1										A1A2R619H1
X2-F		A114 SPACER, SLEEVE: SMB24882B (80063)		EA	1										A1A2R619H1

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE		USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5950-556-1068	A115	TRANSFORMER, AUDIO FREQUENCY: SMC283275 (80063)		EA	2	*	*	*	*	*	*	*	*	2	A1A2T601
X2-F	5310-271-4644	A116	NUT, PLAIN, HEXAGON: SAME AS A42		EA	4										A1A2T601H4
X2-F	5310-011-1041	A117	WASHER, SPLIT: SAME AS A13		EA	4										A1A2T601H1
P-F	5950-556-1068	A118	TRANSFORMER, AUDIO FREQUENCY: SAME AS A115		EA	REF	*	*	*	*	*	*	*	*	2	A1A2T602
X2-F	5310-271-4644	A119	NUT, PLAIN, HEXAGON: SAME AS A42		EA	4										A1A2T602H4
X2-F	5310-011-1041	A120	WASHER, SPLIT: SAME AS A13		EA	4										A1A2T602H4
P-O	5960-262-0210	A121	ELECTRON TUBE: 5814A (81349)		EA	2	*	*	*	*	*	*	*	*	2	A1A2V601
P-O	5960-262-0210	A122	ELECTRON TUBE: SAME AS A121		EA	REF	*	*	*	*	*	*	*	*	2	A1A2V602
P-O	5960-188-3551	A123	ELECTRON TUBE: 6AK6 (81349)		EA	2	*	*	*	*	*	*	*	*	2	A1A2V603
P-O	5960-188-3551	A124	ELECTRON TUBE: SAME AS A123		EA	REF	*	*	*	*	*	*	*	*	2	A1A2V604
P-O	5960-503-4880	A125	ELECTRON TUBE: 0A2W (81349)		EA	1	*	*	*	*	*	*	*	*	2	A1A2V605
X2-F		A126	CABLE ASSEMBLY, SPECIAL PURPOSE, ELECTRICAL: SMD343665 (80063)		EA	1										A1A2W601

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION / REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5935-063-5789	A127 SOCKET, ELECTRON, TUBE: TS101P01 (81349)		EA	3	*	*	*	*	*	*	*	*	1	A1A2XC603
X2-F		A128 SPACER, SLEEVE: SMB24828826 (80063)		EA	4										A1A2XC603H2
X2-F	5305-054-6653	A129 SCREW, MACHINE: MS35216-26 (96906)		EA	2										A1A2XC606H2
X2-F	5310-011-1041	A130 WASHER, SPLIT: SAME AS A13		EA	2										A1A2XC603H2
X2-F	5310-271-4644	A131 NUT, PLAIN, HEXAGON: SAME AS A42		EA	2									1	A1A2XC603H2
P-F	5935-063-5789	A131A SOCKET, ELECTRON, TUBE: SAME AS A127		EA	REF	*	*	*	*	*	*	*	*	1	A1A2XC606
X2-F		A133 SPACER, SLEEVE: SAME AS A128		EA	REF										A1A2XC606H2
X2-F	5305-054-6653	A134 SCREW, MACHINE: SAME AS A129		EA	2										A1A2XC603H2
X2-F	5310-011-1041	A135 WASHER, SPLIT: SAME AS A13		EA	4										A1A2XC606H4
X2-F	5310-271-4644	A136 NUT, PLAIN, HEXAGON: SAME AS A42		EA	2										A1A2XC606H2
P-F	5935-160-1365	A137 SOCKET, ELECTRON TUBE: TS103P01 (81349)		EA	2	*	*	*	*	*	*	*	*	1	A1A2XV601

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE		USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F		A138	TERMINAL, LUG: SMB249256 (80063)		EA	1										A1A2XV601H1
X2-F	5305-054-5648	A139	SCREW, MACHINE: MS35216-13 (96906)		EA	2										A1A2XV601H2
X2-F	5310-042-9609	A140	WASHER, SPLIT: SAME AS A110		EA	2										A1A2XV601H2
X2-F	5310-934-9748	A141	NUT, PLAIN, HEXAGON: MS35649-44 (96906)		EA	2										A1A2XV601H2
P-F	5935-160-1365	A142	SOCKET, ELECTRON TUBE: SAME AS A137		EA	REF	*	*	*	*	*	*	*	*	1	A1A2XV602
X2-F		A143	TERMINAL, LUG: SAME AS A138		EA	1										A1A2XV602H1
X2-F	5305-054-5648	A144	SCREW, MACHINE: SAME AS A139		EA	2										A1A2XV602H2
X2-F	5310-042-9609	A145	WASHER, SPLIT: SAME AS A110		EA	2										A1A2XV602H2
X2-F	5310-934-9748	A146	NUT, PLAIN, HEXAGON: SAME AS A141		EA	2										A1A2XV602H2
P-F	5935-260-0516	A146A	SOCKET, ELECTRON TUBE: TS102P01 (81349)		EA	3	*	*	*	*	*	*	*	*	1	A1A2XV603
X2-F		A147	TERMINAL, LUG: SAME AS A138		EA	1										A1A2XV603H1
X2-F	5305-054-5648	A148	SCREW, MACHINE: SAME AS A139		EA	2										A1A2XV603H2

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F	5310-042-9609	A149 WASHER, SPLIT: SAME AS A110		EA	2										A1A2XV603H2
X2-F	5310-934-9748	A150 NUT, PLAIN, HEXAGON: SAME AS A141		EA	2										A1A2XV603H2
P-F	5935-260-0516	A151 SOCKET, ELECTRON TUBE: SAME AS A146A		EA	REF	*	*	*	*	*	*	*	*	1	A1A2XV604
X2-F		A152 TERMINAL, LUG: SAME AS A138		EA	1										A1A2XV604H1
X2-F	5305-054-5648	A153 SCREW, MACHINE: SAME AS A139		EA	2										A1A2XV604H2
X2-F	5310-042-9609	A154 WASHER, SPLIT: SAME AS A110		EA	2										A1A2XV604H1
X2-F	5310-934-9748	A155 NUT, PLAIN, HEXAGON: SAME AS A141		EA	2										A1A2XV604H2
P-F	5935-260-0516	A156 SOCKET, ELECTRON TUBE: SAME AS A146A		EA	REF	*	*	*	*	*	*	*	*	1	A1A2XV605
X2-F		A157 TERMINAL, LUG: SAME AS A138		EA	1										A1A2XV605H1
X2-F	5305-054-5648	A158 SCREW, MACHINE: SAME AS A139		EA	2										A1A2XV605H2
X2-F	5310-042-9609	A159 WASHER, SPLIT: SAME AS A110		EA	2										A1A2XV605H2
X2-F	5310-934-9748	A160 NUT, PLAIN, HEXAGON: SAME AS A141		EA	2										A1A2XV605H2
P-F-S	5825-926-0224	A161 INTERMEDIATE FREQUENCY STRIP ASSEMBLY: SMD535870 (80063)		EA	1	*	*	*	*	*	*	*	*		A1A3

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
A-F-S		A162 SHIELD, INTERMEDIATE FREQUENCY ASSEMBLY: SMC535884 (80063)		EA	1										A1A3A1
P-F		A163 CAPACITOR, FIXED, PAPER DIELECTRIC: CP04A1KB104K1 (81349)		EA	1	*	*	*	*	*	*	*	*		A1A3A1C520
P-F		A164 CAPACITOR, FIXED, PAPER DIELECTRIC: CP04A1KE103K1 (81349)		EA	2	*	*	*	*	*	*	*	*	3	A1A3A1C521
P-F		A165 CAPACITOR, FIXED, PAPER DIELECTRIC: SAME AS A164		EA	REF	*	*	*	*	*	*	*	*	3	A1A3A1C522
X2-F		A166 SCREW, MACHINE: MS35233-14 (96906)		EA	4										A1A3A1H4
X2-F	5310-058-3599	A167 WASHER, LOCK: MS35335-57 (96906)		EA	4										A1A3A1H4
M-D		A168 SHIELD, INTERMEDIATE FREQUENCY STRIP: SMC535873-1 (80063)		EA	1										A1A3A1MP1
X2-F		A169 SPACER, SLEEVE: 9207SS115-7 (06540)		EA	2										A1A3A1MP2
X2-F		A170 SPACER, SLEEVE: SAME AS A169		EA	REF										A1A3A1MP3
P-F	5905-299-2014	A171 RESISTOR, FIXED, COMPOSITION: RC32GF473K (81349)		EA	1	*	*	*	*	*	*	*	*		A1A3A1R511

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5905-923-0877	A172 RESISTOR, FIXED, FILM: NA15-2RJ (79727)		EA	1	*	*	*	*	*	*	*	*	3	A1A3A1R529
P-F	5905-923-1494	A173 RESISTOR, FIXED, FILM: NA15-4RJ (79727)		EA	1	*	*	*	*	*	*	*	*		A1A3A1R530
P-F	5950-999-6929	A174 SWITCH, SELECTOR, ROTARY: SMB535891 (80063)		EA	1	*	*	*	*	*	*	*	*		A1A3A1S506
X2-F	5310-982-4999	A175 NUT, SELF-LOCKING, HEXAGON: MS21044-C04 (96906)		EA	2										A1A3A1S506H2
X2-F	5305-068-5414	A176 SCREW, MACHINE: MS16995-11 (96906)		EA	2										A1A3A1S506H2
X2-F		A177 WASHER, FLAT: 399908-001 (76854)		EA	6										A1A3A1S506H6
A-F-S		A178 SHIELD, INTERMEDIATE FREQUENCY ASSEMBLY: SMC535885 (80063)		EA	1										A1A3A2
P-F		A179 CAPACITOR, FIXED, PAPER DIELECTRIC: SAME AS A163		EA	2	*	*	*	*	*	*	*	*	4	A1A3A2C513
P-F		A180 CAPACITOR, FIXED, PAPER DIELECTRIC: SAME AS A163		EA	REF	*	*	*	*	*	*	*	*	3	A1A3A2C517
P-F		A181 CAPACITOR, FIXED, PAPER DIELECTRIC: SAME AS A164		EA	2	*	*	*	*	*	*	*	*	3	A1A3A2C518
P-F		A182 CAPACITOR, FIXED, PAPER DIELECTRIC: SAME AS A164		EA	REF	*	*	*	*	*	*	*	*	3	A1A3A2C519
M-D		A183 SHIELD, INTERMEDIATE FREQUENCY STRIP: SAME AS A168		EA	1										A1A3A2E1

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE		USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F		A184	SCREW, MACHINE: SAME AS A166		EA	4										A1A3A2H4
X2-F	5310-058-3599	A185	WASHER, LOCK: SAME AS A167		EA	4										A1A3A2H4
X2-F		A186	SPACER, SLEEVE: SAME AS A169		EA	2										A1A3A2MP1
X2-F		A187	SPACER, SLEEVE: SAME AS A169		EA	REF										A1A3A2MP2
P-F	5905-923-0877	A188	RESISTOR, FIXED, FILM: SAME AS A172		EA	1	*	*	*	*	*	*	*	*	3	A1A3A2R524
P-F	5905-923-1494	A189	RESISTOR, FIXED, FILM: SAME AS A173		EA	1	*	*	*	*	*	*	*	*	3	A1A3A2R525
P-F	5930-999-6929	A190	SWITCH, SELECTOR, ROTARY: SAME AS A174		EA	1	*	*	*	*	*	*	*	*		A1A3A25505
X2-F	5310-982-4999	A191	NUT, SELF-LOCKING, HEXAGON: SAME AS A175		EA	2										A1A3A25505H2
X2-F	5305-068-5414	A192	SCREW, MACHINE: SAME AS A176		EA	2										A1A3A25505H2
X2-F		A193	WASHER, FLAT: SAME AS A177		EA	6										A1A3A25505H6
A-F-S		A194	SHIELD, INTERMEDIATE FREQUENCY ASSEMBLY: SMC535886 (80063)		EA	1										A1A3A3

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F		A195 CAPACITOR, FIXED, PAPER DIELECTRIC: SAME AS A163		EA	1	*	*	*	*	*	*	*	*	5	A1A3A3C504
P-F		A196 CAPACITOR, FIXED, PAPER DIELECTRIC: SAME AS A164		EA	2	*	*	*	*	*	*	*	*	4	A1A3A3C515
P-F		A197 CAPACITOR, FIXED, PAPER DIELECTRIC: SAME AS A164		EA	REF	*	*	*	*	*	*	*	*	4	A1A3A3C516
A-F-S		A198 SHIELD, INTERMEDIATE FREQUENCY STRIP: SAME AS A168		EA	1										A1A3A3E1
X2-F		A199 SCREW, MACHINE: SAME AS A166		EA	4										A1A3A3H4
X2-F	5310-058-3599	A200 WASHER, LOCK: SAME AS A167		EA	4										A1A3A3H4
X2-F		A201 SPACER, SLEEVE: SAME AS A169		EA	4										A1A3A3MP1
X2-F		A202 SPACER, SLEEVE: SAME AS A169		EA	REF										A1A3A3MP2
X2-F		A203 SPACER, SLEEVE: SAME AS A169		EA	REF										A1A3A3MP3
X2-F		A204 SPACER, SLEEVE: SAME AS A169		EA	REF										A1A3A3MP4
P-F	5905-923-0877	A205 RESISTOR, FIXED, FILM: SAME AS A172		EA	1	*	*	*	*	*	*	*	*	3	A1A3A3R514
P-F	5905-923-1494	A206 RESISTOR, FIXED, FILM: SAME AS A173		EA	1	*	*	*	*	*	*	*	*	3	A1A3A3R515

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5905-192-0390	A207 RESISTOR, FIXED, COMPOSITION: RC20GF105J (81349)		EA	1	*	*	*	*	*	*	*	*	3	A1A3A3R516
P-F	5905-279-3513	A208 RESISTOR, FIXED, COMPOSITION: RC20GF221J (81349)		EA	1	*	*	*	*	*	*	*	*	3	A1A3A3R518
X2-F		A210 SCREW, MACHINE: SMC535886-10 (80063)		EA	2										A1A3A3S503H2
X2-F		A211 WASHER, FLAT: SAME AS A177		EA	12										A1A3A3S503H12
X2-F		A212 NUT, SELF-LOCKING, HEXAGON: SMC535886-5 (80063)		EA	2										A1A3A3S503H2
X2-F	5310-042-9609	A213 WASHER, SPLIT: SAME AS A110		EA	2										A1A3A3S503H2
P-F	5930-944-9839	A214 SWITCH, SELECTOR, ROTARY: SMB535892 (80063)		EA	1	*	*	*	*	*	*	*	*	3	A1A3A3S503
A-F-S		A215 SHIELD, INTERMEDIATE FREQUENCY: SMC535887 (80063)		EA	1										A1A3A4
P-F		A216 CAPACITOR, FIXED, PAPER DIELECTRIC: SAME AS A163		EA	1	*	*	*	*	*	*	*	*	5	A1A3A4C540
P-F		A217 CAPACITOR, FIXED, PAPER DIELECTRIC: SAME AS A164		EA	1	*	*	*	*	*	*	*	*	5	A1A3A4C541
M-D		A218 SHIELD, INTERMEDIATE FREQUENCY STRIP: SMC535872 (80063)		EA	1										A1A3A4E1

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F	5310-058-3599	A219 WASHER, LOCK: SAME AS A167		EA	3										A1A3A4H3
X2-F		A220 SCREW, MACHINE: SAME AS A166		EA	3										A1A3A4H3
X2-F	5340-965-6628	A221 SPACER, SLEEVE: 9213SS115-7 (06540)		EA	2										A1A3A4MP1
X2-F	5340-965-6628	A222 SPACER, SLEEVE: SAME AS A221		EA	REF										A1A3A4MP2
P-F	5905-923-0877	A223 RESISTOR, FIXED, FILM: SAME AS A172		EA	1	*	*	*	*	*	*	*	*	5	A1A3H4R534
P-F	5905-923-1494	A224 RESISTOR, FIXED, FILM: SAME AS A173		EA	1	*	*	*	*	*	*	*	*	5	A1A3A4R535
P-F	5905-192-0390	A225 RESISTOR, FIXED, COMPOSITION: SAME AS A207		EA	1	*	*	*	*	*	*	*	*	3	A1A3A4R551
P-F	5905-185-6966	A226 RESISTOR, FIXED, COMPOSITION: RC20GF271K (81349)		EA	1	*	*	*	*	*	*	*	*	5	A1A3A4R552
P-F	5930-999-6929	A227 SWITCH, SELECTOR, ROTARY: SAME AS A174		EA	1	*	*	*	*	*	*	*	*		A1A3A4S507
X2-F	5310-982-4999	A228 NUT, SELF-LOCKING, HEXAGON: SAME AS A175		EA	2										A1A3A4S507H2
X2-F		A229 SCREW, MACHINE: SMC535887-14 (80063)		EA	2										A1A3A4S507H6

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F		A230 WASHER, FLAT: SAME AS A177		EA	6										A1A3A4S507H6
A-F-S		A231 SHIELD, INTERMEDIATE FREQUENCY ASSEMBLY: SMC535898 (80063)		EA	1										A1A3A5
P-F	5910-823-1143	A232 CAPACITOR, FIXED, PAPER DIELECTRIC: CP04A1KE473K1 (81349)		EA	1	*	*	*	*	*	*	*	*	3	A1A3A5C534
M-D		A233 SHIELD, INTERMEDIATE STRIP: SMC535874 (80063)		EA	1										A1A3A5E1
X2-F	5940-665-5764	A234 TERMINAL, STUD: 756 (81312)		EA	2										A1A3A5E2
X2-F	5305-054-5646	A235 SCREW, MACHINE: MS35233-12 (96906)		EA	4										A1A3A5E2H1
X2-F	5310-058-3599	A236 WASHER, LOCK: SAME AS A167		EA	4										A1A3A5E2H1
X2-F		A237 SCREW, MACHINE: SAME AS A166		EA	3										A1A3A5H3
X2-F	5310-058-3599	A238 WASHER, LOCK: SAME AS A167		EA	1										A1A3A5H3
P-F	5950-999-4346	A239 COIL, RADIO FREQUENCY: 1331-28J (82142)		EA	1	*	*	*	*	*	*	*	*		A1A3A5L503
X2-F	5940-665-5764	A240 TERMINAL, STUD: SAME AS A234		EA	REF										A1A3A5MP3
X2-F	5310-058-3599	A241 WASHER, LOCK: SAME AS A167		EA	1										A1A3A5MP3H1

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5905-186-2968	A242 RESISTOR, FIXED, COMPOSITION: RC42GF471K (81349)		EA	1	*	*	*	*	*	*	*	*		A1A3A5R566
A-F-S		A243 SHIELD, INTERMEDIATE FREQUENCY ASSEMBLY: SMC535899 (80063)		EA	1										A1A3A6
P-F	5910-655-0588	A244 CAPACITOR, FIXED, PAPER DIELECTRIC: CP11A3KB105K1 (81349)		EA	1	*	*	*	*	*	*	*	*	5	A1A3A6C505
P-F		A245 CAPACITOR, FIXED, PAPER DIELECTRIC: SAME AS A163		EA	1	*	*	*	*	*	*	*	*	3	A1A3A6C523
P-F	5910-556-9440	A246 CAPACITOR, VARIABLE: CV11A070 (81349)		EA	1	*	*	*	*	*	*	*	*	3	A1A3A6C525
X2-F		A247 SCREW, MACHINE: MS35233-18 (96906)		EA	2										A1A3A6C525H2
X2-F		A248 WASHER, FLAT: SAME AS A177		EA	4										
X2-F	5310-058-3599	A249 WASHER, LOCK: SAME AS A167		EA	4										A1A3A6C525H2
X2-F	5310-934-9748	A250 NUT, PLAIN, HEXAGON: SAME AS A141		EA	2										A1A3A6C525H2
P-F	5910-892-7875	A251 CAPACITOR, FIXED, PAPER DIELECTRIC: CP04A1KE104K1 (81349)		EA	1	*	*	*	*	*	*	*	*	3	A1A3A6C530
P-F		A252 CAPACITOR, FIXED, PAPER DIELECTRIC: SAME AS A164		EA	1	*	*	*	*	*	*	*	*	3	A1A3A6C535

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
M-D		A253 SHIELD, INTERMEDIATE FREQUENCY STRIP: SMC535906 (80063)		EA	1										A1A3A6E1
X2-F		A254 TERMINAL, LUG: 626 (79963)		EA	1										A1A3A6E2
X2-F	5310-058-3599	A255 WASHER, LOCK: SAME AS A167		EA	1										A1A3A6E2H1
X2-F	5310-042-9609	A256 WASHER, LOCK: SAME AS A213		EA	1										A1A3A6E2H1
X2-F	5305-054-5647	A257 SCREW, MACHINE: MS35233-13 (96906)		EA	1										A1A3A6E2H1
X2-F	5940-665-5764	A258 TERMINAL, STUD: SAME AS A234		EA	2										A1A3A6E3
X2-F	5940-665-5764	A259 TERMINAL, STUD: SAME AS A234		EA	REF										A1A3A6E4
X2-F	5310-058-3599	A260 WASHER, LOCK: SAME AS A167		EA	1										A1A3A6E4H1
X2-F	5305-054-5646	A261 SCREW, MACHINE: SAME AS A235		EA	1										A1A3A6E4H1
X2-F		A262 SCREW, MACHINE: SAME AS A166		EA	7										A1A3A6H7
X2-F	5310-058-3599	A267 WASHER, LOCK: SAME AS A167		EA	4										A1A3A6H7
P-F	5950-999-2808	A268 COIL, RADIO FREQUENCY: 1314-2J (82142)		EA	1	*	*	*	*	*	*	*	*	3	A1A3A6L502

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
A-F-S		A269 SHIELD, INTERMEDIATE FREQUENCY ASSEMBLY: SMC535912 (80063)		EA	1										A1A3A7
P-F		A270 CAPACITOR, FIXED, PAPER DIELECTRIC: SAME AS A163		EA	2	*	*	*	*	*	*	*	*	5	A1A3A7C504
P-F		A271 CAPACITOR, FIXED, PAPER DIELECTRIC: SAME AS A163		EA	REF	*	*	*	*	*	*	*	*	5	A1A3A7C509
P-F		A272 CAPACITOR, FIXED, PAPER DIELECTRIC: SAME AS A164		EA	2	*	*	*	*	*	*	*	*	5	A1A3A7C510
P-F		A273 CAPACITOR, FIXED, PAPER DIELECTRIC: SAME AS A164		EA	REF	*	*	*	*	*	*	*	*	5	A1A3A7C511
M-D		A274 SHIELD, INTERMEDIATE FREQUENCY STRIP: SAME AS A168		EA	1										A1A3A7E1
X2-F		A275 SCREW, MACHINE: SAME AS A166		EA	4										A1A3A7H4
X2-F	5310-058-3599	A276 WASHER, LOCK: SAME AS A167		EA	4										A1A3A7H4
X2-F		A277 SPACER, SLEEVE: SAME AS A169		EA	2										A1A3A7MP1
X2-F		A278 SPACER, SLEEVE: SAME AS A169		EA	REF										A1A3A7MP3
P-F	5905-923-0877	A279 RESISTOR, FIXED, FILM: SAME AS A172		EA	1	*	*	*	*	*	*	*	*	3	A1A3A7R507

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5905-923-1494	A280 RESISTOR, FIXED, FILM: SAME AS A173		EA	1	*	*	*	*	*	*	*	*	5	A1A3A7R508
P-F	5930-599-6929	A281 SWITCH, SELECTOR, ROTARY: SAME AS A174		EA	1	*	*	*	*	*	*	*	*	5	A1A13A7S502
X2-F	5305-068-5414	A282 SCREW, MACHINE: SAME AS A176		EA	2										A1A3A7S502H2
X2-F		A283 WASHER, FLAT: SAME AS A177		EA	6										A1A3A7S502H21
X2-F	5310-932-4999	A284 NUT, SELF-LOCKING, HEXAGON: SAME AS A175		EA	2										A1A3A7S502H2
A-F-S		A285 SHIELD, INTERMEDIATE ASSEMBLY: SMC535913 (80063)		EA	1										A1A3A8
P-F	5910-717-0169	A286 CAPACITOR, FIXED, MICA DIELECTRIC: CM15D101GN1 (81349)		EA	1	*	*	*	*	*	*	*	*	5	A1A3A8C502
P-F		A287 CAPACITOR, FIXED, PAPER DIELECTRIC: SAME AS A164		EA	2	*	*	*	*	*	*	*	*	5	A1A3A8C503
P-F		A288 CAPACITOR, FIXED, PAPER DIELECTRIC: SAME AS A164		EA	REF	*	*	*	*	*	*	*	*	5	A1A3A8C506
P-F	5910-823-1143	A289 CAPACITOR, FIXED, PAPER DIELECTRIC: SAME AS A232		EA	1	*	*	*	*	*	*	*	*	5	A1A3A8C507
M-D		A290 SHIELD, INTERMEDIATE FREQUENCY STRIP: SMC535873-2 (80063)		EA	1										A1A3A8E1

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F		A291 SCREW, MACHINE: SAME AS A166		EA	4										A1A3A8H4
X2-F	5310-058-3599	A292 WASHER, LOCK: SAME AS A167		EA	4										A1A3A8H4
X2-F		A293 SPACER, SLEEVE: SAME AS A169		EA	2										A1A3A8MP1
X2-F		A294 SPACER, SLEEVE: SAME AS A169		EA	REF										A1A3A8MP3
P-F	5905-295-3410	A295 RESISTOR, FIXED, COMPOSITION: RC20GF473K (81349)		EA	1	*	*	*	*	*	*	*	*	5	A1A3A8R502
P-F	5930-999-6929	A296 SWITCH, SELECTOR, ROTARY: SAME AS A174		EA	1	*	*	*	*	*	*	*	*	5	A1A3A8S501
X2-F	5305-068-5414	A297 SCREW, MACHINE: SAME AS A176		EA	2										A1A3A8S501H4
X2-F		A298 WASHER, FLAT: SAME AS A177		EA	6										A1A3A8S501H6
X2-F	5310-982-4999	A299 NUT, SELF-LOCKING, HEXAGON: SAME AS A175		EA	2										A1A3A8S501H2
P-F		A300 CAPACITOR, FIXED, PAPER DIELECTRIC: SAME AS A164		EA	2	*	*	*	*	*	*	*	*	5	A1A3C501
P-F		A301 CAPACITOR, FIXED, PAPER DIELECTRIC: SAME AS A164		EA	REF	*	*	*	*	*	*	*	*	5	A1A3C508
P-F	5910-850-0541	A302 CAPACITOR, FIXED, MICA DIELECTRIC: CM15D470GN1 (81349)		EA	2	*	*	*	*	*	*	*	*		A1A3C512

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5910-850-7991	A303 CAPACITOR, FIXED, MICA DIELECTRIC: CM15FD151G03 (81349)		EA	1	*	*	*	*	*	*	*	*		A1A3C526
P-F	5910-839-8184	A304 CAPACITOR, FIXED, PAPER DIELECTRIC: CP11A3KC104K1 (81349)		EA	3	*	*	*	*	*	*	*	*	5	A1A3C531
P-F	5910-717-0169	A305 CAPACITOR, FIXED, MICA DIELECTRIC: SAME AS A286		EA	2	*	*	*	*	*	*	*	*	5	A1A3C532
P-F	5910-556-9427	A306 CAPACITOR, FIXED, CERAMIC DIELECTRIC: CC20CH050C (81349)		EA	1	*	*	*	*	*	*	*	*	5	A1A3C533
P-F	5910-823-1143	A307 CAPACITOR, FIXED, PAPER DIELECTRIC: SAME AS A232		EA	1	*	*	*	*	*	*	*	*	3	A1A3C534
P-F	5910-850-0541	A308 CAPACITOR, FIXED, MICA DIELECTRIC: SAME AS A302		EA	REF	*	*	*	*	*	*	*	*	5	A1A3C539
P-F	5910-839-8184	A309 CAPACITOR, FIXED, PAPER DIELECTRIC: SAME AS A304		EA	REF	*	*	*	*	*	*	*	*	5	A1A3C542
P-F		A310 CAPACITOR, FIXED, PAPER DIELECTRIC: SAME AS A163		EA	2	*	*	*	*	*	*	*	*	5	A1A3C545
P-F	5910-578-8340	A311 CAPACITOR, FIXED, PAPER DIELECTRIC: CP91B1EE105K1 (81349)		EA	2	*	*	*	*	*	*	*	*		A1A3C546
P-F	5910-578-8340	A312 CAPACITOR, FIXED, PAPER DIELECTRIC: SAME AS A311		EA	REF	*	*	*	*	*	*	*	*	5	A1A3C547
P-F	5910-839-8184	A313 CAPACITOR, FIXED, PAPER DIELECTRIC: SAME AS A304		EA	REF	*	*	*	*	*	*	*	*	5	A1A3C548

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE		USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F		A315	CAPACITOR, FIXED, PAPER DIELECTRIC: SAME AS A163		EA	REF	*	*	*	*	*	*	*	*	5	A1A3C549
P-F	5910-717-0169	A315A	CAPACITOR, FIXED, MICA DIELECTRIC: CM15D181JN1 (81349)		EA	1	*	*	*	*	*	*	*	*		A1A3C550
P-F	5910-945-7428	A316	CAPACITOR, FIXED, MICA DIELECTRIC: SAME AS A286		EA	REF	*	*	*	*	*	*	*	*		A1A3C551
P-F	5910-556-9422	A317	CAPACITOR, FIXED, MICA DIELECTRIC: CC20CH100C (81349)		EA	1	*	*	*	*	*	*	*	*	5	A1A3C536
P-U	5960-686-8085	A319	SHIELD, ELECTRON TUBE: SAME AS A36		EA	8	*	*	*	*	*	*	*	*		A1A3E1
P-U	5960-686-8085	A320	SHIELD, ELECTRON TUBE: SAME AS A36		EA	REF	*	*	*	*	*	*	*	*		A1A3E2
P-U	5960-686-8085	A321	SHIELD, ELECTRON TUBE: SAME AS A36		EA	REF	*	*	*	*	*	*	*	*		A1A3E3
P-U	5960-686-8085	A322	SHIELD, ELECTRON TUBE: SAME AS A36		EA	REF	*	*	*	*	*	*	*	*		A1A3E4
P-U	5960-686-8085	A323	SHIELD, ELECTRON TUBE: SAME AS A36		EA	REF	*	*	*	*	*	*	*	*		A1A3E5
P-U	5960-686-8085	A324	SHIELD, ELECTRON TUBE: SAME AS A36		EA	REF	*	*	*	*	*	*	*	*		A1A3E6
P-U	5960-686-8085	A325	SHIELD, ELECTRON TUBE: SAME AS A36		EA	REF	*	*	*	*	*	*	*	*		A1A3E7

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-O	5960-686-8085	A326 SHIELD, ELECTRON TUBE: SAME AS A36		EA	REF	*	*	*	*	*	*	*	*		A1A3E8
P-O	5960-686-8087	A327 SHIELD, ELECTRON TUBE: SAME AS A34		EA	3	*	*	*	*	*	*	*	*		A1A3E9
P-O	5960-686-8087	A328 SHIELD, ELECTRON TUBE: SAME AS A34		EA	REF	*	*	*	*	*	*	*	*		A1A310
P-O	5960-686-8087	A329 SHIELD, ELECTRON TUBE: SAME AS A34		EA	REF	*	*	*	*	*	*	*	*		A1A3E11
P-O	5960-752-5857	A330 SHIELD, ELECTRON TUBE: MS24233-6 (96906)		EA	1	*	*	*	*	*	*	*	*		A1A3E12
P-F		A331 SHIELD, TRANSFORMER: SMB535896 (80063)		EA	7	*	*	*	*	*	*	*	*		A1A3E13
P-F		A332 SHIELD, TRANSFORMER: SAME AS A331		EA	REF	*	*	*	*	*	*	*	*		A1A3E14
P-F		A333 SHIELD, TRANSFORMER: SAME AS A331		EA	REF	*	*	*	*	*	*	*	*		A1A3E15
P-F		A334 SHIELD, TRANSFORMER: SAME AS A331		EA	REF	*	*	*	*	*	*	*	*		A1A3E16
P-F		A335 SHIELD, TRANSFORMER: SAME AS A331		EA	REF	*	*	*	*	*	*	*	*		A1A3E17
P-F		A336 SHIELD, TRANSFORMER: SAME AS A331		EA	REF	*	*	*	*	*	*	*	*		A1A3E18
P-F		A337 SHIELD, TRANSFORMER: SAME AS A331		EA	REF	*	*	*	*	*	*	*	*		A1A3E19

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F		A338 SHIELD, TRANSFORMER: SMB535897 (80063)		EA	1	*	*	*	*	*	*	*	*		A1A3E20
X2-F		A339 TERMINAL, LUG: SAME AS A254		EA	15										A1A3E21
X2-F		A340 TERMINAL, LUG: SAME AS A254		EA	REF										A1A3E22
X2-F		A341 TERMINAL, LUG: SAME AS A254		EA	REF										A1A3E23
X2-F		A342 TERMINAL, LUG: SAME AS A254		EA	REF										A1A3E24
X2-F		A343 TERMINAL, LUG: SAME AS A254		EA	REF										A1A3E25
X2-F		A344 TERMINAL, LUG: SAME AS A254		EA	REF										A1A3E26
X2-F		A345 TERMINAL, LUG: SAME AS A254		EA	REF										A1A3E27
X2-F		A346 TERMINAL, LUG: SAME AS A254		EA	REF										A1A3E28
X2-F		A347 TERMINAL, LUG: SAME AS A254		EA	REF										A1A3E29
X2-F		A348 TERMINAL, LUG: SAME AS A254		EA	REF										A1A3E30
X2-F		A349 TERMINAL, LUG: SAME AS A254		EA	REF										A1A3E31

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F		A350 TERMINAL, LUG: SAME AS A254		EA	REF										A1A3E32
X2-F		A351 TERMINAL, LUG: SAME AS A254		EA	REF										A1A3E33
X2-F		A352 TERMINAL, LUG: SAME AS A254		EA	REF										A1A3E34
X2-F		A353 TERMINAL, LUG: SAME AS A254		EA	REF										A1A3E35
X2-F	5940-665-5764	A354 TERMINAL, STUD: SAME AS A234		EA	10										A1A3E36
X2-F	5940-665-5764	A355 TERMINAL, STUD: SAME AS A234		EA	REF										A1A3E37
X2-F	5940-665-5764	A356 TERMINAL, STUD: SAME AS A234		EA	REF										A1A3E38
X2-F	5940-665-5764	A357 TERMINAL, STUD: SAME AS A234		EA	REF										A1A3E39
X2-F	5940-665-5764	A358 TERMINAL, STUD: SAME AS A234		EA	REF										A1A3E40
X2-F	5940-665-5764	A359 TERMINAL, STUD: SAME AS A234		EA	REF										A1A3E41
X2-F	5940-665-5764	A360 TERMINAL, STUD: SAME AS A234		EA	REF										A1A3E42
X2-F	5940-665-5764	A361 TERMINAL, STUD: SAME AS A234		EA	REF										A1A3E43

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F	5940-665-5764	A362 TERMINAL, STUD: SAME AS A234		EA	REF										A1A3E44
X2-F	5940-665-5764	A363 TERMINAL, STUD: SAME AS A234		EA	REF										A1A3E45
X2-F	5305-054-5647	A364 SCREW, MACHINE: SAME AS A257		EA	1										A1A3E45H1
X2-F	5310-595-6211	A365 WASHER, FLAT: MS15795-303 (96906)		EA	1										A1A3E45H1
X2-F	5310-042-9609	A366 WASHER, SPLIT: SAME AS A110		EA	1										A1A3E45H1
X2-F	5940-665-5764	A367 TERMINAL, STUD: SAME AS A234		EA	1										A1A3E46
X2-F	5305-054-5647	A368 SCREW, MACHINE: SAME AS A257		EA	1										A1A3E46H1
X2-F	5310-595-6211	A369 WASHER, FLAT: SAME AS A365		EA	1										A1A3E46H1
X2-F	5310-042-9609	A370 WASHER, SPLIT: SAME AS A110		EA	1										A1A3E46H1
X2-F	5940-665-5764	A371 TERMINAL, STUD: SAME AS A234		EA	1										A1A3E47
X2-F	5305-054-5647	A372 SCREW, MACHINE: SAME AS A257		EA	1										A1A3E47H1
X2-F	5310-595-6211	A373 WASHER, FLAT: SAME AS A365		EA	1										A1A3E47H1

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT. ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F	5310-042-9609	A374 WASHER, LOCK: SAME AS A213		EA	1										A1A3E47H1
X2-F	5940-665-5764	A375 TERMINAL, STUD: SAME AS A234		EA	1										A1A3E48
X2-F	5305-054-5647	A376 SCREW, MACHINE: SAME AS A257		EA	1										A1A3E48H1
X2-F	5310-595-6211	A377 WASHER, FLAT: SAME AS A365		EA	1										A1A3E48H1
X2-F	5310-042-9609	A378 WASHER, SPLIT: SAME AS A110		EA	1										A1A3E48H1
X2-F	5940-665-5764	A379 TERMINAL, STUD: SAME AS A234		EA	1										A1A3E49
X2-F	5305-054-5647	A380 SCREW, MACHINE: SAME AS A257		EA	1										A1A3E49H1
X2-F	5310-595-6211	A381 WASHER, FLAT: SAME AS A365		EA	1										A1A3E49H1
X2-F	5310-042-9609	A382 WASHER, SPLIT: SAME AS A110		EA	1										A1A3E49H1
X2-F	5940-665-5764	A383 TERMINAL, STUD: SAME AS A234		EA	1										A1A3E50
X2-F	5305-054-5647	A384 SCREW, MACHINE: SAME AS A257		EA	1										A1A3E50H1
X2-F	5310-595-6211	A385 WASHER, FLAT: SAME AS A365		EA	1										A1A3E50H1

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F	5310-042-9609	A386 WASHER, SPLIT: SAME AS A110		EA	1										A1A3E50H1
X2-F	5940-665-5764	A387 TERMINAL, STUD: SAME AS A234		EA	1										A1A3E51
X2-F	5310-584-7888	A388 SCREW, MACHINE: MS35338-13 (96906)		EA	1										A1A3E51H1
X2-F	5310-595-6211	A389 WASHER, FLAT: SAME AS A365		EA	1										A1A3E51H1
X2-F	5310-042-9609	A390 WASHER, SPLIT: SAME AS A110		EA	1										A1A3E51H1
X2-F	5940-665-5764	A391 TERMINAL, STUD: SAME AS A234		EA	1										A1A3E52
X2-F	5305-054-5647	A392 SCREW, MACHINE: SAME AS A257		EA	1										A1A3E52H1
X2-F	5310-595-6211	A393 WASHER, FLAT: SAME AS A365		EA	1										A1A3E52H1
X2-F	5310-042-9609	A394 WASHER, SPLIT: SAME AS A110		EA	1										A1A3E52H1
X2-F	5940-665-5764	A395 TERMINAL, STUD: SAME AS A234		EA	1										A1A3E53
X2-F	5305-054-5647	A396 SCREW, MACHINE: SAME AS A257		EA	1										A1A3E53H1
X2-F	5310-595-6211	A397 WASHER, FLAT: SAME AS A365		EA	1										A1A3E53H1

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F	5310-042-9609	A398 WASHER, SPLIT: SAME AS A110		EA	1										A1A3E53H1
X2-F	5940-665-5764	A399 TERMINAL, STUD: SAME AS A234		EA	1										A1A3E54
X2-F	5305-054-5647	A400 SCREW, MACHINE: SAME AS A257		EA	1										A1A3E54H1
X2-F	5310-595-6211	A401 WASHER, FLAT: SAME AS A365		EA	1										A1A3E54H1
X2-F	5310-042-9609	A402 WASHER, SPLIT: SAME AS A110		EA	1										A1A3E54H1
X2-F	5940-665-5764	A403 TERMINAL, STUD: SAME AS A234		EA	1										A1A3E55
X2-F	5305-054-5647	A404 SCREW, MACHINE: SAME AS A257		EA	1										A1A3E55H1
X2-F	5310-595-6211	A405 WASHER, FLAT: SAME AS A365		EA	1										A1A3E55H1
X2-F	5310-042-9609	A406 WASHER, SPLIT: SAME AS A110		EA	1										A1A3E55H1
X2-F	5940-665-5764	A407 TERMINAL, STUD: SAME AS A234		EA	1										A1A3E56
X2-F	5305-054-5647	A408 SCREW, MACHINE: SAME AS A257		EA	1										A1A3E56H1
X2-F	5310-595-6211	A409 WASHER, FLAT: SAME AS A365		EA	1										A1A3E56H1

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE		USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F	5310-042-9609	A410	WASHER, SPLIT: SAME AS A110		EA	1										A1A3E56H1
X2-F	.	A411	SCREW, MACHINE: SMB535963 (80063)		EA	3										A1A3H3
X2-F	5310-880-5978	A412	WASHER, FLAT: MS15795-807 (96906)		EA	3										A1A3H3
X2-F		A413	WASHER, SPLIT: SAME AS A47		EA	3										A1A3H3
P-F		A414	CONNECTOR, RECEPTACLE, ELECTRICAL: 46475 (30684)		EA	2	*	*	*	*	*	*	*	*	5	A1A3J513
P-F	5935-577-8761	A415	CONNECTOR, RECEPTACLE, ELECTRICAL: 45925 (30684)		EA	1	*	*	*	*	*	*	*	*	5	A1A3J514
P-F		A416	CONNECTOR, RECEPTACLE, ELECTRICAL: SAME AS A414		EA	REF	*	*	*	*	*	*	*	*	5	A1A3J518
P-F	5950-999-4346	A417	COIL, RADIO FREQUENCY: SAME AS A239		EA	1	*	*	*	*	*	*	*	*	5	A1A3L501
X2-F	5910-577-7940	A418	BRACKET, CAPACITOR: CP091-SB5 (81349)		EA	2										A1A3MP1
X2-F		A419	NUT, SELF-LOCKING, HEXAGON: SMD535870-4 (80063)		EA	2										A1A3MP1H2
X2-F	5310-011-1041	A420	WASHER, SPLIT: SAME AS A13		EA	2										A1A3MP1H2
X2-F	5910-577-7940	A420A	BRACKET, CAPACITOR: SAME AS A418		EA	REF										A1A3MP2

SECTION III. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F		A421 NUT, SELF-LOCKING, HEXAGON: SAME AS A419		EA	2										A1A3MP2H2
X2-F	5310-011-1041	A422 WASHER, SPLIT: SAME AS A13		EA	2										A1A3MP2H2
M-D		A423 BRACKET, MOUNTING ASSEMBLY: SMB249006 (80063)		EA	1										A1A3MP3
X2-F	5305-054-5646	A424 SCREW, MACHINE: SAME AS A235		EA	4										A1A3MP3H4
X2-F	5310-058-3599	A425 WASHER, LOCK: SAME AS A167		EA	4										A1A3MP3H4
M-D		A426 BRACKET, SUPPORT: SMC535914 (80063)		EA	1										A1A3MP4
X2-F		A427 SCREW, MACHINE: SMD535870-12 (80063)		EA	2										A1A3MP4H2
X2-F	5310-058-3599	A428 WASHER, LOCK: SAME AS A167		EA	2										A1A3MP4H2
X1-F		A429 CHASSIS, INTERMEDIATE FREQUENCY: SMD535877 (80063)		EA	1										A1A3MP5
P-F		A430 COUPLING, SHAFT: D64624 (83267)		EA	1	*	*	*	*	*	*	*	*		A1A3MP5
X2-F		A431 SETSCREW: MS51964-38 (96906)		EA	4										A1A3MP5H4
P-F		A432 COUPLER, SHAFT: SMB178433 (80063)		EA	1	*	*	*	*	*	*	*	*		A1A3MP6
X2-F		A433 SETSCREW: SAME AS A431		EA	4										A1A3MP6H4
P-F	5930-926-0641	A434 DETENT, SWITCH: SMB535889 (80063)		EA	1	*	*	*	*	*	*	*	*		A1A3MP7

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F		A435 GROMMET, PLASTIC: MS21265-B4N (96906)		EA	1										A1A3MP8
X2-F		A436 PANEL, BEARING ASSEMBLY: 148 (83330)		EA	1										A1A3MP9
X2-F		A437 WASHER, LOCK: MS35333-76 (96906)		EA	1										A1A3MP9H1
P-F		A438 SHAFT, SWITCH: SMB535915 (80063)		EA	1	*	*	*	*	*	*	*	*		A1A3MP10
P-F	5905-171-2004	A439 RESISTOR, FIXED, COMPOSITION: RC20GF223K (81349)		EA	3	*	*	*	*	*	*	*	*	5	A1A3R501
P-F	5905-195-6817	A440 RESISTOR, FIXED, COMPOSITION: SAME AS A27		EA	3	*	*	*	*	*	*	*	*	5	A1A3R503
P-F	5905-195-6758	A441 RESISTOR, FIXED, COMPOSITION: RC20GF273K (81349)		EA	1	*	*	*	*	*	*	*	*	5	A1A3R504
P-F	5905-299-2014	A442 RESISTOR, FIXED, COMPOSITION: SAME AS A171		EA	1	*	*	*	*	*	*	*	*	5	A1A3R505
P-F	5905-279-1876	A443 RESISTOR, FIXED, COMPOSITION: RC20GF222J (81349)		EA	6	*	*	*	*	*	*	*	*	5	A1A3R506
P-F	5905-171-2004	A444 RESISTOR, FIXED, COMPOSITION: SAME AS A439		EA	REF	*	*	*	*	*	*	*	*		A1A3R509
P-F	5905-195-6817	A445 RESISTOR, FIXED, COMPOSITION: SAME AS A27		EA	REF	*	*	*	*	*	*	*	*		A1A3R510
P-F	5905-295-3409	A446 RESISTOR, FIXED, COMPOSITION: RC20GF224K (81349)		EA	1	*	*	*	*	*	*	*	*		A1A3R512

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5905-279-1876	A447 RESISTOR, FIXED, COMPOSITION: SAME AS A443		EA	REF	*	*	*	*	*	*	*	*	3	A1A3R513
P-F	5905-171-1997	A448 RESISTOR, FIXED, COMPOSITION: RC20GF331K (81349)		EA	3	*	*	*	*	*	*	*	*		A1A3R517
P-F		A449 RESISTOR, FIXED, COMPOSITION: RC20GF (81349)		EA	4	*	*	*	*	*	*	*	*	4	A1A3R519
P-F		A450 RESISTOR, FIXED, COMPOSITION: SAME AS A449		EA	REF	*	*	*	*	*	*	*	*	3	A1A3R520
P-F		A451 RESISTOR, FIXED, COMPOSITION: SAME AS A449		EA	REF	*	*	*	*	*	*	*	*		A1A3R521
P-F	5905-192-3987	A452 RESISTOR, FIXED, COMPOSITION: RC20GF104K (81349)		EA	2	*	*	*	*	*	*	*	*		A1A3R522
P-F	5905-279-1876	A453 RESISTOR, FIXED, COMPOSITION: SAME AS A443		EA	REF	*	*	*	*	*	*	*	*	4	A1A3R523
P-F	5905-171-1997	A454 RESISTOR, FIXED, COMPOSITION: SAME AS A448		EA	REF	*	*	*	*	*	*	*	*	3	A1A3R526
P-F	5905-192-3987	A455 RESISTOR, FIXED, COMPOSITION: SAME AS A452		EA	REF	*	*	*	*	*	*	*	*	5	A1A3R527
P-F	5905-279-1876	A456 RESISTOR, FIXED, COMPOSITION: SAME AS A443		EA	REF	*	*	*	*	*	*	*	*		A1A3R528
P-F	5905-171-1997	A457 RESISTOR, FIXED, COMPOSITION: SAME AS A448		EA	REF	*	*	*	*	*	*	*	*		A1A3R531

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5905-171-2004	A458 RESISTOR, FIXED, COMPOSITION: SAME AS A439		EA	REF	*	*	*	*	*	*	*	*	5	A1A3R532
P-F	5905-279-1876	A459 RESISTOR, FIXED, COMPOSITION: SAME AS A443		EA	REF	*	*	*	*	*	*	*	*	5	A1A3R533
P-F	5905-257-2631	A460 RESISTOR, FIXED, COMPOSITION: RC20GF821K (81349)		EA	1	*	*	*	*	*	*	*	*		A1A3R536
P-F	5905-752-3805	A461 RESISTOR, VARIABLE: RA20NASA150A (81349)		EA	1	*	*	*	*	*	*	*	*	4	A1A3R537
P-F	5905-195-6817	A462 RESISTOR, FIXED, COMPOSITION: SAME AS A27		EA	REF	*	*	*	*	*	*	*	*	4	A1A3R538
P-F	5905-192-9260	A463 RESISTOR, FIXED, COMPOSITION: RC20GF154K (81349)		EA	1	*	*	*	*	*	*	*	*	5	A1A3R545
P-F	5905-279-2675	A464 RESISTOR, FIXED, COMPOSITION: RC20GF333K (81349)		EA	1	*	*	*	*	*	*	*	*	5	A1A3R546
P-F	5905-299-2019	A465 RESISTOR, FIXED, COMPOSITION: RC32GF223K (81349)		EA	1	*	*	*	*	*	*	*	*	3	A1A3R547
P-F	5905-279-1876	A466 RESISTOR, FIXED, COMPOSITION: SAME AS A443		EA	REF	*	*	*	*	*	*	*	*	3	A1A3R548
P-F	5905-295-3410	A467 RESISTOR, FIXED, COMPOSITION: SAME AS A295		EA	1	*	*	*	*	*	*	*	*		A1A3R553
P-F	5905-299-2051	A468 RESISTOR, FIXED, COMPOSITION: RC32GF471K (81349)		EA	1	*	*	*	*	*	*	*	*		A1A3R554

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5905-239-0583	A469 RESISTOR, FIXED, COMPOSITION: RC20GF125K (81349)		EA	1	*	*	*	*	*	*	*	*		A1A3R558
P-F	5905-279-1879	A470 RESISTOR, FIXED, COMPOSITION: RC20GF270J (81349)		EA	1	*	*	*	*	*	*	*	*		A1A3R559
P-F	5905-195-6756	A471 RESISTOR, FIXED, COMPOSITION: RC42GF563K (81349)		EA	1	*	*	*	*	*	*	*	*		A1A3R560
P-F		A472 RESISTOR, FIXED, COMPOSITION: SAME AS A449		EA	REF	*	*	*	*	*	*	*	*		A1A3R561
P-F	5905-501-7314	A473 RESISTOR, VARIABLE: RV4LAYSA253B (81349)		EA	1	*	*	*	*	*	*	*	*		A1A3R562
P-F	5905-101-7537	A474 RESISTOR, FIXED, COMPOSITION: RC32GF3R9K (81349)		EA	2	*	*	*	*	*	*	*	*		A1A3R563
P-F	5905-299-2012	A475 RESISTOR, FIXED, COMPOSITION: SAME AS A14		EA	1	*	*	*	*	*	*	*	*		A1A3R564
P-F	5905-101-7537	A476 RESISTOR, FIXED, COMPOSITION: SAME AS A474		EA	REF	*	*	*	*	*	*	*	*		A1A3R565
P-F	5905-681-4707	A477 RESISTOR, THERMAL: TJ311N01 (96906)		EA	1	*	*	*	*	*	*	*	*		A1A3RT512
P-F	5950-999-4428	A478 TRANSFORMER, RADIO FREQUENCY: 53-297-1 (18212)		EA	1	*	*	*	*	*	*	*	*	4	A1A3T501

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE		USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F	5310-982-4999	A479	NUT, SELF-LOCKING, HEXAGON: SAME AS A175		EA	2										A1A3T501H2
X2-F	5310-058-3599	A480	WASHER, LOCK: SAME AS A167		EA	2										A1A3T501H2
P-F	5950-999-4430	A481	TRANSFORMER, RADIO FREQUENCY: 53-298-1 (18212)		EA	1	*	*	*	*	*	*	*	*	4	A1A3T502
X2-F	5310-982-4999	A482	NUT, SELF-LOCKING, HEXAGON: SAME AS A175		EA	2										A1A3T502H2
X2-F	5310-058-3599	A483	WASHER, LOCK: SAME AS A167		EA	2										A1A3T502H2
P-F	5950-999-4430	A484	TRANSFORMER, RADIO FREQUENCY: SAME AS A481		EA	1	*	*	*	*	*	*	*	*	4	A1A3T503
X2-F	5310-982-4999	A485	NUT, SELF-LOCKING, HEXAGON: SAME AS A175		EA	2										A1A3T503H2
X2-F	5310-058-3599	A486	WASHER, LOCK: SAME AS A167		EA	2										A1A3T503H2
P-F	5950-999-4430	A487	TRANSFORMER, RADIO FREQUENCY: SAME AS A481		EA	1	*	*	*	*	*	*	*	*		A1A3T504
X2-F	5310-982-4999	A488	NUT, SELF-LOCKING, HEXAGON: SAME AS A175		EA	2										A1A3T504H2
X2-F	5310-058-3599	A489	WASHER, LOCK: SAME AS A167		EA	2										A1A3T504H2
P-F	5950-999-4430	A490	TRANSFORMER, RADIO FREQUENCY: SAME AS A481		EA	1	*	*	*	*	*	*	*	*		A1A3T505

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F	5310-982-4999	A491 NUT, SELF-LOCKING, HEXAGON: SAME AS A175		EA	2										A1A3T505H2
X2-F	5310-058-3599	A492 WASHER, LOCK: SAME AS A167		EA	2										A1A3T505H2
P-F	5950-923-2505	A493 TRANSFORMER, RADIO FREQUENCY: 53-299-1 (18212)		EA	1	*	*	*	*	*	*	*	*		A1A3T506
X2-F	5310-982-4999	A494 NUT, SELF-LOCKING, HEXAGON: SAME AS A175		EA	2										A1A3T506H2
X2-F	5310-058-3599	A495 WASHER, LOCK: SAME AS A167		EA	3										A1A3T506H3
A-F-S		A496 ELECTRONIC COMPONENT ASSEMBLY: SMB535919 (80063)		EA	1										A1A3TB501
P-F	5910-823-1143	A497 CAPACITOR, FIXED, PAPER DIELECTRIC: SAME AS A232		EA	1	*	*	*	*	*	*	*	*	3	A1A3TB501C527
P-F	5910-818-9758	A498 CAPACITOR, FIXED, PAPER DIELECTRIC: CP04A1KB224K1 (81349)		EA	1	*	*	*	*	*	*	*	*	3	A1A3TB501C528
P-F		A499 CAPACITOR, FIXED, PAPER DIELECTRIC: SAME AS A164		EA	1	*	*	*	*	*	*	*	*	3	A1A3TB501C529
X2-F	5305-993-9189	A500 WASHER, FLAT: MS24693-C2 (96906)		EA	2										A1A3TB501H2
X2-F		A501 TERMINAL BOARD: SMB535918 (80063)		EA	1										A1A3TB501MP1

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5905-195-6758	A502 RESISTOR, FIXED, COMPOSITION: SAME AS A441		EA	2	*	*	*	*	*	*	*	*	5	A1A3TB501R539
P-F	5905-195-6758	A503 RESISTOR, FIXED, COMPOSITION: SAME AS A441		EA	1	*	*	*	*	*	*	*	*	5	A1A3TB501R540
P-F	5905-185-6946	A504 RESISTOR, FIXED, COMPOSITION: SAME AS A16		EA	2	*	*	*	*	*	*	*	*	5	A1A3TB501R541
P-F	5905-221-5848	A505 RESISTOR, FIXED, COMPOSITION: RC20GF824K (81349)		EA	1	*	*	*	*	*	*	*	*	5	A1A3TB501R542
P-F	5905-192-0390	A506 RESISTOR, FIXED, COMPOSITION: SAME AS A207		EA	1	*	*	*	*	*	*	*	*	5	A1A3TB501R543
P-F	5905-185-6946	A507 RESISTOR, FIXED, COMPOSITION: SAME AS A16		EA	REF	*	*	*	*	*	*	*	*	3	A1A3TB501R544
A-F-S		A508 ELECTRONIC COMPONENT ASSEMBLY: SMB535921 (80063)		EA	1										A1A3TB502
P-F		A509 CAPACITOR, FIXED, PAPER DIELECTRIC: SAME AS A163		EA	3	*	*	*	*	*	*	*	*	3	A1A3TB502C537
P-F		A510 CAPACITOR, FIXED, PAPER DIELECTRIC: SAME AS A163		EA	REF	*	*	*	*	*	*	*	*	3	A1A3TB502C538
P-F	5910-941-1866	A511 CAPACITOR, FIXED, MICA DIELECTRIC: CM15D221GN1 (81349)		EA	1	*	*	*	*	*	*	*	*	5	A1A3TB502C543
P-F		A512 CAPACITOR, FIXED, PAPER DIELECTRIC: SAME AS A163		EA	REF	*	*	*	*	*	*	*	*	5	A1A3TB502C544

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F	5305-054-5647	A513 SCREW, MACHINE: SAME AS A257		EA	2										A1A3TB502H2
X2-F	5310-042-9609	A514 WASHER, SPLIT: SAME AS A110		EA	2										A1A3TB502H2
X2-F		A515 TERMINAL BOARD: SMB535920 (80063)		EA	1										A1A3TB502MP1
P-F	5905-192-3972	A516 RESISTOR, FIXED, COMPOSITION: RC20GF391K (81349)		EA	1	*	*	*	*	*	*	*	*	3	A1A3TB502R549
P-F	5905-252-5428	A517 RESISTOR, FIXED, COMPOSITION: RC20GF680K (81349)		EA	1	*	*	*	*	*	*	*	*	3	A1A3TB502R550
P-F	5905-192-3987	A518 RESISTOR, FIXED, COMPOSITION: SAME AS A452		EA	1	*	*	*	*	*	*	*	*		A1A3TB502R555
P-F	5905-192-0662	A519 RESISTOR, FIXED, COMPOSITION: RC20GF184K (81349)		EA	1	*	*	*	*	*	*	*	*		A1A3TB502R556
P-F	5905-295-3409	A520 RESISTOR, FIXED, COMPOSITION: SAME AS A446		EA	1	*	*	*	*	*	*	*	*		A1A3TB502R557
P-O	5960-188-6589	A521 ELECTRON TUBE: 6BJ6 (81350)		EA	6	*	*	*	*	*	*	*	*	4	A1A3V501
P-O	5960-188-6589	A522 ELECTRON TUBE: SAME AS A521		EA	REF	*	*	*	*	*	*	*	*	4	A1A3V502
P-O	5960-188-6589	A523 ELECTRON TUBE: SAME AS A521		EA	REF	*	*	*	*	*	*	*	*	4	A1A3V503
P-O	5960-188-6589	A524 ELECTRON TUBE: SAME AS A521		EA	REF	*	*	*	*	*	*	*	*	4	A1A3V504

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-O	5960-188-6589	A525 ELECTRON TUBE: SAME AS A521		EA	REF	*	*	*	*	*	*	*	*	4	A1A3V505
P-O	5960-188-3551	A526 ELECTRON TUBE: SAME AS A123		EA	1	*	*	*	*	*	*	*	*	4	A1A3V506
P-O	5960-636-2218	A527 ELECTRON TUBE: 6189/12AU7WA (81350)		EA	3	*	*	*	*	*	*	*	*	4	A1A3V507
P-O	5960-264-2089	A528 ELECTRON TUBE: 5749/6BA6W (81350)		EA	1	*	*	*	*	*	*	*	*	4	A1A3V508
P-O	5960-188-6589	A529 ELECTRON TUBE: SAME AS A521		EA	REF	*	*	*	*	*	*	*	*	4	A1A3V509
P-O	5960-636-2218	A530 ELECTRON TUBE: SAME AS A527		EA	REF	*	*	*	*	*	*	*	*		A1A3V510
P-O	5960-636-2218	A531 ELECTRON TUBE: SAME AS A527		EA	REF	*	*	*	*	*	*	*	*		A1A3V511
M-D		A532 HARNESS, ELECTRONIC EQUIPMENT: SMD536028 (80063)		EA	1										A1A3W501
X2-F	5310-982-4959	A533 NUT, SELF-LOCKING, HEXAGON: SAME AS A175		EA	2										A1A3W501H2
X2-F		A534 SCREW, MACHINE: SAME AS A247		EA	2										A1A3A6C525H2
X2-F	5310-595-6211	A535 WASHER, FLAT: SAME AS A365		EA	2										A1A3W501H2

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F		A536 CONNECTOR, PLUG, ELECTRICAL: 126-806-1001 (02660)		EA	1	*	*	*	*	*	*	*	*		A1A3W501J512
P-F	5935-160-1365	A537 SOCKET, ELECTRON TUBE: SAME AS A137		EA	4	*	*	*	*	*	*	*	*		A1A3XRT501
X2-F	5310-042-9609	A538 WASHER, SPLIT: SAME AS A110		EA	1										A1A3XRT501H1
X2-F	5310-982-4959	A539 NUT, SELF-LOCKING, HEXAGON: SAME AS A175		EA	1										A1A3XRT501H1
X2-F		A540 SCREW, MACHINE: SAME AS A166		EA	1										A1A3XRT501H1
X2-F	5305-054-5647	A541 SCREW, MACHINE: SAME AS A257		EA	1										A1A3XRT501H1
P-F	5935-260-0516	A542 SOCKET, ELECTRON TUBE: SAME AS A146A		EA	8	*	*	*	*	*	*	*	*	5	A1A3XV501
X2-F		A543 SCREW, MACHINE: MS35233-15 (96906)		EA	1										A1A3XV501H1
X2-F	5305-054-5647	A544 SCREW, MACHINE: SAME AS A257		EA	1										A1A3XV501H1
X2-F	5310-982-4959	A545 NUT, SELF-LOCKING, HEXAGON: SAME AS A175		EA	1										A1A3XV501H1
X2-F	5310-042-9609	A546 WASHER, SPLIT: SAME AS A110		EA	1										A1A3XV501H1
X2-F	5310-058-3599	A547 WASHER, LOCK: SAME AS A167		EA	1										A1A3XV501H1

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5935-260-0516	A548 SOCKET, ELECTRON TUBE: SAME AS A146A		EA	REF	*	*	*	*	*	*	*	*	3	A1A3XV502
X2-F	5310-058-3599	A549 WASHER, LOCK: SAME AS A167		EA	1										A1A3XV502H1
X2-F	5310-982-4999	A550 NUT, SELF-LOCKING, HEXAGON: SAME AS A175		EA	1										A1A3XV502H1
X2-F		A551 SCREW, MACHINE: SAME AS A543		EA	1										A1A3XV502H1
X2-F		A552 SCREW, MACHINE: SAME AS A166		EA	1										A1A3XV502H1
P-F	5935-260-0516	A553 SOCKET, ELECTRON TUBE: SAME AS A146A		EA	REF	*	*	*	*	*	*	*	*	3	A1A3XV503
X2-F		A554 SCREW, MACHINE: SAME AS A166		EA	1										A1A3XV503H1
X2-F		A555 SCREW, MACHINE: SAME AS A543		EA	1										A1A3XV503H1
X2-F	5310-982-4999	A556 NUT, SELF-LOCKING, HEXAGON: SAME AS A175		EA	1										A1A3XV503H1
X2-F	5310-058-3599	A557 WASHER, LOCK: SAME AS A167		EA	1										A1A3XV503H1
P-F	5935-260-0516	A558 SOCKET, ELECTRON TUBE: SAME AS A146A		EA	REF	*	*	*	*	*	*	*	*	3	A1A3XV504
X2-F	5310-058-3599	A559 WASHER, LOCK: SAME AS A167		EA	1										A1A3XV504H1

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F		A560 SCREW, MACHINE: SAME AS A166		EA	1										A1A3XV504H1
X2-F		A561 SCREW, MACHINE: SAME AS A543		EA	1										A1A3XV504H1
X2-F	5310-982-4999	A562 NUT, SELF-LOCKING, HEXAGON: SAME AS A175		EA	1										A1A3XV504H1
P-F	5935-260-0516	A563 SOCKET, ELECTRON TUBE: SAME AS A146A		EA	REF	*	*	*	*	*	*	*	*	3	A1A3XV505
X2-F		A564 SCREW, MACHINE: SAME AS A543		EA	1										A1A3XV505H1
X2-F		A565 SCREW, MACHINE: SAME AS A166		EA	1										A1A3XV505H1
X2-F	5310-982-4999	A566 NUT, SELF-LOCKING: SAME AS A175		EA	1										A1A3XV505H1
X2-F	5310-042-9609	A567 WASHER, SPLIT: SAME AS A110		EA	1										A1A3XV505H1
X2-F	5310-058-3599	A568 WASHER, LOCK: SAME AS A167		EA	2										A1A3XV505H2
P-F	5935-260-0516	A569 SOCKET, ELECTRON TUBE: SAME AS A146A		EA	REF	*	*	*	*	*	*	*	*	3	A1A3XV506
X2-F	5310-058-3599	A570 WASHER, LOCK: SAME AS A167		EA	1										A1A3XV506H1
X2-F	5310-982-4999	A571 NUT, SELF-LOCKING, HEXAGON: SAME AS A175		EA	2										A1A3XV506H2

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F		A572 SCREW, MACHINE: SAME AS A543		EA	1										A1A3XV506H1
X2-F		A573 SCREW, MACHINE: SAME AS A166		EA	1										A1A3XV506H1
P-F	5935-160-1365	A574 SOCKET, ELECTRON TUBE: SAME AS A137		EA	REF	*	*	*	*	*	*	*	*	5	A1A3XV507
X2-F	5310-058-3599	A575 WASHER, LOCK: SAME AS A167		EA	1										A1A3XV507H1
X2-F	5310-042-9609	A576 WASHER, SPLIT: SAME AS A110		EA	1										A1A3XV507H1
X2-F	5310-982-4999	A577 NUT, SELF-LOCKING, HEXAGON: SAME AS A175		EA	1										A1A3XV507H1
X2-F		A578 SCREW, MACHINE: SAME AS A166		EA	1										A1A3XV507H1
X2-F		A579 SCREW, MACHINE: SAME AS A543		EA	1										A1A3XV507H1
P-F	5935-260-0516	A580 SOCKET, ELECTRON TUBE: SAME AS A146A		EA	REF	*	*	*	*	*	*	*	*	5	A1A3XV508
X2-F		A581 SCREW, MACHINE: SAME AS A166		EA	1										A1A3XV508H1
X2-F		A582 SCREW, MACHINE: SAME AS A543		EA	1										A1A3XV508H1
X2-F	5310-982-4999	A583 NUT, SELF-LOCKING, HEXAGON: SAME AS A175		EA	1										A1A3XV508H1

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F	5310-042-9609	A584 WASHER, SPLIT: SAME AS A110		EA	1										A1A3XV508H1
X2-F	5310-058-3599	A585 WASHER, LOCK: SAME AS A167		EA	2										A1A3XV508H2
P-F	5935-260-0516	A586 SOCKET, ELECTRON TUBE: SAME AS A146A		EA	REF	*	*	*	*	*	*	*	*	5	A1A3XV509
X2-F		A587 SCREW, MACHINE: SAME AS A166		EA	1										A1A3XV509H1
X2-F	5305-054-5647	A588 SCREW, MACHINE: SAME AS A257		EA	1										A1A3XV509H1
X2-F	5310-982-4999	A589 NUT, SELF-LOCKING, HEXAGON: SAME AS A175		EA	1										A1A3XV509H1
X2-F	5310-042-9609	A590 WASHER, SPLIT: SAME AS A110		EA	1										A1A3XV509H1
P-F	5935-160-1365	A591 SOCKET, ELECTRON TUBE: SAME AS A137		EA	REF	*	*	*	*	*	*	*	*		A1A3XV510
X2-F	5310-058-3599	A592 WASHER, LOCK: SAME AS A167		EA	2										A1A3XV510H2
X2-F	5310-042-9609	A593 WASHER, SPLIT: SAME AS A110		EA	2										A1A3XV510H2
X2-F		A594 SCREW, MACHINE: SAME AS A166		EA	2										A1A3XV510H2
P-F	5935-160-1365	A595 SOCKET, ELECTRON TUBE: SAME AS A137		EA	REF	*	*	*	*	*	*	*	*		A1A3XV511

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F	5310-058-3599	A596 WASHER, LOCK: SAME AS A167		EA	1										A1A3XV511H1
X2-F	5310-042-9609	A597 WASHER, SPLIT: SAME AS A110		EA	1										A1A3XV511H1
X2-F	5310-982-4999	A598 NUT, SELF-LOCKING, HEXAGON: SAME AS A175		EA	1										A1A3XV511H1
X2-F		A599 SCREW, MACHINE: SAME AS A166		EA	2										A1A3XV511H2
P-O		A600 CRYSTAL UNIT QUARTZ: CR45/U-455KC (81349)		EA	1	*	*	*	*	*	*	*	*		A1A3Y501
P-F		A601 COIL, RADIO FREQUENCY: 24N205201 (98738)		EA	1	*	*	*	*	*	*	*	*	4	A1A3Z501
X2-F	5310-982-4999	A602 NUT, SELF-LOCKING, HEXAGON: SAME AS A175		EA	2										A1A3Z501H2
X2-F	5310-058-3599	A603 WASHER, LOCK: SAME AS A167		EA	2										A1A3Z501H2
P-F	5820-851-3898	A604 TUNING UNIT, RADIO FREQUENCY: SMC343625 (80063)		EA	1	*	*	*	*	*	*	*	*	3	A1A3Z502
X2-F	5310-058-3599	A605 WASHER, LOCK: SAME AS A167		EA	3										A1A3Z502H3
X2-F	5305-054-5646	A606 SCREW, MACHINE: SAME AS A235		EA	3										A1A3Z502H3
P-F	5950-926-3112	A607 COIL, RADIO FREQUENCY: 53-300-1 (18212)		EA	1	*	*	*	*	*	*	*	*	4	A1A3Z503

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F	5310-982-4999	A608 NUT, SELF-LOCKING, HEXAGON: SAME AS A175		EA	2										A1A3Z503H2
X2-F	5310-058-3599	A609 WASHER, LOCK: SAME AS A167		EA	2										A1A3Z503H2
A-F-S		A610 AMPLIFIER, RADIO FREQUENCY: SMD343629 (80063)		EA	1										A1A4
M-D		A611 CHASSIS ASSEMBLY: SMD249100 (80063)		EA	1										A1A4A1
P-F	5910-668-5903	A612 CAPACITOR, FIXED, PAPER DIELECTRIC: SMH283262 (80063)		EA	1	*	*	*	*	*	*	*	*	7	A1A4A1C227
X2-F		A613 NUT, PLAIN, HEXAGON: SMD249100-7 (80063)		EA	1										A1A4A1C227H1
X2-F		A614 WASHER, LOCK: SMD249100-8 (80063)		EA	1										A1A4A1C227H1
P-F		A615 CAPACITOR, FIXED, CERAMIC DIELECTRIC: CC20CH010C (81349)		EA	2	*	*	*	*	*	*	*	*	7	A1A4A1C228
P-F	5910-667-6123	A616 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A32		EA	25	*	*	*	*	*	*	*	*	7	A1A4A1C226
P-F	5910-667-6123	A617 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A32		EA	REF	*	*	*	*	*	*	*	*	7	A1A4A1C229
P-F	5910-667-6123	A618 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A32		EA	REF	*	*	*	*	*	*	*	*	7	A1A4A1C248
P-F	5910-556-9429	A619 CAPACITOR, FIXED, CERAMIC DIELECTRIC: CC20CK0R5C (81349)		EA	1	*	*	*	*	*	*	*	*	7	A1A4A1C249

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F		A620 CAPACITOR, FIXED, CERAMIC DIELECTRIC: CC20CKR75C (81349)		EA	1	*	*	*	*	*	*	*	*	7	A1A4A1C250
P-F		A621 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A615		EA	REF	*	*	*	*	*	*	*	*	7	A1A4A1C251
P-F	5910-543-0823	A622 CAPACITOR, FIXED, CERAMIC DIELECTRIC: CC20CK020C (81349)		EA	3	*	*	*	*	*	*	*	*	7	A1A4A1C252
P-F	5910-583-1589	A623 CAPACITOR, FIXED, CERAMIC DIELECTRIC: CC20CH040C (81349)		EA	1	*	*	*	*	*	*	*	*	7	A1A4A1C253
P-F	5910-195-5188	A624 CAPACITOR, FIXED, CERAMIC DIELECTRIC: CC20CH060C (81349)		EA	1	*	*	*	*	*	*	*	*	7	A1A4A1C254
P-F		A625 CAPACITOR, FIXED, MICA DIELECTRIC: CM15C330JN3 (81349)		EA	1	*	*	*	*	*	*	*	*	7	A1A4A1C255
P-F	5910-161-1625	A626 CAPACITOR, FIXED, PAPER, DIELECTRIC: SM-B-283237 (80063)		EA	2	*	*	*	*	*	*	*	*		A1A4A1C256
P-F	5910-577-7921	A627 CAPACITOR, FIXED, CERAMIC DIELECTRIC: CC30CH470G (81349)		EA	1	*	*	*	*	*	*	*	*		A1A4A1C257
P-F	5910-667-6123	A628 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A32		EA	REF	*	*	*	*	*	*	*	*	7	A1A4A1C273
P-F	5910-667-6023	A629 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A32		EA	REF	*	*	*	*	*	*	*	*	7	A1A4A1C274

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F		A630 CAPACITOR, FIXED, PAPER DIELECTRIC: SMR28323R (80063)		EA	1	*	*	*	*	*	*	*	*	8	A1A4A1C275
P-F	5910-850-9066	A631 CAPACITOR, FIXED, MICA DIELECTRIC: CM15B150KN3 (81349)		EA	4	*	*	*	*	*	*	*	*	7	A1A4A1C276
P-F	5910-667-6123	A632 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A32		EA	REF	*	*	*	*	*	*	*	*	7	A1A4A1C277
P-F	5910-850-9066	A633 CAPACITOR, FIXED, MICA DIELECTRIC: SAME AS A631		EA	REF	*	*	*	*	*	*	*	*	7	A1A4A1C278
P-F	5910-850-9066	A634 CAPACITOR, FIXED, MICA DIELECTRIC: SAME AS A631		EA	REF	*	*	*	*	*	*	*	*	7	A1A4A1C279
P-F	5910-667-6123	A635 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A32		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1C280
P-F	5910-543-0506	A636 CAPACITOR, FIXED, CERAMIC DIELECTRIC: CC20CK1R5C (81349)		EA	2	*	*	*	*	*	*	*	*	8	A1A4A1C281
P-F	5910-543-0506	A637 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A636		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1C282
P-F	5910-667-6123	A638 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A32		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1C284
P-F	5910-667-6123	A639 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A32		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1C285
P-F	5910-246-8995	A640 CAPACITOR, FIXED, MICA DIELECTRIC: CM15F101GN3 (81349)		EA	2	*	*	*	*	*	*	*	*	8	A1A4A1C286

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5910-667-6123	A641 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A32		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1C287
P-F	5910-667-6123	A642 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A32		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1C288
P-F	5910-543-0823	A643 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A622		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1C289
P-F	5910-543-0823	A644 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A622		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1C290
P-F	5910-667-6123	A645 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A32		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1C297
P-F	5910-667-6123	A646 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A32		EA	REF	*	*	*	*	*	*	*	*	8	1A4A1C298
P-F	5910-667-6123	A647 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A32		EA	REF	*	*	*	*	*	*	*	*	7	A1A4A1C300
P-F	5910-667-6123	A648 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A32		EA	REF	*	*	*	*	*	*	*	*	7	A1A4A1C301
P-F	5910-667-6123	A649 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A32		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1C302
P-F	5910-667-6123	A650 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A32		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1C303
P-F	5910-667-6123	A651 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A32		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1C304

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5910-667-6123	A652 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A32		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1C305
P-F	5910-667-6123	A653 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A32		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1C307
P-F	5910-667-6123	A654 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A32		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1C308
P-F	5910-161-1625	A655 CAPACITOR, FIXED, PAPER DIELECTRIC: SAME AS A626		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1C309
P-F	5910-810-2476	A656 CAPACITOR, VARIABLE: SMC283235 (80063)		EA	1	*	*	*	*	*	*	*	*	8	A1A4A1C310
X2-F		A657 NUT, PLAIN, HEXAGON: SMD249100-6 (80063)		EA	1										A1A4A1C310H1
X2-F	5310-043-5862	A658 WASHER, SPLIT: MS337-82 (96906)		EA	1										A1A4A1C310H1
P-F		A659 CAPACITOR, FIXED, MICA DIELECTRIC: SMD283243-1 (80063)		EA	2	*	*	*	*	*	*	*	*	8	A1A4A1C311
P-F	5910-850-7991	A660 CAPACITOR, FIXED, MICA DIELECTRIC: SAME AS A303		EA	1	*	*	*	*	*	*	*	*	8	A1A4A1C312
P-F	5910-725-1994	A661 CAPACITOR, FIXED, MICA DIELECTRIC: CM15F221GN3 (81349)		EA	3	*	*	*	*	*	*	*	*	8	A1A4A1C313
P-F	5910-725-1994	A662 CAPACITOR, FIXED, MICA DIELECTRIC: SAME AS A661		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1C314
P-F	5910-725-1994	A663 CAPACITOR, FIXED, MICA DIELECTRIC: SAME AS A661		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1C315

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5910-850-9066	A664 CAPACITOR, FIXED, MICA DIELECTRIC: SAME AS A631		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1C316
P-F	5910-667-6123	A665 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A32		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1C317
P-F	5910-850-0540	A666 CAPACITOR, FIXED, MICA DIELECTRIC: CM15C510GN3 (81349)		EA	2	*	*	*	*	*	*	*	*	8	A1A4A1C318
P-F	5910-667-6123	A667 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A32		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1C319
P-F		A668 CAPACITOR, FIXED, MICA DIELECTRIC: SAME AS A659		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1C320
P-F	5910-227-0807	A669 CAPACITOR, FIXED, MICA DIELECTRIC: CM15B120KN3 (81349)		EA	2	*	*	*	*	*	*	*	*	7	A1A4A1C321
P-F	5910-227-0807	A670 CAPACITOR, FIXED, MICA DIELECTRIC: SAME AS A669		EA	REF	*	*	*	*	*	*	*	*	7	A1A4A1C322
P-F	5910-240-7780	A671 CAPACITOR, FIXED, MICA DIELECTRIC: SME283226-1 (80063)		EA	1	*	*	*	*	*	*	*	*	7	1A4A1C323
P-F	5910-727-3548	A672 CAPACITOR, FIXED, MICA DIELECTRIC: CM15ED200J03 (81349)		EA	1	*	*	*	*	*	*	*	*	8	A1A4A1C324
P-F	5910-667-3399	A673 CAPACITOR, FIXED, MICA: CM15F201GN3 (81349)		EA	1	*	*	*	*	*	*	*	*	8	A1A4A1C325
P-F	5910-667-6123	A674 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A32		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1C326

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5910-246-8995	A675 CAPACITOR, FIXED, MICA DIELECTRIC: SAME AS A640		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1C327
P-F	5910-667-6123	A676 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A32		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1C328
P-F	5910-667-5742	A677 CAPACITOR, FIXED MICA: CM15F680GN3 (81349)		EA	1	*	*	*	*	*	*	*	*	8	A1A4A1C329
P-F	5910-850-0540	A678 CAPACITOR, FIXED, MICA DIELECTRIC: SAME AS A666		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1C334
P-O	5960-686-8085	A679 SHIELD, ELECTRON TUBE: SAME AS A36		EA	4	*	*	*	*	*	*	*	*		A1A4A1E201
P-O	5960-686-8085	A680 SHIELD, ELECTRON TUBE: SAME AS A36		EA	REF	*	*	*	*	*	*	*	*		A1A4A1E202
P-O	5960-686-8085	A681 SHIELD, ELECTRON TUBE: SAME AS A36		EA	REF	*	*	*	*	*	*	*	*		A1A4A1E203
P-O	5960-686-8085	A682 SHIELD, ELECTRON TUBE: SAME AS A36		EA	REF	*	*	*	*	*	*	*	*		A1A4A1E204
P-O		A683 SHIELD, ELECTRON TUBE: MS24232-5 (96906)		EA	2	*	*	*	*	*	*	*	*		A1A4A1E205
P-O		A684 SHIELD, ELECTRON TUBE: SAME AS A683		EA	REF	*	*	*	*	*	*	*	*		A1A4A1E206
P-O	5960-686-8119	A685 SHIELD, ELECTRON TUBE: MS24233-1 (96906)		EA	1	*	*	*	*	*	*	*	*		A1A4A1E207
P-F	5935-201-7522	A685A JACK, TIP: SAME AS A39		EA	4	*	*	*	*	*	*	*	*	6	A1A4A1E208

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5935-201-7922	A685E JACK, TIP: SAME AS A39		EA	REF	*	*	*	*	*	*	*	*	6	A1A4A1E209
P-F	5935-201-7922	A685C JACK, TIP: SAME AS A39		EA	REF	*	*	*	*	*	*	*	*	6	A1A4A1E210
P-F	5935-201-7922	A685E JACK, TIP: SAME AS A39		EA	REF	*	*	*	*	*	*	*	*	6	A1A4A1E211
P-F		A685F FILTER, RADIO INTERFERENCE: SMB249064 (80063)		EA	2	*	*	*	*	*	*	*	*		A1A4A1E212
P-F		A685G FILTER, RADIO INTERFERENCE: SAME AS A685F		EA	REF	*	*	*	*	*	*	*	*		A1A4A1E212A
P-F	5950-348-1752	A686 CORE, ADJUSTABLE TUNING: SM-C-249245 (80063)		EA	18	*	*	*	*	*	*	*	*		A1A4A1E213
P-F	5950-348-1752	A687 CORE, ADJUSTABLE TUNING: SAME AS A686		EA	REF	*	*	*	*	*	*	*	*		A1A4A1E214
P-F	5950-348-1752	A688 CORE, ADJUSTABLE TUNING: SAME AS A686		EA	REF	*	*	*	*	*	*	*	*		A1A4A1E215
P-F	5950-348-1752	A689 CORE, ADJUSTABLE TUNING: SAME AS A686		EA	REF	*	*	*	*	*	*	*	*		A1A4A1E216
P-F	5950-348-1753	A690 CORE, ADJUSTABLE TUNING: SAME AS A686		EA	REF	*	*	*	*	*	*	*	*		A1A4A1E217
P-F	5950-348-1752	A691 CORE, ADJUSTABLE TUNING: SAME AS A686		EA	REF	*	*	*	*	*	*	*	*		A1A4A1E218

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5950-348-1752	A692 CORE ADJUSTABLE TUNING: SAME AS A686		EA	REF	*	*	*	*	*	*	*	*		A1A4A1E219-1
P-F	5950-348-1752	A693 CORE, ADJUSTABLE TUNING: SAME AS A686		EA	REF	*	*	*	*	*	*	*	*		A1A4A1E219-2
P-F	5950-348-1752	A694 CORE, ADJUSTABLE TUNING: SAME AS A686		EA	REF	*	*	*	*	*	*	*	*		A1A4A1E220-1
P-F	5950-348-1752	A695 CORE, ADJUSTABLE TUNING: SAME AS A686		EA	REF	*	*	*	*	*	*	*	*		A1A4A1E220-2
P-F	5950-348-1752	A696 CORE, ADJUSTABLE TUNING SAME AS A686		EA	REF	*	*	*	*	*	*	*	*		A1A4A1E221-1
P-F	5950-348-1752	A697 CORE, ADJUSTABLE TUNING: SAME AS A686		EA	REF	*	*	*	*	*	*	*	*		A1A4A1E221-2
P-F	5950-348-1752	A698 CORE, ADJUSTABLE TUNING: SAME AS A686		EA	REF	*	*	*	*	*	*	*	*		A1A4A1E222-1
P-F	5950-348-1752	A699 CORE, ADJUSTABLE TUNING: SAME AS A686		EA	REF	*	*	*	*	*	*	*	*		A1A4A1E222-2
P-F	5950-348-1752	A700 CORE, ADJUSTABLE TUNING: SAME AS A686		EA	REF	*	*	*	*	*	*	*	*		A1A4A1E223-1
P-F	5950-348-1752	A701 CORE, ADJUSTABLE TUNING: SAME AS A686		EA	REF	*	*	*	*	*	*	*	*		A1A4A1E223-2
P-F	5950-348-1752	A702 CORE, ADJUSTABLE TUNING: SAME AS A686		EA	REF	*	*	*	*	*	*	*	*		A1A4A1E224-1
P-F	5950-348-1752	A703 CORE, ADJUSTABLE TUNING: SAME AS A586		EA	REF	*	*	*	*	*	*	*	*		A1A4A1E224-2

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5950-698-0226	A704 CORE, ADJUSTABLE TUNING: SMC249244 (80063)		EA	6	*	*	*	*	*	*	*	*		A1A4A1E225-1
P-F	5950-698-0226	A705 CORE, ADJUSTABLE TUNING: SAME AS A704		EA	REF	*	*	*	*	*	*	*	*		A1A4A1E225-2
P-F	5950-698-0226	A706 CORE, ADJUSTABLE TUNING: SAME AS A704		EA	REF	*	*	*	*	*	*	*	*		A1A4A1E225-3
P-F	5950-698-0226	A707 CORE, ADJUSTABLE TUNING: SAME AS A704		EA	REF	*	*	*	*	*	*	*	*		A1A4A1E226-1
P-F	5950-698-0226	A708 CORE, ADJUSTABLE TUNING: SAME AS A704		EA	REF	*	*	*	*	*	*	*	*		A1A4A1E226-2
P-F	5950-698-0226	A709 CORE, ADJUSTABLE TUNING: SAME AS A704		EA	REF	*	*	*	*	*	*	*	*		A1A4A1E226-3
P-F		A710 OVEN, CRYSTAL: SMB249065 (80063)		EA	1	*	*	*	*	*	*	*	*	6	A1A4A1HR202
P-F	5935-687-2147	A711 CONNECTOR, RECEPTACLE, ELECTRICAL: MS24056-1 (96906)		EA	1	*	*	*	*	*	*	*	*	6	A1A4A1J208
P-F	5340-322-4148	A712 RING, RETAINING: SMD283201 (80063)		EA	1	*	*	*	*	*	*	*	*		A1A4A1J208H1
X2-F		A713 NUT, PLAIN, HEXAGON: SMD249100-5 (80063)		EA	1										A1A4A1J208H1
P-F	5935-810-7514	A714 CONNECTOR, RECEPTACLE, ELECTRICAL: SMB283182 (80063)		EA	2	*	*	*	*	*	*	*	*	6	A1A4A1J217
P-F	5935-810-7514	A715 CONNECTOR, RECEPTACLE, ELECTRICAL: SAME AS A714		EA	REF	*	*	*	*	*	*	*	*	6	A1A4A1J221

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE		USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5950-387-0489	A716	CHOKE, RADIO FREQUENCY: SM-C17A505 (80063)		EA	4	*	*	*	*	*	*	*	*	8	A1A4A1L201
P-F	5950-645-0358	A717	COIL, RADIO FREQUENCY: SMC249217 (80063)		EA	6	*	*	*	*	*	*	*	*	7	A1A4A1L202
P-F	5950-645-0358	A718	COIL, RADIO FREQUENCY: SAME AS A717		EA	REF	*	*	*	*	*	*	*	*	7	A1A4A1L203
P-F	5950-645-0358	A719	COIL, RADIO FREQUENCY: SAME AS A717		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1L204
P-F	5950-645-0358	A720	COIL, RADIO FREQUENCY: SAME AS A717		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1L205
P-F	5950-645-0358	A721	COIL, RADIO FREQUENCY: SAME AS A717		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1L206
P-F	5950-645-0358	A722	COIL, RADIO FREQUENCY: SAME AS A717		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1L207
P-F	5950-387-0489	A723	CHOKE, RADIO FREQUENCY: SAME AS A716		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1L208
P-F	5950-387-0489	A724	CHOKE, RADIO FREQUENCY: SAME AS A716		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1L209
P-F	5950-645-4253	A725	COIL, RADIO FREQUENCY: SMC249216 (80063)		EA	1	*	*	*	*	*	*	*	*	8	A1A4A1L210
P-F	5950-387-0489	A726	CHOKE, RADIO FREQUENCY: SAME AS A716		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1L211
P-F	5950-645-6509	A729	COIL, RADIO FREQUENCY: SMC249216 (80063)		EA	1	*	*	*	*	*	*	*	*	8	A1A4A1L236

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
M-D		A730 RACK, ASSEMBLY: SMC343628 (80063)		EA	3										A1A4A1MP1
P-F	5360-664-2200	A731 SPRING, HELICAL, EXTENSION: SMB178699 (80063)		EA	16	*	*	*	*	*	*	*	*		A1A4A1MP2
M-D		A732 PLATE, ADJUSTING: SMB249072 (80063)		EA	14										A1A4A1MP3
X2-F		A733 SCREW, MACHINE: MS35216-12 (96906)		EA	2										A1A4A1MP3H2
X2-F		A734 WASHER, SPLIT: MS35338-21 (96906)		EA	2										A1A4A1MP3H2
X2-F		A735 WASHER, FLAT: SMB248858-1 (80063)		EA	2										A1A4A1MP3H2
M-D		A736 PLATE, ADJUSTING: SAME AS A732		EA	REF										A1A4A1MP4
X2-F		A737 SCREW, MACHINE: SAME AS A733		EA	2										A1A4A1MP4H2
X2-F		A738 WASHER, SPLIT: SAME AS A734		EA	2										A1A4A1MP4H2
X2-F		A739 WASHER, FLAT: SAME AS A735		EA	2										A1A4A1MP4H2
M-D		A740 PLATE, ADJUSTING: SAME AS A732		EA	REF										A1A4A1MP5
X2-F		A741 SCREW, MACHINE: SAME AS A733		EA	2										A1A4A1MP5H2

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F		A742 WASHER, SPLIT: SAME AS A734		EA	2										A1A4A1MP5H2
X2-F		A743 WASHER, FLAT: SAME AS A735		EA	2										A1A4A1MP5H2
M-D		A744 RACK, ASSEMBLY: SAME AS A730		EA	REF										A1A4A1MP6
P-F	5360-664-2200	A745 SPRING, HELICAL, EXTENSION: SAME AS A731		EA	REF	*	*	*	*	*	*	*	*		A1A4A1MP7
M-D		A746 PLATE, ADJUSTING: SAME AS A732		EA	REF										A1A4A1MP8
X2-F		A747 SCREW, MACHINE: SAME AS A733		EA	2										A1A4A1MP8H2
X2-F		A748 WASHER, SPLIT: SAME AS A734		EA	2										A1A4A1MP8H2
X2-F		A749 WASHER, FLAT: SAME AS A735		EA	2										A1A4A1MP8H2
M-D		A750 PLATE, ADJUSTING: SAME AS A732		EA	REF										A1A4A1MP9
X2-F		A751 SCREW, MACHINE: SAME AS A733		EA	2										A1A4A1MP9H2
X2-F		A752 WASHER, SPLIT: SAME AS A734		EA	2										A1A4A1MP9H2
X2-F		A753 WASHER, FLAT: SAME AS A735		EA	2										A1A4A1MP9H2

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
M-D		A754 PLATE, ADJUSTING: SAME AS A732		EA	REF										A1A4A1MP10
X2-F		A755 SCREW, MACHINE: SAME AS A733		EA	2										A1A4A1MP10-2
X2-F		A756 WASHER, SPLIT: SAME AS A734		EA	2										A1A4A1MP10-2
X2-F		A757 WASHER, FLAT: SAME AS A735		EA	2										A1A4A1MP10H2
M-D		A758 RACK, ASSEMBLY: SAME AS A730		EA	REF										A1A4A1MP11
P-F	5360-664-2200	A759 SPRING, HELICAL, EXTENSION: SAME AS A731		EA	REF	*	*	*	*	*	*	*	*		A1A4A1MP12
M-D		A760 PLATE, ADJUSTING: SAME AS A732		EA	REF										A1A4A1MP13
X2-F		A761 SCREW, MACHINE: SAME AS A733		EA	2										A1A4A1MP13H2
X2-F		A762 WASHER, SPLIT: SAME AS A734		EA	2										A1A4A1MP13H2
X2-F		A763 WASHER, FLAT: SAME AS A735		EA	2										A1A4A1MP13H2
M-D		A764 PLATE, ADJUSTING: SAME AS A732		EA	REF										A1A4A1MP14
X2-F		A765 SCREW, MACHINE: SAME AS A733		EA	2										A1A4A1MP14H2

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F		A766 WASHER, SPLIT: SAME AS A734		EA	2										A1A4A1MP14H2
X2-F		A767 WASHER, FLAT: SAME AS A735		EA	2										A1A4A1MP14H2
M-D		A768 PLATE, ADJUSTING: SAME AS A732		EA	REF										A1A4A1MP15
X2-F		A769 SCREW, MACHINE: SAME AS A733		EA	2										A1A4A1MP15H2
X2-F		A770 WASHER, FLAT: SAME AS A734		EA	2										A1A4A1MP15H2
X2-F		A771 WASHER, FLAT: SAME AS A735		EA	2										A1A4A1MP15H2
M-D		A772 RACK, ASSEMBLY: SMC343630 (80063)		EA	3										A1A4A1MP16
P-F	5360-664-2200	A773 SPRING, HELICAL, EXTENSION: SAME AS A731		EA	REF	*	*	*	*	*	*	*	*		A1A4A1MP17
M-D		A774 PLATE, ADJUSTING: SMB249073 (80063)		EA	11										A1A4A1MP18
X2-F		A775 SCREW, MACHINE: SAME AS A733		EA	2										A1A4A1MP18H2
X2-F		A776 WASHER, SPLIT: SAME AS A734		EA	2										A1A4A1MP18-H2
X2-F		A777 WASHER, FLAT: SAME AS A735		EA	2										A1A4A1MP18H2

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
M-D		A778 PLATE, ADJUSTING: SAME AS A774		EA	REF										A1A4A1MP19
X2-F		A779 SCREW, MACHINE: SAME AS A733		EA	2										A1A4A1MP19H2
X2-F		A780 WASHER, SPLIT: SAME AS A734		EA	2										A1A4A1MP19H2
X2-F		A781 WASHER, FLAT: SAME AS A735		EA	2										A1A4A1MP19H2
M-D		A782 PLATE, ADJUSTING: SAME AS A774		EA	REF										A1A4A1MP20
X2-F		A783 SCREW, MACHINE: SAME AS A733		EA	2										A1A4A1MP20H2
X2-F		A784 WASHER, SPLIT: SAME AS A734		EA	2										A1A4A1MP20H2
X2-F		A785 WASHER, FLAT: SAME AS A735		EA	2										A1A4A1MP20H2
M-D		A786 RACK, ASSEMBLY: SAME AS A772		EA	REF										A1A4A1MP21
P-F	5360-664-2200	A787 SPRING, HELICAL, EXTENSION: SAME AS A731		EA	REF	*	*	*	*	*	*	*	*		A1A4A1MP22
M-D		A788 PLATE, ADJUSTING: SAME AS A732		EA	REF										A1A4A1MP23
X2-F		A789 SCREW, MACHINE: SAME AS A733		EA	2										A1A4A1MP23H2

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F		A790 WASHER, SPLIT: SAME AS A734		EA	2										A1A4A1MP23H2
X2-F		A791 WASHER, FLAT: SAME AS A735		EA	2										A1A4A1MP23H2
M-D		A792 PLATE, ADJUSTING: SAME AS A774		EA	REF										A1A4A1MP24
X2-F		A793 SCREW, MACHINE: SAME AS A733		EA	2										A1A4A1MP24H2
X2-F		A794 WASHER, SPLIT: SAME AS A734		EA	2										A1A4A1MP24H2
X2-F		A795 WASHER, FLAT: SAME AS A735		EA	2										A1A4A1MP24H2
M-D		A796 PLATE, ADJUSTING: SAME AS A774		EA	REF										A1A4A1MP25
X2-F		A797 SCREW, MACHINE: SAME AS A733		EA	2										A1A4A1MP25H2
X2-F		A798 WASHER, SPLIT: SAME AS A734		EA	2										A1A4A1MP25H2
X2-F		A799 WASHER, FLAT: SAME AS A735		EA	2										A1A4A1MP25H2
M-D		A800 RACK, ASSEMBLY: SAME AS A772		EA	REF										A1A4A1MP26
P-F	5360-664-2200	A801 SPRING, HELICAL, EXTENSION: SAME AS A731		EA	REF	*	*	*	*	*	*	*	*		A1A4A1MP27

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
M-D		A802 PLATE, ADJUSTING: SAME AS A774		EA	REF										A1A4A1MP28
X2-F		A803 SCREW, MACHINE: SAME AS A733		EA	2										A1A4A1MP28-2
X2-F		A804 WASHER, SPLIT: SAME AS A734		EA	2										A1A4A1MP28-2
X2-F		A805 WASHER, FLAT: SAME AS A735		EA	2										A1A4A1MP28H2
M-D		A806 PLATE, ADJUSTING: SAME AS A774		EA	1										A1A4A1MP29
X2-F		A807 SCREW, MACHINE: SAME AS A733		EA	2										A1A4A1MP29H2
X2-F		A808 WASHER, SPLIT: SAME AS A734		EA	2										A1A4A1MP29H2
X2-F		A809 WASHER, FLAT: SAME AS A735		EA	2										A1A4A1MP29H2
M-D		A810 PLATE, ADJUSTING: SAME AS A774		EA	REF										A1A4A1MP30
X2-F		A811 SCREW, MACHINE: SAME AS A733		EA	2										A1A4A1MP30H2
X2-F		A812 WASHER, SPLIT: SAME AS A734		EA	2										A1A4A1MP30H2
X2-F		A813 WASHER, FLAT: SAME AS A735		EA	2										A1A4A1MP30H2

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
M-D		A814 FLATE ADJUSTING: SAME AS A774		EA	REF										A1A4A1MP31
X2-F		A815 SCREW MACHINE: SAME AS A733		EA	2										A1A4A1MP31H2
X2-F		A816 WASHER, SPLIT: SAME AS A734		EA	2										A1A4A1MP31H2
X2-F		A817 WASHER, FLAT: SAME AS A735		EA	2										A1A4A1MP31H2
M-D		A818 RACK, ASSEMBLY: SMC343631 (80063)		EA	1										A1A4A1MP32
P-F	5360-664-2200	A819 SPRING, HELICAL, EXTENSION: SAME AS A731		EA	REF	*	*	*	*	*	*	*	*		A1A4A1MP33
M-D		A820 PLATE, ADJUSTING: SAME AS A732		EA	REF										A1A4A1MP34
X2-F		A821 SCREW, MACHINE: SAME AS A733		EA	2										A1A4A1MP34H2
X2-F		A822 WASHER, SPLIT: SAME AS A734		EA	2										A1A4A1MP34H2
X2-F		A823 WASHER, FLAT: SAME AS A735		EA	2										A1A4A1MP34H2
M-D		A824 PLATE, ADJUSTING: SAME AS A774		EA	REF										A1A4A1MP35
X2-F		A825 SCREW, MACHINE: SAME AS A733		EA	2										A1A4A1MP35H2

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F		A826 WASHER, SPLIT: SAME AS A734		EA	2										A1A4A1MP35H2
X2-F		A827 WASHER, FLAT: SAME AS A735		EA	2										A1A4A1MP35H2
M-D		A828 PLATE, ADJUSTING: SAME AS A774		EA	REF										A1A4A1MP36
X2-F		A829 SCREW, MACHINE: SAME AS A733		EA	2										A1A4A1MP36H2
X2-F		A830 WASHER, SPLIT: SAME AS A734		EA	2										A1A4A1MP36H2
X2-F		A831 WASHER, FLAT: SAME AS A735		EA	2										A1A4A1MP36H2
M-D		A832 RACK, ASSEMBLY: SMC343632 (80063)		EA	1										A1A4A1MP37
P-F	5360-664-2200	A833 SPRING, HELICAL, EXTENSION: SAME AS A731		EA	REF	*	*	*	*	*	*	*	*		A1A4A1MP38
M-D		A834 PLATE, ADJUSTING: SAME AS A732		EA	REF										A1A4A1MP39
X2-F		A835 SCREW, MACHINE: SAME AS A733		EA	2										A1A4A1MP39H2
X2-F		A836 WASHER, SPLIT: SAME AS A734		EA	2										A1A4A1MP39H2
X2-F		A837 WASHER, FLAT: SAME AS A735		EA	2										A1A4A1MP39H2

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
M-D		A838 PLATE, ADJUSTING: SAME AS A732		EA	REF										A1A4A1MP40
X2-F		A839 SCREW, MACHINE: SAME AS A733		EA	2										A1A4A1MP40H2
X2-F		A840 WASHER, SPLIT: SAME AS A734		EA	2										A1A4A1MP42H2
X2-F		A841 WASHER, FLAT: SAME AS A735		EA	2										A1A4A1MP40H2
M-D		A842 PLATE, ADJUSTING: SAME AS A732		EA	REF										A1A4A1MP41
X2-F		A843 SCREW, MACHINE: SAME AS A733		EA	2										A1A4A1MP41H2
X2-F		A844 WASHER, SPLIT: SAME AS A734		EA	2										A1A4A1MP41H2
X2-F		A845 WASHER, FLAT: SAME AS A735		EA	2										A1A4A1MP41H2
X2-F		A846 RETAINER, OVER: SMC178506 (80063)		EA	1										A1A4A1MP42
P-F		A847 SPRING, HELICAL, EXTENSION: SMC17850R (80063)		EA	2	*	*	*	*	*	*	*	*		A1A4A1MP43
P-F		A848 SPRING, HELICAL, EXTENSION: SAME AS A847		EA	REF	*	*	*	*	*	*	*	*		A1A4A1MP44

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
M-D		A849 SHAFT, SWITCH: SMB343668 (80063)		EA	1										A1A4A1MP45
M-D		A850 CLAMP, LOOP: SME249101-17 (80063)		EA	2										A1A4MP46
X2-F	5305-054-5648	A851 SCREW, MACHINE: SAME AS A139		EA	2										A1A4A1MP46H2
X2-F		A852 NUT, SELF LOCKING: MS20365 (96906)		EA	2										A1A4A1MP46H2
M-D		A853 CLAMP, LOOP: SAME AS A850		EA	REF										A1A4A1MP47
X2-F	5305-054-5648	A854 SCREW, MACHINE: SAME AS A139		EA	1										A1A4A1MP47H1
X2-F		A855 NUT, SELF LOCKING: SAME AS A852		EA	1										A1A4A1MP47H1
M-D		A856 CLAMP, LOOP: SM-D-249202 (80063)		EA	1										A1A4A1MP48
X2-F		A857 WASHER FLAT: MS15795-304 (96906)		EA	1										A1A4A1MP48H1
X2-F	5310-042-9609	A858 WASHER, SPLIT: SAME AS A110		EA	1										A1A4A1MP48H1
X2-F		A859 SCREW, MACHINE: MS35200-13 (96906)		EA	1										A1A4A1MP48H1
X2-F	5310-934-9748	A860 NUT, PLAIN, HEXAGON: SAME AS A141		EA	1										A1A4A1MP48H1

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
M-D		A861 CHASSIS, ELECTRICAL EQUIPMENT: SMB249085 (80063)		EA	1										A1A4A1MP49
M-D		A862 BRACKET, MOUNTING: SMB249063 (80063)		EA	1										A1A4A1MP50
X2-F	5305-054-6650	A863 SCREW, MACHINE: MS35216-23 (96906)		EA	2										A1A4A1MP50H2
X2-F	5310-011-1041	A864 WASHER, SPLIT: SAME AS A13		EA	2										A1A4A1MP50H2
P-F	5935-204-6403	A865 CONNECTOR, PLUG, ELECTRICAL: SMB283180 (80063)		EA	1	*	*	*	*	*	*	*	*	6	A1A4A1P205
P-F	5935-204-6390	A866 CONNECTOR, PLUG, ELECTRICAL: SMB283183 (80063)		EA	3	*	*	*	*	*	*	*	*	6	A1A4A1P206
P-F	5935-204-6390	A867 CONNECTOR, PLUG, ELECTRICAL: SAME AS A866		EA	REF	*	*	*	*	*	*	*	*	6	A1A4A1P207
P-F	5935-204-6391	A868 CONNECTOR, PLUG, ELECTRICAL: SMB283181 (80063)		EA	3	*	*	*	*	*	*	*	*	6	A1A4A1P213
P-F	5935-204-6390	A869 CONNECTOR, PLUG, ELECTRICAL: SAME AS A866		EA	REF	*	*	*	*	*	*	*	*	6	A1A4A1P215
P-F	5935-204-6391	A870 CONNECTOR, PLUG, ELECTRICAL: SAME AS A868		EA	REF	*	*	*	*	*	*	*	*	6	A1A4A1P218
P-F	5935-204-6391	A871 CONNECTOR, PLUG, ELECTRICAL: SAME AS A868		EA	REF	*	*	*	*	*	*	*	*	6	A1A4A1P221

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5905-249-9491	A872 RESISTOR, FIXED, COMPOSITION: RC20GF274K (81349)		EA	1	*	*	*	*	*	*	*	*	7	A1A4A1R201
P-F	5905-279-3513	A873 RESISTOR, FIXED, COMPOSITION: SAME AS A208		EA	1	*	*	*	*	*	*	*	*	7	A1A4A1R202
P-F	5905-254-7097	A874 RESISTOR, FIXED, COMPOSITION: RC20GF823K (81349)		EA	1	*	*	*	*	*	*	*	*	7	A1A4A1R203
P-F	5905-185-8510	A875 RESISTOR, FIXED, COMPOSITION: RC20GF103J (81349)		EA	3	*	*	*	*	*	*	*	*	7	A1A4A1R204
P-F	5905-279-1876	A876 RESISTOR, FIXED, COMPOSITION: SAME AS A443		EA	7	*	*	*	*	*	*	*	*		A1A4A1R205
P-F	5905-171-2004	A877 RESISTOR, FIXED, COMPOSITION: SAME AS A439		EA	4	*	*	*	*	*	*	*	*	8	A1A4A1R206
P-F	5905-192-3981	A878 RESISTOR, FIXED, COMPOSITION: RC20GF124K (81349)		EA	1	*	*	*	*	*	*	*	*	8	A1A4A1R207
P-F	5905-279-1879	A879 RESISTOR, FIXED, COMPOSITION: SAME AS A470		EA	3	*	*	*	*	*	*	*	*	7	A1A4A1R208
P-F	5905-279-1876	A880 RESISTOR, FIXED, COMPOSITION: SAME AS A443		EA	1	*	*	*	*	*	*	*	*	7	A1A4A1R209
P-F	5905-171-1986	A881 RESISTOR, FIXED, COMPOSITION: RC20GF563J (81349)		EA	1	*	*	*	*	*	*	*	*	8	A1A4A1R210
P-F	5905-299-1971	A882 RESISTOR, FIXED, COMPOSITION: RC20GF822K (81349)		EA	1	*	*	*	*	*	*	*	*	8	A1A4A1R211

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5905-279-1876	A883 RESISTOR, FIXED, COMPOSITION: SAME AS A443		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1R212
P-F	5905-192-0390	A884 RESISTOR, FIXED, COMPOSITION: SAME AS A207		EA	3	*	*	*	*	*	*	*	*	8	A1A4A1R213
P-F	5905-279-1879	A885 RESISTOR, FIXED, COMPOSITION: SAME AS A470		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1R214
P-F	5905-279-1876	A886 RESISTOR, FIXED, COMPOSITION: SAME AS A443		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1R215
P-F	5905-279-1876	A887 RESISTOR, FIXED, COMPOSITION: SAME AS A443		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1R216
P-F	5905-185-6946	A888 RESISTOR, FIXED, COMPOSITION: SAME AS A16		EA	2	*	*	*	*	*	*	*	*	8	A1A4A1R217
P-F	5905-279-1876	A889 RESISTOR, FIXED, COMPOSITION: SAME AS A443		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1R218
P-F	5905-279-1876	A890 RESISTOR, FIXED, COMPOSITION: SAME AS A443		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1R219
P-F	5905-221-5660	A891 RESISTOR, FIXED, COMPOSITION: RC20GF334K (81349)		EA	1	*	*	*	*	*	*	*	*	8	A1A4A1R220
P-F	5905-190-8882	A892 RESISTOR, FIXED, COMPOSITION: RC32GF393K (81349)		EA	1	*	*	*	*	*	*	*	*	8	A1A4A1R221
P-F	5905-171-2004	A893 RESISTOR, FIXED, COMPOSITION: SAME AS A439		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1R222

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5905-192-3987	A894 RESISTOR, FIXED, COMPOSITION: SAME AS A452		EA	1	*	*	*	*	*	*	*	*	8	A1A4A1R223
P-F	5905-185-8510	A895 RESISTOR, FIXED, COMPOSITION: SAME AS A875		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1R224
P-F	5905-171-2004	A896 RESISTOR, FIXED, COMPOSITION: SAME AS A439		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1R225
P-F	5905-185-8510	A897 RESISTOR, FIXED, COMPOSITION: SAME AS A875		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1R226
P-F	5905-192-0390	A898 RESISTOR, FIXED, COMPOSITION: SAME AS A207		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1R227
P-F	5905-299-2038	A899 RESISTOR, FIXED, COMPOSITION: RC32GF562K (81349)		EA	1	*	*	*	*	*	*	*	*	8	A1A4A1R228
P-F	5905-192-4490	A900 RESISTOR, FIXED, COMPOSITION: RC20GF330J (81349)		EA	1	*	*	*	*	*	*	*	*	8	A1A4A1R229
P-F	5905-279-1879	A901 RESISTOR, FIXED, COMPOSITION: SAME AS A470		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1R230
P-F	5905-192-0390	A902 RESISTOR, FIXED, COMPOSITION: SAME AS A207		EA	REF	*	*	*	*	*	*	*	*	7	A1A4A1R231
P-F	5905-171-2004	A904 RESISTOR, FIXED, COMPOSITION: SAME AS A439		EA	REF	*	*	*	*	*	*	*	*	7	A1A4A1R232
P-F	5905-185-6946	A905 RESISTOR, FIXED, COMPOSITION: SAME AS A16		EA	REF	*	*	*	*	*	*	*	*	7	A1A4A1R233
P-F	5905-279-1754	A906 RESISTOR, FIXED, COMPOSITION: RC20GF155K (81349)		EA	1	*	*	*	*	*	*	*	*	7	A1A4A1R234

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5905-171-2002	A907 RESISTOR, FIXED, COMPOSITION: SAME AS A24		EA	1	*	*	*	*	*	*	*	*		A1A4A1R235
P-F	5930-204-6406	A908 SWITCH, SECTION ROTARY: SMR249228 (80063)		EA	5	*	*	*	*	*	*	*	*	7	A1A4A1S201
X2-F		A909 STUD, PLAIN: SMR249187 (80063)		EA	2										A1A4A1S201H2
X2-F		A910 NUT, PLAIN, HEXAGON: SMR178712 (80063)		EA	2										A1A4A1S201H2
P-F	5930-204-6406	A911 SWITCH, SECTION ROTARY: SAME AS A908		EA	REF	*	*	*	*	*	*	*	*	7	A1A4A1S202
X2-F		A912 SPACER, SLEEVE: SMR249226-1 (80063)		EA	4										A1A4A1S202H2
P-F	5930-204-6407	A913 SWITCH, SECTION ROTARY: SMR249229 (80063)		EA	1	*	*	*	*	*	*	*	*	7	A1A4A1S203
X2-F		A914 SPACER, SLEEVE: SMR249226-4 (80063)		EA	2										A1A4A1S203H2
P-F	5930-204-6408	A915 SWITCH, SECTION ROTARY: SMR249230 (80063)		EA	1	*	*	*	*	*	*	*	*	7	A1A4A1S204
X2-F		A916 SPACER, SLEEVE: SMR249226-2 (80063)		EA	4										A1A4A1S204H4
P-F	5930-204-6406	A917 SWITCH, SECTION ROTARY: SAME AS A908		EA	REF	*	*	*	*	*	*	*	*	7	A1A4A1S205

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F		A918 SPACER, ASSEMBLY: SMB249156 (80063)		EA	1										A1A4A1S205H1
P-F	5930-204-6406	A919 SWITCH, SECTION ROTARY: SAME AS A908		EA	REF	*	*	*	*	*	*	*	*	7	A1A4A1S206
X2-F		A920 SPACER, SLEEVE: SMB249226-3 (80063)		EA	2										A1A4A1S206H2
P-F	5930-204-6406	A921 SWITCH, SECTION, ROTARY: SAME AS A908		EA	REF	*	*	*	*	*	*	*	*	7	A1A4A1S207
X2-F		A922 SPACER, SLEEVE: SMB249226-5 (80063)		EA	2										A1A4A1S207H2
P-F	5930-204-6409	A923 SWITCH, SECTION ROTARY: SMB249231 (80063)		EA	1	*	*	*	*	*	*	*	*	8	A1A4A1S208
X2-F		A924 SPACER, SLEEVE: SAME AS A912		EA	REF										A1A4A1S208H2
X2-F		A925 SCREW, MACHINE: MS35216-16 (96906)		EA	2										A1A4A1S208H2
X2-F		A926 SPACER, SLEEVE: SMB249189 (80063)		EA	2										A1A4A1S208H2
P-F	5950-537-4983	A927 TRANSFORMER, RADIO FREQUENCY: SMD249086 (80063)		EA	1	*	*	*	*	*	*	*	*	6	A1A4A1T201
X2-F		A928 NUT, PLAIN, HEXAGON: SMD343629-2 (80063)		EA	1										A1A4A1T201H1
P-F	5950-510-1746	A929 TRANSFORMER, RADIO FREQUENCY: SMD249087 (80063)		EA	1	*	*	*	*	*	*	*	*	6	A1A4A1T202

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE		USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F		A930	NUT, PLAIN, HEXAGON: SAME AS A928		EA	1										A1A4A1T202H1
P-F	5950-698-1981	A931	TRANSFORMER, RADIO FREQUENCY: SMD249088 (80063)		EA	1	*	*	*	*	*	*	*	*	6	A1A4A1T203
X2-F		A932	NUT, PLAIN, HEXAGON: SAME AS A928		EA	1										A1A4A1T203H1
P-F	5950-510-1749	A933	TRANSFORMER, RADIO FREQUENCY: SMD249089 (80063)		EA	1	*	*	*	*	*	*	*	*	6	A1A4A1T204
X2-F		A934	NUT, PLAIN, HEXAGON: SAME AS A928		EA	1										A1A4A1T204H1
P-F	5950-510-1748	A935	TRANSFORMER, RADIO FREQUENCY: SMD249090 (80063)		EA	1	*	*	*	*	*	*	*	*	6	A1A4A1T205
X2-F		A936	NUT, PLAIN, HEXAGON: SAME AS A928		EA	1										A1A4A1T205H1
P-F	5950-523-8432	A937	TRANSFORMER, RADIO FREQUENCY: SMD249091 (80063)		EA	1	*	*	*	*	*	*	*	*	6	A1A4A1T206
X2-F		A938	NUT, PLAIN, HEXAGON: SAME AS A928		EA	1										A1A4A1T206H1
P-F	5950-523-8431	A939	TRANSFORMER, RADIO FREQUENCY: SM249236 (80063)		EA	1	*	*	*	*	*	*	*	*	6	A1A4A1T207

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F	5310-042-9609	A940 WASHER, SPLIT: SAME AS A110		EA	2										A1A4A1T207H2
X2-F	5310-934-9748	A942 NUT, PLAIN, HEXAGON: SAME AS A141		EA	2										A1A4A1T207H2
P-F	5950-647-8096	A943 TRANSFORMER, RADIO FREQUENCY: SMD249235 (80063)		EA	1	*	*	*	*	*	*	*	*		A1A4A1T208
X2-F	5310-042-9609	A944 WASHER, SPLIT: SAME AS A110		EA	2										A1A4A1T208H2
X2-F	5310-934-9748	A945 NUT, PLAIN, HEXAGON: SAME AS A141		EA	2										A1A4A1T208H2
P-O	5960-985-8987	A946 ELECTRON TUBE: 6DC6 (81349)		EA	1	*	*	*	*	*	*	*	*	6	A1A4A1V201
P-O	5960-557-6780	A947 ELECTRON TUBE: 6C4WA (81349)		EA	3	*	*	*	*	*	*	*	*	6	A1A4A1V202
P-O	5960-557-6780	A948 ELECTRON TUBE: SAME AS A947		EA	REF	*	*	*	*	*	*	*	*	6	A1A4A1V203
P-O	5960-557-6780	A949 ELECTRON TUBE: SAME AS A947		EA	REF	*	*	*	*	*	*	*	*	6	A1A4A1V204
P-O	5960-262-0210	A950 ELECTRON TUBE: SAME AS A121		EA	2	*	*	*	*	*	*	*	*	6	A1A4A1V205
P-O	5960-262-0210	A951 ELECTRON TUBE: SAME AS A121		EA	REF	*	*	*	*	*	*	*	*	6	A1A4A1V206
P-O	5960-262-1357	A952 ELECTRON TUBE: 5654/6AK5W (81349)		EA	1	*	*	*	*	*	*	*	*	6	A1A4A1V207

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5935-063-5789	A953 SOCKET, ELECTRON TUBE: SAME AS A127		EA	1	*	*	*	*	*	*	*	*	8	A1A4A1XHR202
X2-F		A954 SCREW, MACHINE: SAME AS A11		EA	2										A1A4A1XHR202H2
X2-F	5310-011-1041	A955 WASHER, SPLIT: SAME AS A13		EA	2										A1A4A1XHR202H2
X2-F	5310-271-4644	A956 NUT, PLAIN, HEXAGON: SAME AS A42		EA	2										A1A4A1XRH202H2
P-F	5935-063-5789	A957 SOCKET, ELECTRON TUBE: SAME AS A127		EA	5	*	*	*	*	*	*	*	*	7	A1A4A1XV201
X2-F	5935-729-3750	A958 STRAPNUT, ELECTRON TUBE SOCKET: TS102N01 (81349)		EA	1										A1A4A1XV201H1
X2-F		A959 SCREW, MACHINE: SAME AS A733		EA	1										A1A4A1XV201H1
X2-F	5305-054-5648	A960 SCREW, MACHINE: SAME AS A139		EA	1										A1A4A1XV201H1
X2-F	5310-042-9609	A961 WASHER, SPLIT: SAME AS A110		EA	2										A1A4A1XV201H2
P-F	5935-260-0516	A962 SOCKET, ELECTRON TUBE: SAME AS A146A		EA	4	*	*	*	*	*	*	*	*	7	A1A4A1XV202
X2-F		A963 SCREW, MACHINE: SAME AS A733		EA	1										A1A4A1XV202H1
X2-F	5305-054-5648	A964 SCREW, MACHINE: SAME AS A139		EA	1										A1A4A1XV202H1

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F		A965 TERMINAL, LUG: SMB249250 (80063)		EA	1										A1A4A1XV202H1
X2-F	5310-042-9609	A966 WASHER, SPLIT: SAME AS A110		EA	2										A1A4A1XV202H2
X2-F	5310-934-9748	A967 NUT, PLAIN, HEXAGON: SAME AS A141		EA	2										A1A4A1XV202H2
P-F	5935-260-0516	A968 SOCKET, ELECTRON TUBE: SAME AS A146A		EA	REF	*	*	*	*	*	*	*	*	8	A1A4A1XV203
X2-F	5935-729-3750	A969 STRAPNUT, ELECTRON TUBE SOCKET: SAME AS A958		EA	1										A1A4A1XV203H1
X2-F	5305-054-5648	A970 SCREW, MACHINE: SAME AS A139		EA	2										A1A4A1XV203H2
X2-F		A971 TERMINAL, LUG: SMB249251 (80063)		EA	1										A1A4A1XV203H1
X2-F	5310-042-9609	A972 WASHER, SPLIT: SAME AS A110		EA	2										A1A4A1XV203H2
P-F	5935-260-0516	A973 SOCKET, ELECTRON TUBE: SAME AS A146A		EA	1	*	*	*	*	*	*	*	*	8	A1A4A1XV204
X2-F	5305-054-5648	A974 SCREW, MACHINE: SAME AS A139		EA	2										A1A4A1XV204H2
X2-F	5310-042-9609	A975 WASHER, SPLIT: SAME AS A110		EA	2										A1A4A1XV204H2
X2-F	5310-934-9748	A976 NUT, PLAIN, HEXAGON: SAME AS A141		E	2										A1A4A1XV204H2

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F		A977 TERMINAL, LUG: SAME AS A965		EA	1										A1A4A1XV204H1
P-F	5935-160-1365	A978 SOCKET, ELECTRON TUBE: SAME AS A137		EA	1	*	*	*	*	*	*	*	*	8	A1A4A1XV205
X2-F	5305-054-5648	A979 SCREW, MACHINE: SAME AS A139		EA	2										A1A4A1XV205H2
X2-F	5310-042-9609	A980 WASHER, SPLIT: SAME AS A110		EA	2										A1A4A1XV205H2
X2-F	5310-934-9748	A981 NUT, PLAIN, HEXAGON: SAME AS A141		EA	2										A1A4A1XV205H2
X2-F		A982 TERMINAL, LUG: SAME AS A965		EA	1										A1A4A1XV205H1
X2-F		A983 TERMINAL, STUD: SMB24265 (80063)		EA	1										A1A4A1XV205H1
P-F	2935-160-1365	A984 SOCKET, ELECTRON TUBE: SAME AS A137		EA	1	*	*	*	*	*	*	*	*	8	A1A4A1XV206
X2-F	5305-054-5648	A985 SCREW, MACHINE: SAME AS A139		EA	2										A1A4A1XV206H2
X2-F	5310-042-9609	A986 WASHER, SPLIT: SAME AS A110		EA	2										A1A4A1XV206H2
X2-F	5310-934-9748	A987 NUT, PLAIN, HEXAGON: SAME AS A141		EA	2										A1A4A1XV206H2
X2-F		A988 TERMINAL, LUG: SAME AS A971		EA	1										A1A4A1XV206H1

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5935-260-0516	A989 SOCKET, ELECTRON TUBE: SAME AS A146A		EA	REF	*	*	*	*	*	*	*	*		A1A4A1XV207
X2-F	5305-054-5648	A990 SCREW, MACHINE: SAME AS A139		EA	2										A1A4A1XV207H2
X2-F	5310-042-9609	A991 WASHER, SPLIT: SAME AS A110		EA	2										A1A4A1XV207H2
X2-F	5310-934-9748	A992 NUT, PLAIN, HEXAGON: SAME AS A141		EA	2										A1A4A1XV207H2
X2-F		A993 TERMINAL, STUD: SAME AS A983		EA	1										A1A4A1XV207H1
P-F	5950-698-1978	A994 COIL, RADIO FREQUENCY: SMD249092 (80063)		EA	2	*	*	*	*	*	*	*	*	6	A1A4A1Z201-1
X2-F		A995 NUT, PLAIN, HEXAGON: SAME AS A928		EA	1										A1A4A1Z201-1H1
P-F	5950-698-1978	A996 COIL, RADIO FREQUENCY: SAME AS A994		EA	REF	*	*	*	*	*	*	*	*	6	A1A4A1Z201-2
X2-F		A997 NUT, PLAIN, HEXAGON: SAME AS A928		EA	1										A1A4A1Z201-2H1
P-F	5950-537-5124	A998 COIL, RADIO FREQUENCY: SMD249093 (80063)		EA	2	*	*	*	*	*	*	*	*	6	A1A4A1Z202-1
X2-F		A999 NUT, PLAIN, HEXAGON: SAME AS A928		EA	1										A1A4A1Z202-1H1
P-F	5950-537-5124	B1 COIL, RADIO FREQUENCY: SAME AS A998		EA	REF	*	*	*	*	*	*	*	*	6	A1A4A1Z202-2

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE		USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F		B2	NUT, PLAIN, HEXAGON: SAME AS A928		EA	1										A1A4A1Z202-2H1
P-F	5950-510-1745	B3	COIL, RADIO FREQUENCY: SMD249094 (80063)		EA	2	*	*	*	*	*	*	*	*	6	A1A4A1Z203-1
X2-F		B4	NUT, PLAIN, HEXAGON: SAME AS A928		EA	1										A1A4A1Z203-1H1
P-F	5950-510-1745	B5	COIL, RADIO FREQUENCY: SAME AS B3		EA	REF	*	*	*	*	*	*	*	*	6	A1A4A1Z203-2
X2-F		B6	NUT, PLAIN, HEXAGON: SAME AS A928		EA	1										A1A4A1Z203-2H1
P-F	5950-510-1750	B7	COIL, RADIO FREQUENCY: SMD249095 (80063)		EA	2	*	*	*	*	*	*	*	*	6	A1A4A1Z204-1
X2-F		B8	NUT, PLAIN, HEXAGON: SAME AS A928		EA	1										A1A4A1Z204-1H1
P-F	5950-510-1750	B9	COIL, RADIO FREQUENCY: SAME AS B7		EA	REF	*	*	*	*	*	*	*	*	6	A1A4A1Z204-2
X2-F		B10	NUT, PLAIN, HEXAGON: SAME AS A928		EA	1										A1A4A1Z204-2H1
P-F	5950-698-1984	B11	COIL, RADIO FREQUENCY: SMD249096 (80063)		EA	2	*	*	*	*	*	*	*	*	6	A1A4A1Z205-1
X2-F		B12	NUT, PLAIN, HEXAGON: SAME AS A928		EA	1										A1A4A1Z205-1H1
P-F	5950-698-1984	B13	COIL, RADIO FREQUENCY: SAME AS B11		EA	REF	*	*	*	*	*	*	*	*	6	A1A4A1Z205-2

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F		B14 NUT, PLAIN, HEXAGON: SAME AS A928		EA	1										A1A4A1Z205-2H1
P-F	5950-510-1747	B15 COIL, RADIO FREQUENCY: SMD249097 (80063)		EA	2	*	*	*	*	*	*	*	*	6	A1A4A1Z206-1
X2-F		B16 NUT, PLAIN, HEXAGON: SAME AS A928		EA	1										A1A4A1Z206-1H1
P-F	5950-510-1747	B17 COIL, RADIO FREQUENCY: SAME AS B15		EA	REF	*	*	*	*	*	*	*	*	6	A1A4A1Z206-2
X2-F		B18 NUT, PLAIN, HEXAGON: SAME AS A928		EA	1										A1A4A1Z206-2H1
P-F	5950-698-1986	B19 COIL, RADIO FREQUENCY: SMD249099 (80063)		EA	3	*	*	*	*	*	*	*	*	6	A1A4A1Z213-1
X2-F		B20 NUT, PLAIN, HEXAGON: SAME AS A928		EA	1										A1A4A1Z213-1H1
P-F	5950-698-1986	B21 COIL, RADIO FREQUENCY: SAME AS B19		EA	REF	*	*	*	*	*	*	*	*	6	A1A4A1Z213-2
X2-F		B22 NUT, PLAIN, HEXAGON: SAME AS A928		EA	1										A1A4A1Z213-2H1
P-F	5950-698-1986	B23 COIL, RADIO FREQUENCY: SAME AS B19		EA	REF	*	*	*	*	*	*	*	*	6	A1A4A1Z213-3
X2-F		B24 NUT, PLAIN, HEXAGON: SAME AS A928		EA	1										A1A4A1Z213-3H1
P-F	5950-510-1744	B25 COIL, RADIO FREQUENCY: SMD249098 (80063)		EA	3	*	*	*	*	*	*	*	*	6	A1A4A1Z216-1

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F		B26 NUT, PLAIN, HEXAGON: SAME AS A928		EA	1										A1A4A1Z216-1H1
P-F	5950-510-1744	B27 COIL, RADIO FREQUENCY: SAME AS B25		EA	REF	*	*	*	*	*	*	*	*	6	A1A4A1Z216-2
X2-F		B28 NUT, PLAIN, HEXAGON: SAME AS A928		EA	1										A1A4A1Z216-2H1
P-F	5950-510-1744	B29 COIL, RADIO FREQUENCY: SAME AS B25		EA	REF	*	*	*	*	*	*	*	*	6	A1A4A1Z216-3
X2-F		B30 NUT, PLAIN, HEXAGON: SAME AS A928		EA	1										A1A4A1Z216-3H1
P-0	5955-295-7441	B31 CRYSTAL UNIT, QUARTZ, 200KC: CR-47/U (81349)		EA	1	*	*	*	*	*	*	*	*	6	A1A4A1Y201
P-0		B32 CRYSTAL UNIT, QUARTZ, 17000KC: CR27/U (81349)		EA	1	*	*	*	*	*	*	*	*	6	A1A4A1Y203
P-F-S	5820-327-4729	B33 GEAR ASSEMBLY: SMD343600 (80063)		EA	1	*	*	*	*	*	*	*	*		A1A4A2
P-F	5820-671-5827	B34 GEAR, SPUR: 506-7330-002 (13499)		EA	1	*	*	*	*	*	*	*	*		A1A4A2A210
P-F	5820-671-5831	B35 GEAR SPUR: 5061869002 (13499)		EA	1	*	*	*	*	*	*	*	*		A1A4A2MP201
P-F	5820-671-5830	B36 GEAR SPUR: SMB178921 (80063)		EA	1	*	*	*	*	*	*	*	*		A1A4A2MP202
P-F	6680-752-8255	B37 COUNTER ROTARY, FIXED MOUNTING: SMC249195 (80063)		EA	1	*	*	*	*	*	*	*	*		A1A4A2MP201

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-H	5820-671-5826	B38 GEAR, SPUR: SMB178912 (80063)		EA	2				*	*	*	*	*		A1A4A20201
P-H	5820-671-5826	B39 GEAR, SPUR: SAME AS B38		EA	REF				*	*	*	*	*		A1A4A20201A
P-H	5820-640-4824	B40 GEAR, BEVEL: SMC178700 (80063)		EA	1				*	*	*	*	*		A1A4A20202
P-H	5820-640-4698	B41 GEAR, SPUR: SMB178701 (80063)		EA	1				*	*	*	*	*		A1A4A20203
P-H	5820-640-4758	B42 GEAR, SPUR: SMB178702 (80063)		EA	1				*	*	*	*	*		A1A4A20204
P-H	5820-671-2935	B43 GEAR ASSEMBLY, SPUR: SMB178935 (80063)		EA	1				*	*	*	*	*		A1A4A20205
P-H	5820-545-7552	B44 GEAR, BEVEL: SMB178707 (80063)		EA	2				*	*	*	*	*		A1A4A20212
P-H	5820-545-7552	B45 GEAR, BEVEL: SAME AS B44		EA	REF				*	*	*	*	*		A1A4A20213
P-H	5820-683-9483	B46 GEAR, SPUR: SMC179063 (80063)		EA	1				*	*	*	*	*		A1A4A20218
P-F	5820-810-9465	B47 GEAR, SPUR: SMB248907 (80063)		EA	1	*	*	*	*	*	*	*	*		A1A4A20243
P-F	5820-671-2936	B48 GEAR ASSEMBLY, SPUR: SMB248938 (80063)		EA	1	*	*	*	*	*	*	*	*		A1A4A20246
P-F	5820-618-6632	B49 GEAR, SPUR: SMB248902 (80063)		EA	1	*	*	*	*	*	*	*	*		A1A4A20254

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5820-856-3411	B50 GEAR, SPUR: SMB248943 (80063)		EA	1	*	*	*	*	*	*	*	*		A1A4A20261
P-F	5820-679-9891	B51 GEAR, SPUR: 244B4510 (13499)		EA	1	*	*	*	*	*	*	*	*		A1A4A20283
P-F	5820-327-4725	B52 GEAR, SPUR: SMC248967 (80063)		EA	1	*	*	*	*	*	*	*	*		A1A4A20295
P-H	5820-697-7770	B53 GEAR, SPUR: SMB178752 (80063)		EA	1				*	*	*	*	*		A1A4A20296
P-F	5820-784-5410	B54 GEAR, SPUR: SMC248970 (80063)		EA	1	*	*	*	*	*	*	*	*		A1A4A20307
P-F	5820-671-5838	B55 STOP ASSEMBLY: SMC343597 (80063)		EA	1	*	*	*	*	*	*	*	*		A1A4A20316
P-F	5820-671-5837	B56 STOP ASSEMBLY: SMC343598 (80063)		EA	1	*	*	*	*	*	*	*	*		A1A4A20317
P-F	5820-679-9889	B57 GEAR, SPUR: SMB248952 (80063)		EA	1	*	*	*	*	*	*	*	*		A4A1A20321
P-F		B58 GEAR, SPUR: SMB248932 (80063)		EA	1	*	*	*	*	*	*	*	*		A1A4A20323
P-H	5820-618-6631	B59 GEAR, SPUR: SMC178930 (80063)		EA	1				*	*	*	*	*		A1A4A20324
P-H	5820-671-5839	B60 GEAR, SPUR: SMC178931 (80063)		EA	1				*	*	*	*	*		A1A4A20328
P-F	5820-671-5835	B61 GEAR ASSEMBLY, SPUR: SMB248939 (80063)		EA	1	*	*	*	*	*	*	*	*		A1A4A20390

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5820-671-5832	B62 GEAR, SPUR: SMB248944 (80063)		EA	1	*	*	*	*	*	*	*	*		A1A4A20392
P-F	5820-671-5839	B63 GEAR, SPUR: SAME AS B60		EA	1	*	*	*	*	*	*	*	*		A1A4A20393
P-F	5820-671-5840	B64 GEAR, SPUR: 5061793002 (13499)		EA	1	*	*	*	*	*	*	*	*		A1A4A20394
P-F	5820-784-5414	B65 GEAR, SPUR: SMB248945 (80063)		EA	1	*	*	*	*	*	*	*	*		
P-F	5820-322-4848	B66 GEAR, SPUR: SMB178957 (80063)		EA	2	*	*	*	*	*	*	*	*		
P-F	5820-322-4848	B67 GEAR, SPUR: SAME AS B66		EA	REF	*	*	*	*	*	*	*	*		
P-O-S	5820-511-4258	B67A OSCILLATOR ASSEMBLY: SMD249007 (80063)		EA	1	*	*	*	*	*	*	*	*		A1A5
M-D		B68 CHASSIS ASSEMBLY: SMC249043 (80063)		EA	1										A1A5A1
A-F-S		B69 TERMINAL BOARD ASSEMBLY: SMB249023 (80063)		EA	1										A1A5A1A1
X2-F		B70 SCREW, MACHINE: SAME AS A733		EA	2										A1A5A1A1H2
P-F	5910-667-6123	B71 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A32		EA	8	*	*	*	*	*	*	*	*	11	A1A5A1C401
P-F	5910-240-7780	B72 CAPACITOR, FIXED, MICA DIELECTRIC: SAME AS A671		EA	2	*	*	*	*	*	*	*	*	11	A1A5A1C402
P-F	5910-583-1589	B73 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A623		EA	2	*	*	*	*	*	*	*	*	11	A1A5A1C403
P-F	5910-583-1589	B74 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A623		EA	REF	*	*	*	*	*	*	*	*	11	A1A5A1C404

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5910-667-6123	B75 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A32		EA	REF	*	*	*	*	*	*	*	*	11	A1A5A1C407
P-F		B76 CAPACITOR, FIXED, CERAMIC DIELECTRIC: CCOUJ120J (81349)		EA	1	*	*	*	*	*	*	*	*	11	A1A5A1C408
P-F	5910-667-6123	B77 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A32		EA	REF	*	*	*	*	*	*	*	*	11	A1A5A1C410
P-F	5910-667-6123	B78 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A32		EA	REF	*	*	*	*	*	*	*	*	11	A1A5A1C411
P-F	5910-667-6123	B79 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A32		EA	REF	*	*	*	*	*	*	*	*	11	A1A5A1C412
P-F	5910-667-6123	B80 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A32		EA	REF	*	*	*	*	*	*	*	*	11	A1A5A1C413
P-F	5910-667-6123	B81 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A32		EA	REF	*	*	*	*	*	*	*	*	11	A1A5A1C414
P-F	5910-667-6123	B82 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A32		EA	REF	*	*	*	*	*	*	*	*	11	A1A5A1C415
P-F	5910-850-7991	B83 CAPACITOR, FIXED, MICA DIELECTRIC: SAME AS A303		EA	1	*	*	*	*	*	*	*	*	11	A1A5A1C417
P-F		B84 CAPACITOR, FIXED, MICA DIELECTRIC: CM15F121GN3 (81349)		EA	1	*	*	*	*	*	*	*	*	11	A1A5A1C418
P-F	5910-246-8995	B85 CAPACITOR, FIXED, MICA DIELECTRIC: SAME AS A640		EA	1	*	*	*	*	*	*	*	*	11	A1A5A1C419

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F		B86 CAPACITOR, FIXED, MICA DIELECTRIC: CM15C820GN3 (81349)		EA	1	*	*	*	*	*	*	*	*	11	A1A5A1C420
P-F		B87 CAPACITOR, FIXED, MICA DIELECTRIC: SAME AS A33		EA	1	*	*	*	*	*	*	*	*	11	A1A5A1C421
P-F	5910-807-3864	B88 CAPACITOR, FIXED, MICA DIELECTRIC: CM15C560GN3 (81349)		EA	1	*	*	*	*	*	*	*	*	11	A1A5A1C422
P-F	5910-804-2378	B89 CAPACITOR, FIXED, MICA DIELECTRIC: CM15C470J03 (81349)		EA	1	*	*	*	*	*	*	*	*	11	A1A5A1C423
P-F	5910-804-2377	B90 CAPACITOR, FIXED, MICA DIELECTRIC: CM15C390J03 (81349)		EA	1	*	*	*	*	*	*	*	*	11	A1A5A1C424
P-F		B91 CAPACITOR, FIXED, MICA DIELECTRIC: SAME AS A625		EA	1	*	*	*	*	*	*	*	*	11	A1A5A1C425
P-F		B92 CAPACITOR, FIXED, MICA DIELECTRIC: CM15B108KN3 (81349)		EA	1	*	*	*	*	*	*	*	*	11	A1A5A1C426
P-F		B93 CAPACITOR, FIXED, MICA DIELECTRIC: CM15B120KN3 (81349)		EA	1	*	*	*	*	*	*	*	*	11	A1A5A1C427
P-F	5910-240-7780	B94 CAPACITOR, FIXED, MICA DIELECTRIC: SAME AS A671		EA	1	*	*	*	*	*	*	*	*	11	A1A5A1C428
P-F	5910-668-5206	B95 CAPACITOR, VARIABLE: SMB283231 (80063)		EA	1	*	*	*	*	*	*	*	*	10	A1A5A1C429
X2-F	5305-054-5648	B96 SCREW, MACHINE: SAME AS A139		EA	2										A1A5A1C429H2

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE		USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5910-668-5201	B97	CAPACITOR, VARIABLE: SMB2837321 (80063)		EA	1	*	*	*	*	*	*	*	*	10	A1A5A1C430
X2-F	5305-054-5648	B98	SCREW, MACHINE: SAME AS A139		EA	2										A1A5A1C430H2
P-F	5910-668-5204	B99	CAPACITOR, VARIABLE: SMB283233 (80063)		EA	1	*	*	*	*	*	*	*	*	10	A1A5A1C431
X2-F	5305-054-5648	B100	SCREW, MACHINE: SAME AS A139		EA	2										A1A5A1C431H2
P-O	5960-686-8119	B101	SHIELD, ELECTRON TUBE: SAME AS A685		EA	1	*	*	*	*	*	*	*	*		A1A5A1E401
P-F	5935-201-7922	B102	JACK, TIP: SAME AS A39		EA	3	*	*	*	*	*	*	*	*	10	A1A5A1E402
X2-F	5955-694-1090	B103	BOARD ASSEMBLY: SMB249038 (80063)		EA	1										A1A5A1HR401A
A-F-S		B104	OVEN ASSEMBLY: SMC249045 (80063)		EA	1										A1A5A1HR401B
P-F	5935-636-5913	B105	CONNECTOR, RECEPTACLE, ELECTRICAL: SMB283198 (80063)		EA	1	*	*	*	*	*	*	*	*	10	A1A5A1J410
P-F	5340-322-4148	E106	RING, RETAINING: SAME AS A712		EA	1	*	*	*	*	*	*	*	*		A1A5A1J410H1
X2-F		B107	NUT, PLAIN, HEXAGON: SMD249007-11 (80063)		EA	1										A1A5A1J410H1
P-F	5935-850-2250	B108	JACK, TIP: SMB283178 (80063)		EA	1	*	*	*	*	*	*	*	*	10	A1A5A1J415

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F		B109 TERMINAL, LUG: SMB249255 (80063)		EA	1										A1A5A1J415H1
P-F	5935-201-7922	B110 JACK, TIP: SAME AS A39		EA	REF	*	*	*	*	*	*	*	*	10	A1A5A1J416
P-F	5935-201-7922	B111 JACK, TIP: SAME AS A39		EA	REF	*	*	*	*	*	*	*	*	11	A1A5A1J417
P-F	5950-645-0358	B112 COIL, RADIO FREQUENCY: SAME AS A717		EA	1	*	*	*	*	*	*	*	*	11	A1A5A1A1L402
X2-F		B113 TERMINAL, LUG: SAME AS A138		EA	2										A1A5A1MP1
X2-F		B114 SCREW, MACHINE: SAME AS A733		EA	1										A1A5A1MP1H1
X2-F	5310-042-9609	B115 WASHER, SPLIT: SAME AS A110		EA	1										A1A5A1MP1H1
X2-F	5310-934-9748	B116 NUT, PLAIN, HEXAGON: SAME AS A141		EA	1										A1A5A1MP1H1
X2-F		B117 TERMINAL, LUG: SAME AS A138		EA	REF										A1A5A1MP2
X2-F		B118 SCREW, MACHINE: SAME AS A733		EA	1										A1A5A1MP2H1
X2-F	5310-042-9609	B119 WASHER, SPLIT: SAME AS A110		EA	1										A1A5A1MP2H1
X2-F	5310-934-9748	B120 NUT, PLAIN, HEXAGON: SAME AS A141		EA	1										A1A5A1MP2H1

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F		B121 DIAL, INDICATOR: SMB249034 (80063)		EA	1										A1A5A1MP3
X2-F		B122 SHAFT, OSCILLATOR: SMC249026 (80063)		EA	1										A1A5A1MP4
X2-F		B123 WASHER, FLAT: SMB178411 (80063)		EA	1										A1A5A1MP4H1
X2-F		B124 WASHER, FLAT: SMB248824 (80063)		EA	1										A1A5A1MP4H1
X2-F	5340-803-7307	B125 RING, RETAINING: 5100-25 (79136)		EA	1										A1A5A1MP4H1
P-F	5905-192-3981	B126 RESISTOR, FIXED, COMPOSITION: SAME AS A878		EA	1	*	*	*	*	*	*	*	*	11	A1A5A1R404
P-F		B127 RING, RETAINING: SAME AS A45		EA	1	*	*	*	*	*	*	*	*		A1A5A1R404H1
P-F	5905-279-2675	B128 RESISTOR, FIXED, COMPOSITION: SAME AS A464		EA	1	*	*	*	*	*	*	*	*	11	A1A5A1A1R405
P-F	5905-279-3505	B129 RESISTOR, FIXED, COMPOSITION: RC20GF392J (81349)		EA	2	*	*	*	*	*	*	*	*	11	A1A5A1A1R406
P-F	5905-279-3505	B130 RESISTOR, FIXED, COMPOSITION: SAME AS B129		EA	REF	*	*	*	*	*	*	*	*	11	A1A5A1A1R407
P-F		B131 SWITCH SECTION, ROTARY: SMC178599 (80063)		EA	2	*	*	*	*	*	*	*	*	11	A1A5A1S401

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F		B132 SPACER, SLEEVE: SMB248825-1 (80063)		EA	4										
X2-F		B133 SCREW, MACHINE: SAME AS A78		EA	4										A1A5A1S401H4
X2-F	5310-271-4644	B134 NUT, PLAIN, HEXAGON: SAME AS A42		EA	4										A1A5A1S401H4
P-F		B135 SWITCH SECTION, ROTARY: SAME AS B131		EA	REF	*	*	*	*	*	*	*	*	11	A1A5A1S402
X2-F		B136 SPACER, SLEEVE: SMB248825-2 (80063)		EA	4										A1A5A1S402H4
X2-F		B137 SCREW, MACHINE: MS35216-29 (96906)		EA	4										A1A5A1S402H4
X2-F	5310-271-4644	B138 NUT, PLAIN HEXAGON: SAME AS A42		EA	4										A1A5A1S402H4
P-F	5950-523-8431	B139 TRANSFORMER, RADIO FREQUENCY: SAME AS A939		EA	1	*	*	*	*	*	*	*	*	10	A1A5A1T401
X2-F	5310-042-9609	B140 WASHER, SPLIT: SAME AS A110		EA	2										A1A5A1T401H2
X2-F	5310-934-9748	B141 NUT, PLAIN, HEXAGON: SAME AS A141		EA	2										A1A5A1T401H2
X2-F		B142 TERMINAL BOARD: SMB249021 (80063)		EA	1										A1A5A1A1TB401
P-O	5960-262-1357	B143 ELECTRON TUBE: SAME AS A952		EA	1	*	*	*	*	*	*	*	*	10	A1A5A1V401

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5935-260-0516	B144 SOCKET, ELECTRON TUBE: SAME AS A146A		EA	1	*	*	*	*	*	*	*	*	11	A1A5A1XV401
X2-F	5305-054-5648	B145 SCREW, MACHINE: SAME AS A139		EA	2										A1A5A1XV401H2
X2-F	5310-934-9748	B146 NUT, PLAIN, HEXAGON: SAME AS A141		EA	2										A1A5A1XV401H2
X2-F		B147 TERMINAL, LUG: SAME AS A965		EA	2										A1A5A1XV401H2
P-0	5955-267-4203	B148 CRYSTAL UNIT QUARTZ: CR36U10000KC (81349)		EA	1	*	*	*	*	*	*	*	*	10	A1A5A1Y401
P-0	5955-892-3649	B149 CRYSTAL UNIT QUARTZ: CR36AU10500KC (81349)		EA	1	*	*	*	*	*	*	*	*	10	A1A5A1Y402
P-0	5955-892-3603	B150 CRYSTAL UNIT QUARTZ: CR36U11000KC (81349)		EA	1	*	*	*	*	*	*	*	*	10	A1A5A1Y403
P-0	5955-267-4197	B151 CRYSTAL UNIT QUARTZ: CR36U11500KC (81349)		EA	1	*	*	*	*	*	*	*	*	10	A1A5A1Y404
P-0	5955-881-9363	B152 CRYSTAL UNIT QUARTZ: CR36AU12000KC (81349)		EA	1	*	*	*	*	*	*	*	*	10	A1A5A1Y405
P-0	5955-667-2665	B153 CRYSTAL UNIT QUARTZ: CR36U12500KC (81349)		EA	1	*	*	*	*	*	*	*	*	10	A1A5A1Y406
P-0	5955-267-4196	B154 CRYSTAL UNIT QUARTZ: CR36U13000KC (81349)		EA	1	*	*	*	*	*	*	*	*	10	A1A5A1Y407
P-0	5955-267-4208	B155 CRYSTAL UNIT QUARTZ: CR36U9000KC (81349)		EA	1	*	*	*	*	*	*	*	*	10	A1A5A1Y408

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-O	5955-892-3797	B156 CRYSTAL UNIT QUARTZ: CR36AU14000KC (81349)		EA	1	*	*	*	*	*	*	*	*	10	A1A5A1Y409
P-O	5955-892-3604	B157 CRYSTAL UNIT QUARTZ: CR36AU15000KC (81349)		EA	1	*	*	*	*	*	*	*	*	10	A1A5A1Y410
P-O		B158 CRYSTAL UNIT QUARTZ: CR36U16000KC (81349)		EA	1	*	*	*	*	*	*	*	*	10	A1A5A1Y411
P-O		B159 CRYSTAL UNIT QUARTZ: CR36U17000KC (81349)		EA	1	*	*	*	*	*	*	*	*	10	A1A5A1Y412
P-O	5955-267-4205	B160 CRYSTAL UNIT QUARTZ: CR36U9500KC (81349)		EA	1	*	*	*	*	*	*	*	*	10	A1A5A1Y413
P-O	5955-087-0603	B161 CRYSTAL UNIT QUARTZ: CR36U14500KC (81349)		EA	1	*	*	*	*	*	*	*	*	10	A1A5A1Y414
P-O	5955-648-9272	B162 CRYSTAL UNIT QUARTZ: CR36U15500KC (81349)		EA	1	*	*	*	*	*	*	*	*	10	A1A5A1Y415
P-F-S	5820-327-4393	B163 OSCILLATOR, RADIO FREQUENCY: SMD343626 (80063)		EA	1	*	*	*	*	*	*	*	*		A1A6
P-F	5910-667-6123	B164 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A32		EA	1	*	*	*	*	*	*	*	*	13	A1A6C705
P-O	5960-636-1818	B165 SHIELD, ELECTRON TUBE: SMB-114043 (80063)		EA	1	*	*	*	*	*	*	*	*		A1A6E701
X2-F		B166 SLEEVE, SPRING: SMD343626-1 (80063)		EA	1										A1A6H711
P-F	5935-687-2147	B167 CONNECTOR, RECEPTACLE, ELECTRICAL: SAME AS A711		EA	1	*	*	*	*	*	*	*	*	12	A1A6J709

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5935-204-6390	B168 CONNECTOR, PLUG ELECTRICAL: SAME AS A866		EA	1	*	*	*	*	*	*	*	*	12	A1A6P717
X2-F		B169 BRACKET: VARIABLE FREQUENCY: SMB249117 (80063)		EA	1										A1A6MP1
X2-F	5310-880-5978	B170 WASHER FLAT: SAME AS A412		EA	2										A1A6MP1H2
X2-F		B171 WASHER, SPLIT: SAME AS A47		EA	2										A1A6MP1H2
X2-F		B172 SCREW MACHINE MS35216-39 (96906)		EA	2										A1A6MP1H2
P-F	5905-192-9260	B173 RESISTOR, FIXED, COMPOSITION: SAME AS A463		EA	1	*	*	*	*	*	*	*	*	13	A1A6R701
P-F	5905-192-3988	B174 RESISTOR, FIXED, COMPOSITION: RC20GF563J (81349)		EA	1	*	*	*	*	*	*	*	*	13	A1A6R702
P-F	5905-279-1876	B175 RESISTOR, FIXED, COMPOSITION: SAME AS A443		EA	1	*	*	*	*	*	*	*	*	13	A1A6R703
P-F	6145-080-6515	B176 CABLE, RADIO FREQUENCY: RG-187/U (81349)		FT	2	*	*	*	*	*	*	*	*		A1A6W1
P-F	5935-260-0516	B177 SOCKET, ELECTRON TUBE: SAME AS A146A		EA	1	*	*	*	*	*	*	*	*	13	A1A6XV701
A-F-S		B178 PANEL ASSEMBLY, FRONT: SMD249134 (80063)		EA	1										A1A7
A-F-S		B179 TERMINAL BOARD ASSEMBLY: SMB249113 (80063)		EA	1										A1A7A1

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F		B180 RESISTOR, FIXED, FILM: SMB283221-4 (80063)		EA	1	*	*	*	*	*	*	*	*	15	A1A7A1R106
P-F		B181 RESISTOR, FIXED, FILM: SMB283221-3 (80063)		EA	2	*	*	*	*	*	*	*	*	15	A1A7A1R107
P-F		B182 RESISTOR, FIXED, FILM: SAME AS B181		EA	REF	*	*	*	*	*	*	*	*	15	A1A7A1R108
P-F	5905-814-1618	B183 RESISTOR, FIXED, FILM: RN65D3921F (81349)		EA	1	*	*	*	*	*	*	*	*	15	A1A7A1R109
P-F	5905-952-9639	B184 RESISTOR, FIXED, FILM: RN65D3571F (81349)		EA	1	*	*	*	*	*	*	*	*	15	A1A7A1R110
P-F	5905-857-6107	B185 RESISTOR, FIXED, FILM: RN65D2000F (81349)		EA	4	*	*	*	*	*	*	*	*	15	A1A7A1R111
P-F	5905-857-6107	B186 RESISTOR, FIXED, FILM: SAME AS B185		EA	REF	*	*	*	*	*	*	*	*	15	A1A7A1R112
P-F		B187 RESISTOR, FIXED, FILM: SMB283221-1 (80063)		EA	1	*	*	*	*	*	*	*	*	15	A1A7A1R113
P-F	5905-857-6107	B188 RESISTOR, FIXED, FILM: SAME AS B185		EA	REF	*	*	*	*	*	*	*	*	15	A1A7A1R114
P-F	5905-857-6107	B189 RESISTOR, FIXED, FILM: SAME AS B185		EA	REF	*	*	*	*	*	*	*	*	15	A1A7A1R115
P-F	5905-990-4915	B190 RESISTOR, FIXED, FILM: SMB283221-2 (80063)		EA	2	*	*	*	*	*	*	*	*	15	A1A7A1R116
P-F	5905-990-4915	B191 RESISTOR, FIXED, FILM: SAME AS B190		EA	REF	*	*	*	*	*	*	*	*	15	A1A7A1R117

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5905-060-2485	B192 RESISTOR, FIXED, FILM: RN65D2741F (81349)		EA	1	*	*	*	*	*	*	*	*	15	A1A7A1R118
P-F	5905-101-7817	B193 RESISTOR, FIXED, COMPOSITION: RC32GF2R7K (81349)		EA	1	*	*	*	*	*	*	*	*	15	A1A7A1R124
X2-F		B194 TERMINAL BOARD: SMC249112 (80063)		EA	1									15	A1A7A1TB101
X2-D		B195 HOUSING ASSEMBLY: SMC343607 (80063)		EA	1										A1A7A2
X2-F		B196 SCREW, MACHINE: SAME AS A11		EA	4										A1A7A2H4
X2-F	5310-011-1041	B197 WASHER, SPLIT: SAME AS A13		EA	4										A1A7A2H4
P-O	6240-155-7857	B198 LAMP, INCANDESCENT: MS25237-328 (96906)		EA	2	*	*	*	*	*	*	*	*		A1A7A2I101
P-O	6240-155-7857	B199 LAMP, INCANDESCENT: SAME AS B198		EA	REF	*	*	*	*	*	*	*	*		A1A7A2I102
X2-F		B200 HOUSING SUBASSEMBLY: SMC343606 (80063)		EA	1										A1A7A2MP1
X2-F		B201 WINDOW: SMB283263 (80063)		EA	1										A1A7A2MP2
X2-F		B202 CLAMP, WINDOW: SMB179042 (80063)		EA	2										A1A7A2MP3
X2-H		B203 RIVET, SOLID: SMB179043 (80063)		EA	1										A1A7A2MP3H1

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F	5340-598-8635	B204 RING, RETAINING: 555-12 (79136)		EA	1										A1A7A2MP3H1
X2-F		B205 CLAMP, WINDOW: SAME AS B202		EA	REF										A1A7A2MP4
X2-H		B206 RIVET, SOLID: SAME AS B203		EA	1										A1A7A2MP4H1
X2-F	5340-598-8635	B207 RING, RETAINING: SAME AS B204		EA	1										A1A7A2MP4H1
X2-F		B208 TERMINAL, LUG: SAME AS A138		EA	1										A1A7A2MP5
X2-F		B209 SCREW, MACHINE: SAME AS A733		EA	1										A1A7A2MP5H1
P-F		B210 CAPACITOR, FIXED, PAPER DIELECTRIC: SMC283240 (80063)		EA	1	*	*	*	*	*	*	*	*	15	A1A7C101
X2-F	5305-059-7191	B211 SCREW, MACHINE: MS35200-16 (96906)		EA	5										A1A7H5
X2-F		B212 SCREW, MACHINE: MS35200-43 (96906)		EA	8										1AA7H8
X2-F	5310-579-3875	B213 WASHER, LOCK: MS35336-11 (96906)		EA	5										A1A7H5
P-F	5935-283-1269	B214 JACK, TELEPHONE: JJ034 (81349)		EA	1	*	*	*	*	*	*	*	*	15	A1A7J102
P-O	5355-990-8568	B216 KNOB: 1220-02 (78189)		EA	1	*	*	*	*	*	*	*	*		A1A7J102H1

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	6625-669-0769	B217 VOLTMETER: SMC283217 (80063)		EA	1	*	*	*	*	*	*	*	*	15	A1A7M101
X2-F		B218 SCREW, MACHINE: MS35216-18 (96906)		EA	4										A1A7M101H4
X2-F		B219 WASHER, SPLIT: SAME AS A734		EA	4										A1A7M101H4
X2-F	5310-951-4679	B220 WASHER, FLAT: MS15795-203 (96906)		EA	3										A1A7M101H3
X2-F	5310-934-9748	B221 NUT, PLAIN, HEXAGON: SAME AS A141		EA	4										A1A7M101H4
X2-F		B222 TERMINAL, LUG: SAME AS A138		EA	1										A1A7M101H1
P-F	6625-510-1815	B223 AMMETER: SMC283216 (80063)		EA	1	*	*	*	*	*	*	*	*	15	A1A7M102
X2-F		B224 SCREW, MACHINE: SAME AS B218		EA	4										A1A7M102H4
X2-F		B225 WASHER, SPLIT: SAME AS A734		EA	4										A1A7M102H4
X2-F	5310-951-4679	B226 WASHER, FLAT: SAME AS B220		EA	4										A1A7M102H4
X2-F	5310-934-9748	B227 NUT, PLAIN, HEXAGON: SAME AS A141		EA	4										A1A7M102H4
X2-F		B228 HANDLE, BOW: SMC170492 (80063)		EA	2										A1A7MP1

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F		B229 WASHER, FLAT: SMB188389 (80063)		EA	2										A1A7MP1H2
X2-F		B230 NUT, PLAIN, HEXAGON: SMD249134-4 (80063)		EA	2										A1A7MP1H2
X2-F		B231 WASHER, SPLIT: MS35338-6 (96906)		EA	2										A1A7MP1H2
X2-F		B232 HANDLE, BOW: SAME AS B228		EA	REF										A1A7MP2
X2-F		B233 WASHER, FLAT: SAME AS B229		EA	2										A1A7MP2H2
X2-F		B234 NUT, PLAIN, HEXAGON: SAME AS B230		EA	2										A1A7MP2H2
X2-F		B235 WASHER, SPLIT: SAME AS B231		EA	2										A1A7MP2H2
P-F	5310-890-0063	B236 STOP, SWITCH: SMB179031 (80063)		EA	2	*	*	*	*	*	*	*	*		A1A7MP3
P-O	5355-990-8568	B237 KNOB: SAME AS B216		EA	1	*	*	*	*	*	*	*	*		A1A7MP3H1
X2-F		B238 NUT, PLAIN, HEXAGON: SMD249134-6 (80063)		EA	1										A1A7MP3H1
X2-F		B239 BUSHING, SLEEVE: SMB249194 (80063)		EA	3										A1A7MP4
X2-F		B240 NUT, PLAIN, HEXAGON: SMD249149-1 (80063)		EA	1										A1A7MP4H1

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F		B241 WASHER, FLAT: SMD249134-9 (80063)		EA	1										A1A7MP4H1
X2-F		B242 WASHER, FLAT: SMB178483-1 (80063)		EA	1										A1A7MP4H1
P-O	5355-990-8568	B243 KNOB: SAME AS B216		EA	1	*	*	*	*	*	*	*	*		A1A7MP4H1
X2-F		B244 BUSHING, SLEEVE: SAME AS B239		EA	REF										A1A7MP5
X2-F		B245 NUT, PLAIN, HEXAGON: SAME AS B240		EA	1										A1A7MP5H1
P-F	5310-890-0063	B246 STOP, SWITCH: SAME AS B236		EA	REF	*	*	*	*	*	*	*	*		A1A7MP6
X2-F		B247 WASHER, FLAT: SAME AS B241		EA	1										A1A7MP6H1
P-O	5355-990-8568	B248 KNOB: SAME AS B216		EA	1	*	*	*	*	*	*	*	*		A1A7MP6H1
X2-F		B249 BUSHING, SLEEVE: SAME AS B239		EA	REF										A1A7MP7
X2-F		B250 WASHER, FLAT: SAME AS B242		EA	1										A1A7MP7H1
X2-F		B251 NUT, PLAIN, HEXAGON: SAME AS B240		EA	1										A1A7MP7H1
X2-F		B252 WASHER, FLAT: SAME AS B241		EA	1										A1A7MP7H1

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-O	5355-990-8568	B253 KNOB: SAME AS B216		EA	1	*	*	*	*	*	*	*	*		A1A7MP7H1
P-F	4730-729-6879	B254 BUSHING, SLEEVE: SMB343662 (80063)		EA	1	*	*	*	*	*	*	*	*		A1A7MP8
X2-F		B256 NUT, PLAIN, HEXAGON: SMD249134-5 (80063)		EA	1										A1A7MP8H1
P-O	5355-990-8568	B257 KNOB: SAME AS B216		EA	1	*	*	*	*	*	*	*	*		A1A7MP8H1
X2-F		B258 BUSHING, SLEEVE: SMB248846 (80063)		EA	2										A1A7MP9
X2-F		B259 WASHER, FLAT: SMB248829-3 (80063)		EA	1										A1A7MP9H1
X2-F		B260 NUT, PLAIN, HEXAGON: SAME AS B256		EA	1										A1A7MP9H1
X2-F		B261 BUSHING, SLEEVE: SAME AS B258		EA	REF										A1A7MP10
X2-F		B262 WASHER, FLAT: SAME AS B259		EA	1										A1A7MP10H1
X2-F		B263 NUT, PLAIN, HEXAGON: SAME AS B256		EA	1										A1A7MP10H1
X2-F		B264 BRACKET, MOUNTING: SMB179038 (80063)		EA	1										A1A7MP11
X2-F	5305-763-6962	B266 SCREW, MACHINE: MS35200-24 (96906)		EA	2										A1A7MP11H2

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F	5305-054-6650	B267 SCREW, MACHINE: SAME AS A863		EA	2										A1A7MP11H2
P-F	5355-668-2315	B269 LOCK, DIAL: SMB248852 (80063)		EA	1	*	*	*	*	*	*	*	*		A1A7MP12
X2-F		B270 NUT, PLAIN, HEXAGON: SAME AS B238		EA	1										A1A7MP12H1
P-O	5355-990-8568	B271 KNOB: SAME AS B216		EA	1	*	*	*	*	*	*	*	*		A1A7MP12H1
X2-F		B272 PANEL, FRONT: SMD283246 (80063)		EA	1										A1A7MP13
P-F	5905-549-8172	B273 RESISTOR, VARIABLE: SMC283204-2 (80063)		EA	1	*	*	*	*	*	*	*	*	15	A1A7R103
P-O	5355-990-8568	B274 KNOB: SAME AS B216		EA	1	*	*	*	*	*	*	*	*		A1A7R103H1
X2-F		B275 NUT, PLAIN, HEXAGON: SAME AS B238		EA	1										A1A7R103H1
P-F	5905-603-5855	B276 RESISTOR, VARIABLE: SMC283204-1 (80063)		EA	2	*	*	*	*	*	*	*	*	15	A1A7R104
P-O	5355-990-8568	B277 KNOB: SAME AS B216		EA	1	*	*	*	*	*	*	*	*		A1A7R104H1
X2-F		B278 NUT, PLAIN, HEXAGON: SAME AS B238		EA	1										A1A7R104H1
P-F	5905-603-5855	B279 RESISTOR, VARIABLE: SAME AS B276		EA	REF	*	*	*	*	*	*	*	*	15	A1A7R105

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-U	5355-990-8568	B280 KNOB: SAME AS B216		EA	1	*	*	*	*	*	*	*	*		A1A7R105H1
X2-F		B281 NUT, PLAIN, HEXAGON: SAME AS B238		EA	1										A1A7R105H1
P-F	5905-192-3988	B282 RESISTOR, FIXED, COMPOSITION: SAME AS B174		EA	1	*	*	*	*	*	*	*	*	15	A1A7R119
P-F	5905-284-3200	B283 RESISTOR, VARIABLE: SMC283203 (80063)		EA	1	*	*	*	*	*	*	*	*	15	A1A7R120
X2-F		B284 NUT, PLAIN, HEXAGON: SAME AS B238		EA	1										A1A7R120H1
P-U	5355-990-8568	B285 KNOB: SAME AS B216		EA	1	*	*	*	*	*	*	*	*		A1A7R120H1
P-F		B286 SWITCH, ROTARY: SMB179030 (80063)		EA	2	*	*	*	*	*	*	*	*	15	A1A7S101
P-U	5355-990-8568	B287 KNOB: SAME AS B216		EA	1	*	*	*	*	*	*	*	*		A1A7S101H1
X2-F		B288 NUT, PLAIN, HEXAGON: SAME AS B238		EA	1										A1A7S101H1
P-F	5930-204-6393	B289 SWITCH, ROTARY: SMC249223 (80063)		EA	1	*	*	*	*	*	*	*	*	15	A1A7S102
P-U	5355-990-8568	B290 KNOB: SAME AS B216		EA	1	*	*	*	*	*	*	*	*		A1A7S102H1
X2-F		B291 NUT, PLAIN, HEXAGON: SAME AS B238		EA	1										A1A7S102H1

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F		B292 SWITCH, ROTARY: SAME AS B286		EA	REF	*	*	*	*	*	*	*	*	15	A1A7S103
P-O	5355-990-8568	B293 KNOB: SAME AS B216		EA	1	*	*	*	*	*	*	*	*		A1A7S103H1
X2-F		B294 NUT, PLAIN, HEXAGON: SAME AS B238		EA	1										A1A7S103H1
P-F	5930-340-6902	B295 SWITCH, ROTARY: SMC249222 (80063)		EA	1	*	*	*	*	*	*	*	*	15	A1A7S104
P-O	5355-990-8568	B296 KNOB: SAME AS B216		EA	1	*	*	*	*	*	*	*	*		A1A7S104H1
X2-F		B297 NUT, PLAIN, HEXAGON: SAME AS B238		EA	1										A1A7S104H1
P-F		B298 SWITCH, ROTARY: SMA179024 (80063)		EA	1	*	*	*	*	*	*	*	*	15	A1A7S105
P-O	5355-990-8568	B299 KNOB: SAME AS B216		EA	1	*	*	*	*	*	*	*	*		A1A7S105H1
X2-F		B300 NUT, PLAIN, HEXAGON: SAME AS B238		EA	1										A1A7S105H1
P-F	5930-548-8570	B301 SWITCH, ROTARY: SMA179028 (80063)		EA	1	*	*	*	*	*	*	*	*	15	A1A7S107
P-O	5355-990-8568	B302 KNOB: SAME AS B216		EA	1	*	*	*	*	*	*	*	*		A1A7S107H1
X2-F		B303 NUT, PLAIN, HEXAGON: SAME AS B238		EA	1										A1A7S107H1

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
A-U-S		P304 POWER SUPPLY: SMD248964 (80063)		EA	1										A1A8
P-U		B305 SHIELD, ELECTRON TUBE: SAME AS A683		EA	2	*	*	*	*	*	*	*	*		A1A8E801
P-U		B306 SHIELD, ELECTRON TUBE: SAME AS A683		EA	REF	*	*	*	*	*	*	*	*		A1A8E802
X2-F		B307 RING, RETAINING: SAME AS A45		EA	6										A1A8H6
X2-F		B308 WASHER, SPLIT: SAME AS A47		EA	6										A1A8H6
X2-F	5305-054-6671	B309 SCREW, MACHINE: SAME AS A46		EA	6										A1A8H6
P-F	5935-259-6798	B310 CONNECTOR, RECEPTACLE, ELECTRICAL: SAME AS A48		EA	1	*	*	*	*	*	*	*	*	14	A1A8J811
X2-F	5310-934-9748	B311 NUT, PLAIN, HEXAGON: SAME AS A141		EA	2										A1A8J811H2
X2-F		B312 SCREW, MACHINE: SAME AS A49		EA	2										A1A8J811H2
P-F	5950-510-1672	B313 TRANSFORMER, POWER, STEP-UP: SMC248798 (80063)		EA	1	*	*	*	*	*	*	*	*	14	A1A8T801
X2-F		B314 NUT, PLAIN, HEXAGON: MS35649-84 (96906)		EA	3										A1A8T801H3
X2-F		B315 WASHER, SPLIT: SAME AS A47		EA	3										A1A8T801H3

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F		B316 TERMINAL BOARD: SMB283187 (80063)		EA	1									16	A1A8TB801
X2-F		B317 WASHER, SPLIT: SMD248984-14 (80063)		EA	8										A1A8TB801H8
X2-F		B318 SCREW, MACHINE: SAME AS A925		EA	4										A1A8TB801H4
X2-F	5310-934-9748	B319 NUT, PLAIN, HEXAGON: SAME AS A141		EA	4										A1A8TB801H4
P-U	5960-262-0221	B320 ELECTRON TUBE: 2625W (81349)		EA	2	*	*	*	*	*	*	*	*	14	A1A8V801
P-U	5960-262-0221	B321 ELECTRON TUBE: SAME AS B320		EA	REF	*	*	*	*	*	*	*	*	14	A1A8V802
P-F	5935-160-1365	B322 SOCKET, ELECTRON TUBE: SAME AS A137		EA	2	*	*	*	*	*	*	*	*	16	A1A8XV801
X2-F	5305-054-5648	B323 SCREW, MACHINE: SAME AS A139		EA	1										A1A8XV801H1
X2-F		B324 SCREW, MACHINE: SAME AS A733		EA	1										A1A8XV801H1
X2-F	5310-042-9609	B325 WASHER, SPLIT: SAME AS A110		EA	2										A1A8XV801H2
X2-F	5310-934-9748	B326 NUT, PLAIN, HEXAGON: SAME AS A141		EA	2										A1A8XV801H2
X2-F		B327 TERMINAL, LUG: SAME AS A971		EA	1										A1A8XV801H1

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5935-160-1365	B328 SOCKET, ELECTRON TUBE: SAME AS A137		EA	REF	*	*	*	*	*	*	*	*	16	A1A8XV802
X2-F		B329 SCREW, MACHINE: SAME AS A733		EA	2										A1A8XV802H2
X2-F	5310-042-9609	B330 WASHER, SPLIT: SAME AS A110		EA	2										A1A8XV802H2
X2-F	5310-934-9748	B331 NUT, PLAIN, HEXAGON: SAME AS A141		EA	2										A1A8XV802H2
P-O-S	6130-946-0781	B332 POWER SUPPLY, FILAMENT: SMC536032 (80063)		EA	1	*	*	*	*	*	*	*	*		A1A9
P-F	5910-822-5683	B333 CAPACITOR, FIXED, CERAMIC DIELECTRIC: CK63AW103M (81349)		EA	1	*	*	*	*	*	*	*	*		A1A9C715
X2-F		B334 TERMINAL, STUD: ST-SM-1TUR (98291)		EA	4										A1A9E1
X2-F		B335 TERMINAL, STUD: SAME AS B334		EA	REF										A1A9E2
X2-F		B336 TERMINAL, STUD: SAME AS B334		EA	REF										A1A9E3
X2-F		B337 TERMINAL, STUD: SAME AS B334		EA	REF										A1A9E4
X2-F	5305-543-2773	B338 SCREW, MACHINE: MS35233-29 (96906)		EA	2										A1A9H2

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5935-583-2272	B339 CONNECTOR, RECEPTACLE, ELECTRICAL: 126-219 (02660)		EA	1	*	*	*	*	*	*	*	*		A1A9J901
X1-D		B340 CHASSIS, POWER SUPPLY: SMC536019 (80063)		EA	1										A1A9MP1
P-F	5905-279-1714	B341 RESISTOR, FIXED, COMPOSITION: RC32GF224K (81349)		EA	1	*	*	*	*	*	*	*	*		A1A9R901
P-F	5905-279-2675	B342 RESISTOR, FIXED, COMPOSITION: SAME AS A464		EA	1	*	*	*	*	*	*	*	*		A1A9R902
P-F	5950-926-3115	B343 TRANSFORMER, POWER, STEP-DOWN: SMD536122 (80063)		EA	1	*	*	*	*	*	*	*	*		A1A9T901
X2-F	5310-982-6813	B344 NUT, SELF-LOCKING, HEXAGON: MS21044C06 (96906)		EA	4										A1A9T901H4
X2-F	5310-722-5998	B345 WASHER, FLAT: MS15795-805 (96906)		EA	4										A1A9T902H4
A-F-S		B346 PANEL, ASSEMBLY, REAR: SMD343623 (80063)		EA	1										A1A10
P-F	5910-552-1981	B347 CAPACITOR, FIXED, ELECTROLYTIC: CE64C500G (81349)		EA	1	*	*	*	*	*	*	*	*	15	A1A10C103
X2-F		B348 SCREW, MACHINE: SAME AS A11		EA	2										A1A10C103H2
X2-F	5310-271-4644	B349 NUT, PLAIN, HEXAGON: SAME AS A42		EA	2										A1A10C103H2

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F	5310-011-1041	B350 WASHER, SPLIT: SAME AS A13		EA	2										A1A10C103H2
P-F	6130-548-0067	B351 RECTIFIER, METALLIC: SMC283177 (80063)		EA	1	*	*	*	*	*	*	*	*	15	A1A10CR102
X2-F		B352 SCREW, MACHINE: SAME AS A77		EA	2										A1A10CR102H2
X2-F	5310-011-1041	B353 WASHER, SPLIT: SAME AS A13		EA	2										A1A10CR102H2
X2-F	5310-271-4644	B355 NUT, PLAIN, HEXAGON: SAME AS A42		EA	2										A1A10CR102H2
X2-F		B356 LEAD, ELECTRICAL: SMB249116 (80063)		EA	4										A1A10E1
X2-F		B357 LEAD, ELECTRICAL: SAME AS B356		EA	REF										A1A10E2
X2-F		B358 LEAD, ELECTRICAL: SAME AS B356		EA	REF										A1A10E3
X2-F		B359 LEAD, ELECTRICAL: SAME AS B356		EA	REF										A1A10E4
P-O	5920-280-5019	B360 FUSE, CARTRIDGE: MS90078-27-1 (96906)		EA	1	*	*	*	*	*	*	*	*	15	A1A10F101
P-O	5920-504-8634	B361 FUSE, CARTRIDGE: MS90078-20 (96906)		EA	1	*	*	*	*	*	*	*	*		A1A10F102
P-O		B362 FUSE, CARTRIDGE: MS90078-4 (96906)		EA	1	*	*	*	*	*	*	*	*		A1A10F103

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F	5305-059-7191	B363 SCREW, MACHINE: SAME AS B211		EA	2										A1A10H2
X2-F	5310-579-3875	B364 WASHER, LOCK: SAME AS B213		EA	2										A1A10H2
X2-F		B365 SCREW, MACHINE: SAME AS A11		EA	6										A1A10H6
X2-F	5310-011-1041	B366 WASHER, SPLIT: SAME AS A13		EA	6										A1A10H6
P-F	5935-204-6389	B367 CONNECTOR, RECEPTACLE, ELECTRICAL: SMC283179 (80063)		EA	1	*	*	*	*	*	*	*	*		A1A10J112
X2-F		B368 PANEL, REAR: SMD343618 (80063)		EA	1										A1A10MP1
P-F	5930-503-3585	B369 SWITCH, TOGGLE: SMB178480 (80063)		EA	1	*	*	*	*	*	*	*	*		A1A10S106
P-O	5355-990-8568	B370 KNOB: SAME AS B216		EA	1	*	*	*	*	*	*	*	*		A1A10S106H1
X2-F	5940-983-6129	B371 TERMINAL BOARD: 41TB8 (81349)		EA	2									15	A1A10TB102
X2-F	5305-054-6671	B372 SCREW, MACHINE: SAME AS A46		EA	4										A1A10TB102H4
X2-F		B373 NUT, PLAIN, HEXAGON: MS35216-43 (96906)		EA	4										A1A10TB102H4
X2-F	5940-983-6129	B374 TERMINAL BOARD: SAME AS B371		EA	REF									15	A1A10TB103

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F	5305-054-6671	B375 SCREW, MACHINE: SAME AS A46		EA	4										A1A10TB103H4
X2-F		B376 NUT, PLAIN, HEXAGON: SAME AS B373		EA	4										A1A10TB103H4
P-F	5920-280-4167	B377 FUSEHOLDER: SMB249225 (80063)		EA	3	*	*	*	*	*	*	*	*		A1A10XF101
P-F	5920-280-4167	B378 FUSEHOLDER: SAME AS B377		EA	REF	*	*	*	*	*	*	*	*		A1A10XF102
P-F	5920-280-4167	B379 FUSEHOLDER: SAME AS B377		EA	REF	*	*	*	*	*	*	*	*		A1A10XF103
X2-F	5310-011-1041	B380 WASHER, SPLIT: SAME AS A13		EA	16										A1MP2H16
M-D		B381 PLATE, IDENTITY: SMB535716 (80063)		EA	1										A1MP3
X2-F		B382 SCREW, MACHINE: MS35216-2 (96906)		EA	4										A1MP3H4
X2-F	5310-928-2690	B383 WASHER, SPLIT: MS35338-77 (96906)		EA	4										A1MP3H4
X2-F		B384 FRAME ASSEMBLY, RIGHT: SMC343633 (80063)		EA	1										A1MP4
X2-F	5305-054-6653	B385 SCREW, MACHINE: SAME AS A129		EA	5										1AMP4H5
X2-F	5310-011-1041	B386 WASHER, SPLIT: SAME AS A13		EA	5										A1MP4H5

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F		B387 SCREW, MACHINE: SAME AS A78		EA	3										A1MP4H3
X2-F		B389 FRAME ASSEMBLY, LEFT: SMC343634 (80063)		EA	1										A1MP5
X2-F	5305-054-6653	B390 SCREW, MACHINE: SAME AS A129		EA	7										A1MP5H7
X2-F	5310-011-1041	B391 WASHER, SPLIT: SAME AS A13		EA	7										A1MP5H7
X2-F		B392 SCREW, MACHINE: SAME AS B172		EA	4										A1MP5H4
X2-F		B393 WASHER, SPLIT: SAME AS A47		EA	4										A1MP5H4
M-D		B394 FRAME ASSEMBLY, SHORT: SMC249128 (80063)		EA	1										A1MP6
X2-F		B395 SCREW, MACHINE: SAME AS B172		EA	5										A1MP6H5
X2-F		B396 WASHER, SPLIT: SAME AS A47		EA	5										A1MP6H5
X2-F		B397 FRAME ASSEMBLY, LONG: SMC249129 (80063)		EA	1										A1MP7
X2-F	5305-044-2786	B398 SCREW, MACHINE: SAME AS B172		EA	5										A1MP7H5
X2-F		B399 WASHER, SPLIT: SAME AS A47		EA	5										A1MP7H5

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F		B400 PLATE, FLOOR: SMC249133 (80063)		EA	1										A1MP8
X2-F		B401 BRACKET, MOUNTING: SMC249104 (80063)		EA	1										A1MP9
X2-F		B402 GUIDE: SMC178492 (80063)		EA	1										A1MP10
P-F	5360-810-8376	B403 SPRING, HELICAL, EXTENSION: SMB178481 (80063)		EA	1	*	*	*	*	*	*	*	*		A1MP11
X2-F		B404 INSULATOR, BUSHING: SMD178491 (80063)		EA	1										A1MP12
X2-F		B405 COUPLING, SHAFT: SMB178665 (80063)		EA	2										A1MP13
X2-F		B406 COUPLING, SHAFT: SAME AS B405		EA	REF										A1MP14
X2-F		B407 COUPLING, SHAFT: SMB178414 (80063)		EA	2										A1MP15
X2-F		B408 SCREW, MACHINE: SMD343619-1 (80063)		EA	1										A1MP15H1
X2-F		B409 NUT PLAIN, SQUARE: SMD343619-7 (80063)		EA	1										A1MP15H1
X2-F		E410 COUPLING, SHAFT: SAME AS B407		EA	1										A1MP16
X2-F		B411 SCREW, MACHINE: SAME AS B408		EA	1										A1MP16H1

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F		B412 NUT, PLAIN, SQUARE: SAME AS B409		EA	1										A1M16H1
P-F	5820-784-9316	B413 SHAFT, DRIVE: SMB343663 (80063)		EA	2	*	*	*	*	*	*	*	*		A1MP17
P-F	5820-784-9316	B414 SHAFT, DRIVE: SAME AS B413		EA	REF	*	*	*	*	*	*	*	*		A1MP18
X2-F	5820-959-2595	B415 COLLER, SHAFT: SMB343664 (80063)		EA	2										A1MP19
X2-F		B416 SETSCREW: SMD 343619-10 (80063)		EA	1										A1MP19H1
X2-F	5820-959-2595	B417 COLLER, SHAFT: SAME AS B415		EA	REF										A1MP20
X2-F		B418 SETSCREW: SAME AS B416		EA	1										A1MP20H1
X2-F		B419 COVER, FILTER: SMB249105 (80063)		EA	1										A1MP21
X2-F	5305-054-6653	B420 SCREW, MACHINE: SAME AS A129		EA	2										A1MP21H2
X2-F	5310-011-1041	B421 WASHER, SPLIT: SAME AS A13		EA	2										A1MP21H2
X2-F	5310-271-4644	B422 NUT, PLAIN, HEXAGON: SAME AS A42		EA	2										A1MP21H2
X2-F		B423 CLAMP, LOOP: SMB249200 (80063)		EA	1										A1MP22

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F	5305-059-7191	B424 SCREW, MACHINE: SAME AS B211		EA	1										A1MP22H1
X2-F	5310-011-1041	B425 WASHER, SPLIT: SAME AS A13		EA	1										A1MP22H1
X2-F	5310-271-4644	B426 NUT, PLAIN, HEXAGON: SAME AS A42		EA	1										A1MP22H1
X2-F		B427 CLAMP, LOOP: SMB249203-1 (80063)		EA	1										A1MP23
X2-F	5305-054-6650	B428 SCREW, MACHINE: SAME AS A863		EA	1										A1MP23H1
X2-F	5310-011-1041	B429 WASHER, SPLIT: SAME AS A13		EA	1										A1MP23H1
X2-F	5310-271-4644	B430 NUT, PLAIN, HEXAGON: SAME AS A42		EA	1										A1MP23H1
X2-F		B431 CLAMP, LOOP: SMB249203-2 (80063)		EA	1										A1MP24
X2-F		B432 SCREW, MACHINE: SAME AS A77		EA	1										A1MP24H1
X2-F	5310-011-1041	B433 WASHER, SPLIT: SAME AS A13		EA	1										A1MP24H1
X2-F	5310-271-4644	B434 NUT, PLAIN, HEXAGON: SAME AS A42		EA	1										A1MP24H1
X2-F		B435 CLAMP, LOOP: SMB249205 (80063)		EA	3										A1MP25

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F	5305-059-7191	B436 SCREW, MACHINE: SAME AS B211		EA	1										A1MP25H1
X2-F	5310-011-1041	B437 WASHER, SPLIT: SAME AS A13		EA	1										A1MP25H1
X2-F	5310-271-4644	B438 NUT, PLAIN, HEXAGON: SAME AS A42		EA	1										A1MP25H1
X2-F		B439 CLAMP, LOOP: SAME AS B435		EA	REF										A1MP26
X2-F	5305-059-7191	B440 SCREW, MACHINE: SAME AS B211		EA	1										A1MP26H1
X2-F	5310-011-1041	B441 WASHER, SPLIT: SAME AS A13		EA	1										A1MP26H1
X2-F	5310-271-4644	B442 NUT, PLAIN, HEXAGON: SAME AS A42		EA	1										A1MP26H1
X2-F		B443 CLAMP, LOOP: SAME AS B435		EA	REF										A1MP27
X2-F	5305-059-7191	B444 SCREW, MACHINE: SAME AS B211		EA	1										A1MP27H1
X2-F	5310-011-1041	B445 WASHER, SPLIT: SAME AS A13		EA	1										A1MP27H1
X2-F	5310-271-4644	B447 NUT, PLAIN, HEXAGON: SAME AS A42		EA	1										A1MP27H1
X2-F		B448 CLAMP, LOOP: SMB343615 (80063)		EA	1										A1MP28

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F		B449 SCREW, MACHINE: SAME AS A78		EA	2										A1MP28H2
X2-F		B451 TERMINAL, LUG: SMB249254 (80063)		EA	3										A1MP29
X2-F		B452 TERMINAL, LUG: SAME AS B451		EA	REF										A1MP30
X2-F		B453 TERMINAL, LUG: SAME AS B451		EA	REF										A1MP31
P-F	5935-583-2157	B454 CONNECTOR, PLUG, ELECTRICAL: UP120M (81349)		EA	1	*	*	*	*	*	*	*	*		A1P101
P-F	5935-754-8787	B455 CONNECTOR, PLUG, ELECTRICAL: MS24055-1 (96906)		EA	2	*	*	*	*	*	*	*	*	15	A1P108
P-F	5935-754-8787	B456 CONNECTOR, PLUG, ELECTRICAL: SAME AS B455		EA	REF	*	*	*	*	*	*	*	*	15	A1P109
P-F		B457 CONNECTOR, PLUG, ELECTRICAL: SMB283200 (80063)		EA	1	*	*	*	*	*	*	*	*	15	A1P110
P-F		B458 CONNECTOR, PLUG, ELECTRICAL: SMB283195 (80063)		EA	2	*	*	*	*	*	*	*	*	15	A1P111
X2-F		B459 COVER, CONNECTOR: SMB283196 (80063)		EA	2										A1P111MP1
X2-F		B460 SCREW, MACHINE: SAME AS A925		EA	2										A1P111MP1H2
P-F	5935-258-8572	B461 CONNECTOR, PLUG, ELECTRICAL: SMC283189 (80063)		EA	1	*	*	*	*	*	*	*	*	15	A1P112

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F		B462 COVER, CONNECTOR: SMB283190 (80063)		EA	1										A1P112MP1
X2-F		B463 SCREW, MACHINE: SAME AS A925		EA	2										A1P112MP1H2
P-F	5935-204-6391	B464 CONNECTOR, PLUG, ELECTRICAL: SAME AS A868		EA	1	*	*	*	*	*	*	*	*		A1P114
P-F	5935-204-6390	B465 CONNECTOR, PLUG, ELECTRICAL: SAME AS A866		EA	1	*	*	*	*	*	*	*	*		A1P116
P-F		B466 CONNECTOR, PLUG, ELECTRICAL: SAME AS B458		EA	REF	*	*	*	*	*	*	*	*	15	A1P119
X2-F		B467 COVER, CONNECTOR: SAME AS B459		EA	REF										A1P119MP1
X2-F		B468 SCREW, MACHINE: SAME AS A925		EA	2										A1MP119H2
P-F	5935-259-3316	B469 CONNECTOR, PLUG, ELECTRICAL: SMC283192 (80063)		EA	1	*	*	*	*	*	*	*	*	15	A1P120
X2-F		B470 COVER, CONNECTOR: SMB283193 (80063)		EA	1										A1P120MP1
X2-F		B471 SCREW, MACHINE: SAME AS A11		EA	2										A1P120MP1H2
P-F	5905-279-3503	B472 RESISTOR, FIXED, COMPOSITION: RC20GF682J (81349)		EA	1	*	*	*	*	*	*	*	*	15	A1R101

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-F	5905-171-1999	B473 RESISTOR, FIXED, COMPOSITION: RC20GF821J (81349)		EA	1	*	*	*	*	*	*	*	*	15	A1R102
P-F	6145-548-1258	B474 CABLE, POWER, ELECTRICAL: C002MGF2-18-0300 (81349)		FT	6	*	*	*	*	*	*	*	*		A1W104
X2-F	5940-577-3711	B475 TERMINAL, LUG: MS25036-3 (96906)		EA	2										A1W104MP1
X2-F	5940-577-3711	B476 TERMINAL, LUG: SAME AS B475		EA	REF										A1W104MP2
P-F	5935-628-8744	B477 COVER, CONNECTOR: SMB283197 (80063)		EA	3	*	*	*	*	*	*	*	*		A1A108
P-F	5935-628-8744	B478 COVER, CONNECTOR: SAME AS B477		EA	REF	*	*	*	*	*	*	*	*		A1A109
P-F	5935-628-8744	B479 COVER, CONNECTOR: SAME AS B477		EA	REF	*	*	*	*	*	*	*	*		A1A110
P-F	5961-853-2607	B480 SEMICONDUCTOR DEVICE, DIODE: 1N933 (81349)		EA	1	*	*	*	*	*	*	*	*	15	A1CR101
P-F	5910-667-6123	B482 CAPACITOR, FIXED, CERAMIC DIELECTRIC: SAME AS A32		EA	1	*	*	*	*	*	*	*	*	15	A1C102
M-D		B483 SHIELD, MAGNETIC: SMB536058 (80063)		EA	2										A1E1
M-D		B484 SHIELD MAGNETIC: SAME AS B483		EA	REF										A1E2

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-O	5355-667-9338	B485 KNOB: SMB249242-1 (80063)		EA	8	*	*	*	*	*	*	*	*		A1E101
X2-F		B486 SETSCREW: SMB283170 (80063)		EA	1										A1E101H1
P-O	5355-667-9338	B487 KNOB: SAME AS B485		EA	REF	*	*	*	*	*	*	*	*		A1E102
X2-F		B488 SETSCREW: SAME AS B486		EA	1										A1E102H1
P-O	5355-667-9338	B489 KNOB: SAME AS B485		EA	REF	*	*	*	*	*	*	*	*		A1E103
X2-F		B490 SETSCREW: SAME AS B486		EA	1										A1E103H1
P-O	5355-667-9338	B491 KNOB: SAME AS B485		EA	REF	*	*	*	*	*	*	*	*		A1E104
X2-F		B492 SETSCREW: SAME AS B486		EA	1										A1E104H1
P-O	5355-667-9338	B493 KNOB: SAME AS B485		EA	REF	*	*	*	*	*	*	*	*		A1E105
X2-F		B494 SETSCREW: SAME AS B486		EA	1										A1E104H1
P-O	5355-667-9338	B495 KNOB: SAME AS B485		EA	REF	*	*	*	*	*	*	*	*		A1E106
X2-F		B496 SETSCREW: SAME AS B486		EA	1										A1E106H1

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-O	5355-667-9338	B497 KNOB: SAME AS B485		EA	REF	*	*	*	*	*	*	*	*		A1E107
X2-F		B498 SETSCREW: SAME AS B486		EA	1										A1E107H1
P-O	5355-667-9338	B499 KNOB: SAME AS B485		EA	REF	*	*	*	*	*	*	*	*		A1E108
X2-F		B500 SETSCREW: SAME AS B486		EA	1										A1E108H1
P-O	5355-665-1307	B501 KNOB: SMB249242-2 (80063)		EA	5	*	*	*	*	*	*	*	*		A1E109
X2-F		B502 SETSCREW: SAME AS B486		EA	1										A1E109H1
P-O	5355-665-1307	B503 KNOB: SAME AS B501		EA	REF	*	*	*	*	*	*	*	*		A1E110
X2-F		B504 SETSCREW: SAME AS B486		EA	1										A1E110H1
P-O	5355-665-1307	B505 KNOB: SAME AS B501		EA	REF	*	*	*	*	*	*	*	*		A1E111
X2-F		B506 SETSCREW: SAME AS B486		EA	1										A1E111H1
P-O	5355-665-1307	B507 KNOB: SAME AS B501		EA	REF	*	*	*	*	*	*	*	*		A1E112
X2-F		B508 SETSCREW: SAME AS B486		EA	1										A1E112H1

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
P-O	5355-665-1307	B509 KNOB: SAME AS B501		EA	REF	*	*	*	*	*	*	*	*		A1E113
X2-F		B510 SETSCREW: SAME AS B486		EA	1										A1E113H1
P-O	5355-669-1711	B511 KNOB: SMB249242-3 (80063)		EA	2	*	*	*	*	*	*	*	*		A1E114
X2-F		B512 SETSCREW: SAME AS B486		EA	1										A1E114H1
P-O	5355-669-1711	B513 KNOB: SAME AS B511		EA	REF	*	*	*	*	*	*	*	*		A1E115
X2-F		B514 SETSCREW: SAME AS B486		EA	1										A1E115H1
P-O	5355-668-1468	B515 KNOB: SMB249243 (80063)		EA	2	*	*	*	*	*	*	*	*		A1E117
X2-F	5821-322-9929	B516 COUPLING, SHAFT: SMB170763 (80063)		EA	2										A1E117H1
X2-F		B517 WASHER, FLAT: SMB178483-3 (80063)		EA	1										A1E117H1
X2-F		B518 SCREW, MACHINE: SMD343619-2 (80063)		EA	1										A1E117H1
X2-F		B519 NUT, PLAIN, SQUARE: SAME AS B409		EA	1										A1E117H1
P-O	5355-668-1468	B520 KNOB: SAME AS B515		EA	REF	*	*	*	*	*	*	*	*		A1E118

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X2-F	5821-322-9929	B521 COUPLING, SHAFT: SAME AS B516		EA	REF										A1E118H1
X2-F		B522 WASHER, FLAT: SAME AS B517		EA	1										A1E118H1
X2-F		B523 SCREW, MACHINE: SAME AS B518		EA	1										A1E118H1
X2-F		B524 NUT, PLAIN, SQUARE: SAME AS B519		EA	1										A1E118H1
P-F	5940-535-9533	B525 CONTACT, ELECTRICAL: SMB249154 (80063)		EA	1	*	*	*	*	*	*	*	*		A1E119
X2-F		B526 SCREW, MACHINE: MS35216-22 (96906)		EA	4										A1E119H4
X2-F	5310-011-1041	B527 WASHER, SPLIT: SAME AS A13		EA	4										A1E119H4
P-F		B528 FILTER, RADIO INTERFFRENCE: SMB249221 (80063)		EA	1	*	*	*	*	*	*	*	*	15	A1FL101
P-F	5985-034-5268	B529 RELAY, ARMATURE: SMC283206 (80063)		EA	1	*	*	*	*	*	*	*	*		A1K101
X1-F		B530 LAMP, NEON: NE45 (81349)		EA	1									9	A1K101I103
X1-F		B531 RESISTOR, FIXED, COMPOSITION: RC20GF224J (81349)		EA	1										A1K101R121
X1-F		B532 RELAY, ARMATURE: DKCR76-1 (94375)		EA	2									9	A1K101K101A

SECTION III REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY. INC. IN UNIT	(6) 30 DAY DS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30 DAY GS MAINT. ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1 YR. ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (a) FIG. NO.	(b) ITEM NO. OR REFERENCE DESIGNATION
X1-F		B533 RELAY, ARMATURE: SAME AS A532		EA	REF									9	A1K101K101B
X2-F		B534 SCREW, MACHINE: SAME AS A11		EA	4										A1K101H4
X2-F	5310-011-1041	B535 WASHER, SPLIT: SAME AS A13		EA	4										A1K101H4
M-D		B536 COVER, BOTTOM: SMD249131 (80063)		EA	1										A1MP1
M-D		B537 COVER, TOP: SMD249132 (80063)		EA	1										A1MP2
X2-F		B538 WASHER, FLAT: SMD343622-1 (80063)		EA	16										A1MP2H16
X2-F	5305-054-6650	B539 SCREW, MACHINE: SAME AS A863		EA	16										A1MP2H16



Figure 1. Audio frequency subchassis, bottom view.



Figure 2. Audio frequency subchassis, top view.



Figure 3. Intermediate frequency subchassis, bottom view, front section.



Figure 4. Intermediate frequency subchassis, Mod 1, top view.



Figure 5. Intermediate frequency subchassis, Mod 1, bottom view, rear section.



Figure 6. Radio frequency subchassis, top view.



Figure 7. Radio frequency subchassis, bottom view, front section.



Figure 8. Radio frequency subchassis, bottom view, rear section.



Figure 9. Antenna relay assembly, internal view.



Figure 10. Crystal-oscillator subchassis, top view.



Figure 11. Crystal-oscillator subchassis, bottom view.



Figure 12. Variable-frequency oscillator subchassis, top view.



Figure 13. Variable-frequency oscillator subchassis, bottom view.



Figure 14. Power-supply subchassis, top view.



Figure 15. Radio Receiver R-725/URR, front panel and interior of main frame.



Figure 16. Power-supply subchassis, bottom view.

SECTION IV INDEX-FEDERAL STOCK NUMBER CROSS REFERENCE TO FIGURE AND ITEM NUMBER OR REFERENCE DESIGNATION

FEDERAL STOCK NUMBER	FIGURE NUMBER	ITEM NUMBER OR REF. DESIGNATION
2935-160-1365	8	A1A4A1XV206
4730-729-6879		A1A7MP8
5305-044-2786		A1MP7H5
5305-054-5646		A1A3MP3H4
5305-054-5646		A1A3Z502H3
5305-054-5646		A1A3A5E2H1
5305-054-5646		A1A3A6E4H1
5305-054-5647		A1A3E45H1
5305-054-5647		A1A3E46H1
5305-054-5647		A1A3E47H1
5305-054-5647		A1A3E48H1
5305-054-5647		A1A3E49H1
5305-054-5647		A1A3F50H1
5305-054-5647		A1A3E52H1
5305-054-5647		A1A3E53H1
5305-054-5647		A1A3E54H1
5305-054-5647		A1A3E55H1
5305-054-5647		A1A3F56H1
5305-054-5647		A1A3TB502H2
5305-054-5647		A1A3XRT501H1
5305-054-5647		A1A3XV501H1
5305-054-5647		A1A3XV509H1
5305-054-5647		A1A3A6E2H1
5305-054-5648		A1A2XV601H2
5305-054-5648		A1A2XV602H2
5305-054-5648		A1A2XV603H2
5305-054-5648		A1A2XV604H2
5305-054-5648		A1A2XV605H2
5305-054-5648		A1A4A1MP46H2
5305-054-5648		A1A4A1MP47H1H1
5305-054-5648		A1A4A1XV201H1
5305-054-5648		A1A4A1XV203H2
5305-054-5648		A1A4A1XV204H2
5305-054-5648		A1A4A1XV205H2
5305-054-5648		A1A4A1XV206H2
5305-054-5648		A1A4A1XV207H2
5305-054-5648		A1A5A1C429H2
5305-054-5648		A1A5A1C430H2
5305-054-5648		A1A5A1C431H2
5305-054-5648		A1A5A1XV401H2
5305-054-5648		A1A8XV801H1
5305-054-6650		A1MP2H16
5305-054-6650		A1MP23H1
5305-054-6650		A1A4A1MP50H2
5305-054-6650		A1A7MP11H2
5305-054-6653		A1MP5H7
5305-054-6653		A1MP21H2
5305-054-6653		A1A2XC603H2
5305-054-6653		A1A2XC606H2
5305-054-6653		1AMP4H5
5305-054-6671		A1A2H4
5305-054-6671		A1A8H6
5305-054-6671		A1A10TB102H4
5305-054-6671		A1A10TB103H4
5305-059-7191		A1MP22H1

SECTION IV INDEX-FEDERAL STOCK NUMBER CROSS REFERENCE TO FIGURE AND ITEM NUMBER OR REFERENCE DESIGNATION

FEDERAL STOCK NUMBER	FIGURE NUMBER	ITEM NUMBER OR REF. DESIGNATION
5305-059-7191		A1MP25H1
5305-059-7191		A1MP26H1
5305-059-7191		A1MP27H1
5305-059-7191		A1A7H5
5305-059-7191		A1A10H2
5305-068-5414		A1A3A1S506H2
5305-068-5414		A1A3A2S505H2
5305-068-5414		A1A3A7S502H2
5305-068-5414		A1A3A8S501H4
5305-543-2773		A1A9H2
5305-763-6962		A1A7MP11H2
5305-993-9189		A1A3TB501H2
5310-011-1041		A1E119H4
5310-011-1041		A1K101H4
5310-011-1041		A1MP2H16
5310-011-1041		A1MP4H5
5310-011-1041		A1MP5H7
5310-011-1041		A1MP21H2
5310-011-1041		A1MP22H1
5310-011-1041		A1MP23H1
5310-011-1041		A1MP24H1
5310-011-1041		A1MP25H1
5310-011-1041		A1MP26H1
5310-011-1041		A1MP27H1
5310-011-1041		A1A2FL601H4
5310-011-1041		A1A2K601H3
5310-011-1041		A1A2L602H4
5310-011-1041		A1A2L603H4
5310-011-1041		A1A2MP603H2
5310-011-1041		A1A2MP606H2
5310-011-1041		A1A2R617H1
5310-011-1041		A1A2R618H1
5310-011-1041		A1A2T601H1
5310-011-1041		A1A2T602H4
5310-011-1041		A1A2XC603H2
5310-011-1041		A1A2XC606H4
5310-011-1041		A1A2A1H4
5310-011-1041		A1A3MP1H2
5310-011-1041		A1A3MP2H2
5310-011-1041		A1A4A1MP50H2
5310-011-1041		A1A4A1XHR202H2
5310-011-1041		A1A7A2H4
5310-011-1041		A1A10C103H2
5310-011-1041		A1A10CR102H2
5310-011-1041		A1A10H6
5310-042-9609		A1A2R619H1
5310-042-9609		A1A2XV601H2
5310-042-9609		A1A2XV602H2
5310-042-9609		A1A2XV603H2
5310-042-9609		A1A2XV604H1
5310-042-9609		A1A2XV605H2
5310-042-9609		A1A3B45H1

SECTION IV INDEX-FEDERAL STOCK NUMBER CROSS REFERENCE TO FIGURE AND ITEM NUMBER OR REFERENCE DESIGNATION

FEDERAL STOCK NUMBER	FIGURE NUMBER	ITEM NUMBER OR REF. DESIGNATION
5310-042-9609		A1A3F46H1
5310-042-9609		A1A3F47H1
5310-042-9609		A1A3F48H1
5310-042-9609		A1A3F49H1
5310-042-9609		A1A3F50H1
5310-042-9609		A1A3F51H1
5310-042-9609		A1A3F52H1
5310-042-9609		A1A3F53H1
5310-042-9609		A1A3F54H1
5310-042-9609		A1A3F55H1
5310-042-9609		A1A3E56H1
5310-042-9609		A1A3TB502H2
5310-042-9609		A1A3XRT501H1
5310-042-9609		A1A3XV501H1
5310-042-9609		A1A3XV505H1
5310-042-9609		A1A3XV507H1
5310-042-9609		A1A3XV508H1
5310-042-9609		A1A3XV509H1
5310-042-9609		A1A3XV510H2
5310-042-9609		A1A3XV511H1
5310-042-9609		A1A3A3S503H2
5310-042-9609		A1A3A6E2H1
5310-042-9609		A1A4A1MP48H1
5310-042-9609		A1A4A1T208H2
5310-042-9609		A1A4A1XV201H2
5310-042-9609		A1A4A1XV202H2
5310-042-9609		A1A4A1XV203H2
5310-042-9609		A1A4A1XV204H2
5310-042-9609		A1A4A1XV205H2
5310-042-9609		A1A4A1XV206H2
5310-042-9609		A1A4A1XV207H2
5310-042-9609		A1A5A1MP1H1
5310-042-9609		A1A5A1MP2H1
5310-042-9609		A1A4A1T207H2
5310-042-9609		A1A5A1T401H2
5310-042-9609		A1A8XV801H2
5310-042-9609		A1A8XV802H2
5310-043-5862		A1A4A1C310H1
5310-058-3599		A1A3MP3H4
5310-058-3599		A1A3MP4H2
5310-058-3599		A1A3T501H2
5310-058-3599		A1A3T502H2
5310-058-3599		A1A3T503H2
5310-058-3599		A1A3T504H2
5310-058-3599		A1A3T505H2
5310-058-3599		A1A3T506H3
5310-058-3599		A1A3XV501H1
5310-058-3599		A1A3XV502H1
5310-058-3599		A1A3XV503H1
5310-058-3599		A1A3XV504H1
5310-058-3599		A1A3XV505H2
5310-058-3599		A1A3XV506H1
5310-058-3599		A1A3XV507H1
5310-058-3599		A1A3XV508H2

SECTION IV INDEX-FEDERAL STOCK NUMBER CROSS REFERENCE TO FIGURE AND ITEM NUMBER OR REFERENCE DESIGNATION

FEDERAL STOCK NUMBER	FIGURE NUMBER	ITEM NUMBER OR REF. DESIGNATION
5310-058-3599		A1A3XV510H2
5310-058-3599		A1A3XV511H1
5310-058-3599		A1A3Z501H2
5310-058-3599		A1A3Z502H3
5310-058-3599		A1A3Z503H2
5310-058-3599		A1A3A1H4
5310-058-3599		A1A3A2H4
5310-058-3599		A1A3A3H4
5310-058-3599		A1A3A4H3
5310-058-3599		A1A3A5E2H1
5310-058-3599		A1A3A5H3
5310-058-3599		A1A3A5MP3H1
5310-058-3599		A1A3A6C525H2
5310-058-3599		A1A3A6E2H1
5310-058-3599		A1A3A6E4H1
5310-058-3599		A1A3A6H7
5310-058-3599		A1A3A7H4
5310-058-3599		A1A3A8H4
5310-271-4644		A1MP21H2
5310-271-4644		A1MP22H1
5310-271-4644		A1MP23H1
5310-271-4644		A1MP24H1
5310-271-4644		A1MP25H1
5310-271-4644		A1MP26H1
5310-271-4644		A1MP27H1
5310-271-4644		A1A2FL601H4
5310-271-4644		A1A2K601H3
5310-271-4644		A1A2L601H4
5310-271-4644		A1A2L602H4
5310-271-4644		A1A2L603H4
5310-271-4644		A1A2T601H4
5310-271-4644		A1A2T602H4
5310-271-4644	1	A1A2XC603H2
5310-271-4644		A1A2XC606H2
5310-271-4644		A1A4A1XRH202H2
5310-271-4644		A1A5A1S401H4
5310-271-4644		A1A5A1S402H4
5310-271-4644		A1A10C103H2
5310-271-4644		A1A10CR102H2
5310-579-3875		A1A7H5
5310-579-3875		A1A10H2
5310-584-7888		A1A3E51H1
5310-595-6211		A1A3E45H1
5310-595-6211		A1A3E46H1
5310-595-6211		A1A3E47H1
5310-595-6211		A1A3E48H1
5310-595-6211		A1A3E49H1
5310-595-6211		A1A3E50H1
5310-595-6211		A1A3E51H1
5310-595-6211		A1A3E52H1
5310-595-6211		A1A3E53H1
5310-595-6211		A1A3E54H1
5310-595-6211		A1A3E55H1

SECTION IV INDEX-FEDERAL STOCK NUMBER CROSS REFERENCE TO FIGURE AND ITEM NUMBER OR REFERENCE DESIGNATION

FEDERAL STOCK NUMBER	FIGURE NUMBER	ITEM NUMBER OR REF. DESIGNATION
5310-595-6211		A1A3F56H1
5310-595-6211		A1A3W501H2
5310-722-5998		A1A9T902H4
5310-880-5978		A1A3H3
5310-880-5978		A1A6MP1H2
5310-890-0063		A1A7MP3
5310-890-0063		A1A7MP6
5310-928-2690		A1MP3H4
5310-934-9748		AUA4A1T207H2
5310-934-9748		AUA4A1T208H2
5310-934-9748		A1A2XV601H2
5310-934-9748		A1A2XV602H2
5310-934-9748		A1A2XV603H2
5310-934-9748		A1A2XV604H2
5310-934-9748		A1A2XV605H2
5310-934-9748		A1A3A6C525H2
5310-934-9748		A1A4X1XV204H2
5310-934-9748		A1A4A1MP48H1
5310-934-9748		A1A4A1XV202H2
5310-934-9748		A1A4A1XV205H2
5310-934-9748		A1A4A1XV206H2
5310-934-9748		A1A4A1XV207H2
5310-934-9748		A1A5A1MP1H1
5310-934-9748		A1A5A1MP2H1
5310-934-9748		A1A5A1T401H2
5310-934-9748		A1A5A1XV401H2
5310-934-9748		A1A7M101H4
5310-934-9748		A1A7M102H4
5310-934-9748		A1A8J811H2
5310-934-9748		A1A8TB801H4
5310-934-9748		A1A8XV801H2
5310-934-9748		A1A8XV802H2
5310-951-4679		A1A7M101H3
5310-951-4679		A1A7M102H4
5310-982-4999		A1A3T501H2
5310-982-4999		A1A3T502H2
5310-982-4999		A1A3T503H2
5310-982-4999		A1A3T504H2
5310-982-4999		A1A3T505H2
5310-982-4999		A1A3T506H2
5310-982-4999		A1A3W501H2
5310-982-4999		A1A3XRT501H1
5310-982-4999		A1A3XV501H1
5310-982-4999		A1A3XV502H1
5310-982-4999		A1A3XV503H1
5310-982-4999		A1A3XV504H1
5310-982-4999		A1A3XV505H1
5310-982-4999		A1A3XV506H2
5310-982-4999		A1A3XV507H1
5310-982-4999		A1A3XV508H1
5310-982-4999		A1A3XV509H1
5310-982-4999		A1A3XV511H1
5310-982-4999		A1A3Z501H2

SECTION IV INDEX-FEDERAL STOCK NUMBER CROSS REFERENCE TO FIGURE AND ITEM NUMBER OR REFERENCE DESIGNATION

FEDERAL STOCK NUMBER	FIGURE NUMBER	ITEM NUMBER OR REF. DESIGNATION
5310-982-4999		A1A3Z503H2
5310-982-4999		A1A3A1S506H2
5310-982-4999		A1A3A2S505H2
5310-982-4999		A1A3A4S507H2
5310-982-4999		A1A3A7S502H2
5310-982-4999		A1A3A8S501H2
5310-982-6813		A1A9T901H4
5340-322-4148		A1A4A1J208H1
5340-322-4148		A1A5A1J410H1
5340-598-8635		A1A7A2MP3H1
5340-598-8635		A1A7A2MP4H1
5340-803-7307		A1A5A1MP4H1
5340-965-6628		A1A3A4MP1
5340-965-6628		A1A3A4MP2
5355-665-1307		A1E109
5355-665-1307		A1E110
5355-665-1307		A1E111
5355-665-1307		A1E112
5355-665-1307		A1E113
5355-667-9338		A1E101
5355-667-9338		A1E102
5355-667-9338		A1E103
5355-667-9338		A1E104
5355-667-9338		A1E105
5355-667-9338		A1E106
5355-667-9338		A1E107
5355-667-9338		A1E108
5355-668-1468		A1E117
5355-668-1468		A1E118
5355-668-2315		A1A7MP12
5355-669-1711		A1E114
5355-669-1711		A1E115
5355-990-8568		A1A7J102H1
5355-990-8568		A1A7MP3H1
5355-990-8568		A1A7MP4H1
5355-990-8568		A1A7MP6H1
5355-990-8568		A1A7MP7H1
5355-990-8568		A1A7MP8H1
5355-990-8568		A1A7MP12H1
5355-990-8568		A1A7R103H1
5355-990-8568		A1A7R104H1
5355-990-8568		A1A7R105H1
5355-990-8568		A1A7R120H1
5355-990-8568		A1A7S101H1
5355-990-8568		A1A7S102H1
5355-990-8568		A1A7S103H1
5355-990-8568		A1A7S104H1
5355-990-8568		A1A7S105H1
5355-990-8568		A1A7S107H1
5355-990-8568		A1A10S106H1
5355-990-8568		1A7S107H1
5360-664-2200		A1A4A1MP2
5360-664-2200		A1A4A1MP7

SECTION IV INDEX-FEDERAL STOCK NUMBER CROSS REFERENCE TO FIGURE AND ITEM NUMBER OR REFERENCE DESIGNATION

FEDERAL STOCK NUMBER	FIGURE NUMBER	ITEM NUMBER OR REF. DESIGNATION
5360-664-2200		A1A4A1MP12
5360-664-2200		A1A4A1MP17
5360-664-2200		A1A4A1MP22
5360-664-2200		A1A4A1MP27
5360-664-2200		A1A4A1MP33
5360-664-2200		A1A4A1MP38
5360-810-8376		A1MP11
5820-327-4393		A1A6
5820-327-4725		A1A4A2C295
5820-327-4729		A1A4A2
5820-511-4248		A1A5
5820-545-7552		A1A4A2C212
5820-545-7552		A1A4A2C213
5820-618-6631		A1A4A2C324
5820-618-6632		A1A4A2C254
5820-640-4698		A1A4A2C203
5820-640-4758		A1A4A2C204
5820-640-4824		A1A4A2C202
5820-671-2935		A1A4A2C205
5820-671-2936		A1A4A2C246
5820-671-5826		A1A4A2C201
5820-671-5826		A1A4A2C201A
5820-671-5827		A1A4A2A210
5820-671-5830		A1A4A2MP202
5820-671-5831		A1A4A2MP201
5820-671-5832		A1A4A2C392
5820-671-5835		A1A4A2C390
5820-671-5837		A1A4A2C317
5820-671-5838		A1A4A2C316
5820-671-5839		A1A4A2C328
5820-671-5839		A1A4A2C393
5820-671-5840		A1A4A2C394
5820-679-9889		A4A1A2C321
5820-679-9891		A1A4A2C283
5820-683-9483		A1A4A2C218
5820-694-1061		A1A2
5820-697-7770		A1A4A2C296
5820-784-5410		A1A4A2C307
5820-784-9316		A1MP17
5820-784-9316		A1MP18
5820-810-9465		A1A4A2C243
5820-851-3898	3	A1A3Z502
5820-856-3411		A1A4A2C261
5820-959-2595		A1MP19
5820-959-2595		A1MP20
5821-322-9929		A1E117H1
5821-322-9929		A1E118H1
5825-926-0224		A1A3
5905-060-2485	15	A1A7A1R118
5905-100-7070	1	A1A2R617
5905-101-7537		A1A3R563
5905-101-7537		A1A3R565
5905-101-7817	15	A1A7A1R124
5905-157-2129	1	A1A2R619

SECTION IV INDEX-FEDERAL STOCK NUMBER CROSS REFERENCE TO FIGURE AND ITEM NUMBER OR REFERENCE DESIGNATION

FEDERAL STOCK NUMBER	FIGURE NUMBER	ITEM NUMBER OR REF. DESIGNATION
5905-171-1986	8	A1A4A1R210
5905-171-1997		A1A3R517
5905-171-1997	3	A1A3R526
5905-171-1997		A1A3R531
5905-171-1999	15	A1R102
5905-171-2002	1	A1A2A1R623
5905-171-2002		A1A4A1R235
5905-171-2004	5	A1A3R501
5905-171-2004		A1A3R509
5905-171-2004	5	A1A3R532
5905-171-2004	8	A1A4A1R206
5905-171-2004	8	A1A4A1R222
5905-171-2004	8	A1A4A1R225
5905-171-2004	7	A1A4A1R232
5905-185-6946	1	A1A2R609
5905-185-6946	1	A1A2A1R608
5905-185-6946	5	A1A3TB501R541
5905-185-6946	3	A1A3TB501R544
5905-185-6946	8	A1A4A1R217
5905-185-6946	7	A1A4A1R233
5905-185-6966	5	A1A3A4K552
5905-185-8510	7	A1A4A1R204
5905-185-8510	8	A1A4A1R224
5905-185-8510	8	A1A4A1R226
5905-186-2968		A1A3A5K566
5905-190-8880	1	A1A2R604
5905-190-8882	8	A1A4A1R221
5905-192-0390	5	A1A3TB501R543
5905-192-0390	3	A1A3A3R516
5905-192-0390	3	A1A3A4R551
5905-192-0390	8	A1A4A1R213
5905-192-0390	8	A1A4A1R227
5905-192-0390	7	A1A4A1R231
5905-192-0662		A1A3TB502R556
5905-192-3972	3	A1A3TB502R549
5905-192-3981	8	A1A4A1R207
5905-192-3981	11	A1A5A1R404
5905-192-3987		A1A3R522
5905-192-3987	5	A1A3R527
5905-192-3987		A1A3TB502R555
5905-192-3987	8	A1A4A1R223
5905-192-3988	13	A1A6R702
5905-192-3988	15	A1A7R119
5905-192-4490	8	A1A4A1R229
5905-192-9260	5	A1A3R545
5905-192-9260	13	A1A6R701
5905-195-6756		A1A3R560
5905-195-6758	5	A1A3R504
5905-195-6758	5	A1A3TB501R539
5905-195-6758	5	A1A3TB501R540
5905-195-6791	1	A1A2A1R610
5905-195-6791	1	A1A2A1R621
5905-195-6817	1	A1A2A1R627
5905-195-6817	5	A1A3R503

SECTION IV INDEX-FEDERAL STOCK NUMBER CROSS REFERENCE TO FIGURE AND ITEM NUMBER OR REFERENCE DESIGNATION

FEDERAL STOCK NUMBER	FIGURE NUMBER	ITEM NUMBER OR REF. DESIGNATION
5905-195-6817		A1A3R510
5905-195-6817	4	A1A3R538
5905-221-5842	1	A1A2R601
5905-221-5842	1	A1A2R603
5905-221-5849	5	A1A3TB501R542
5905-221-5860	8	A1A4A1R220
5905-239-0583		A1A3R558
5905-249-9491	7	A1A4A1R201
5905-252-5428	3	A1A3TB502R550
5905-254-7097	7	A1A4A1R203
5905-257-2631		A1A3R536
5905-279-1714		A1A9R901
5905-279-1723	1	A1A2A1R606
5905-279-1754	7	A1A4A1R234
5905-279-1876	5	A1A3R506
5905-279-1876	3	A1A3R513
5905-279-1876	4	A1A3R523
5905-279-1876		A1A3R528
5905-279-1876	5	A1A3R533
5905-279-1876	3	A1A3R548
5905-279-1876		A1A4A1R205
5905-279-1876	7	A1A4A1R209
5905-279-1876	8	A1A4A1R212
5905-279-1876	8	A1A4A1R215
5905-279-1876	8	A1A4A1R216
5905-279-1876	8	A1A4A1R218
5905-279-1876	8	A1A4A1R219
5905-279-1876	13	A1A6R703
5905-279-1879		A1A3R559
5905-279-1879	7	A1A4A1R208
5905-279-1879	8	A1A4A1R214
5905-279-1879	8	A1A4A1R230
5905-279-1881	1	A1A2R602
5905-279-1897	1	A1A2A1R615
5905-279-2256	1	A1A2R618
5905-279-2597	1	A1A2A1R611
5905-279-2597	1	A1A2A1R622
5905-279-2675	5	A1A3R546
5905-279-2675	11	A1A5A1A1R405
5905-279-2675		A1A9R902
5905-279-3503	15	A1R101
5905-279-3505	11	A1A5A1A1R406
5905-279-3505	11	A1A5A1A1R407
5905-279-3513	3	A1A3A3R518
5905-279-3513	7	A1A4A1R202
5905-284-3200	15	A1A7R120
5905-295-3409		A1A3R512
5905-295-3409		A1A3TB502R557
5905-295-3410		A1A3R553
5905-295-3410	5	A1A3A8R502
5905-299-1971	8	A1A4A1R211
5905-299-1999	1	A1A2A1R626
5905-299-2000	1	A1A2A1R612
5905-299-2012	1	A1A2A1R605

SECTION IV INDEX-FEDERAL STOCK NUMBER CROSS REFERENCE TO FIGURE AND ITEM NUMBER OR REFERENCE DESIGNATION

FEDERAL STOCK NUMBER	FIGURE NUMBER	ITEM NUMBER OR REF. DESIGNATION
5905-299-2012		A1A3R564
5905-299-2014	5	A1A3R505
5905-299-2014		A1A3A1R511
5905-299-2019	3	A1A3R547
5905-299-2038	8	A1A4A1R228
5905-299-2049	1	A1A2A1R614
5905-299-2049	1	A1A2A1R625
5905-299-2051		A1A3R554
5905-501-7314		A1A3R562
5905-549-8172	15	A1A7R103
5905-603-5855	15	A1A7R104
5905-603-5855	15	A1A7R105
5905-681-4707		A1A3RT512
5905-752-3805	4	A1A3R537
5905-814-1618	15	A1A7A1R109
5905-857-6107	15	A1A7A1R111
5905-857-6107	15	A1A7A1R112
5905-857-6107	15	A1A7A1R114
5905-857-6107	15	A1A7A1R115
5905-923-0877	5	A1A3A4R534
5905-923-0877	3	A1A3A1R529
5905-923-0877	3	A1A3A2R524
5905-923-0877	3	A1A3A3R514
5905-923-0877	3	A1A3A7R507
5905-923-1494		A1A3A1R530
5905-923-1494	3	A1A3A2R525
5905-923-1494	3	A1A3A3R515
5905-923-1494	5	A1A3A4R535
5905-923-1494	5	A1A3A7R508
5905-952-9639	15	A1A7A1R110
5905-990-4915	15	A1A7A1R116
5905-990-4915	15	A1A7A1R117
5910-161-1625		A1A4A1C256
5910-161-1625	8	A1A4A1C309
5910-195-5188	7	A1A4A1C254
5910-227-0807	7	A1A4A1C321
5910-227-0807	7	A1A4A1C322
5910-240-7780	11	A1A5A1C402
5910-240-7780	11	A1A5A1C428
5910-240-7780	7	1A4A1C323
5910-246-8995	8	A1A4A1C286
5910-246-8995	8	A1A4A1C327
5910-246-8995	11	A1A5A1C419
5910-543-0506	8	A1A4A1C281
5910-543-0506	8	A1A4A1C282
5910-543-0823	7	A1A4A1C252
5910-543-0823	8	A1A4A1C289
5910-543-0823	8	A1A4A1C290
5910-552-1981	15	A1A10C103
5910-556-9422	5	A1A3C536
5910-556-9427	5	A1A3C533
5910-556-9429	7	A1A4A1C249
5910-556-9440	3	A1A3A6C525

SECTION IV INDEX-FEDERAL STOCK NUMBER CROSS REFERENCE TO FIGURE AND ITEM NUMBER OR REFERENCE DESIGNATION

FEDERAL STOCK NUMBER	FIGURE NUMBER	ITEM NUMBER OR REF. DESIGNATION
5910-577-7921		A1A4A1C257
5910-577-7940		A1A3MP1
5910-577-7940		A1A3MP2
5910-578-8340		A1A3C546
5910-578-8340	5	A1A3C547
5910-583-1589	7	A1A4A1C253
5910-583-1589	11	A1A5A1C403
5910-583-1589	11	A1A5A1C404
5910-655-0588	5	A1A3A6C505
5910-667-3399	8	A1A4A1C325
5910-667-5742	8	A1A4A1C329
5910-667-6023	7	A1A4A1C274
5910-667-6123	15	A1C102
5910-667-6123	1	A1A2C611
5910-667-6123	7	A1A4A1C226
5910-667-6123	7	A1A4A1C229
5910-667-6123	7	A1A4A1C248
5910-667-6123	7	A1A4A1C273
5910-667-6123	7	A1A4A1C277
5910-667-6123	8	A1A4A1C280
5910-667-6123	8	A1A4A1C284
5910-667-6123	8	A1A4A1C285
5910-667-6123	8	A1A4A1C287
5910-667-6123	8	A1A4A1C288
5910-667-6123	8	A1A4A1C297
5910-667-6123	7	A1A4A1C300
5910-667-6123	7	A1A4A1C301
5910-667-6123	8	A1A4A1C302
5910-667-6123	8	A1A4A1C303
5910-667-6123	8	A1A4A1C304
5910-667-6123	8	A1A4A1C305
5910-667-6123	8	A1A4A1C307
5910-667-6123	8	A1A4A1C308
5910-667-6123	8	A1A4A1C317
5910-667-6123	8	A1A4A1C319
5910-667-6123	8	A1A4A1C326
5910-667-6123	8	A1A4A1C328
5910-667-6123	11	A1A5A1C407
5910-667-6123	11	A1A5A1C410
5910-667-6123	11	A1A5A1C411
5910-667-6123	11	A1A5A1C412
5910-667-6123	11	A1A5A1C413
5910-667-6123	11	A1A5A1C414
5910-667-6123	11	A1A5A1C415
5910-667-6123	11	A1A5A1C4016
5910-667-6123	13	A1A6C705
5910-667-6123	8	1A4A1C298
5910-668-5201	10	A1A5A1C430
5910-668-5204	10	A1A5A1C431
5910-668-5206	10	A1A5A1C429
5910-668-5903	7	A1A4A1C227
5910-669-1457	1	A1A2A1C602
5910-683-3022	2	A1A2C603

SECTION IV INDEX-FEDERAL STOCK NUMBER CROSS REFERENCE TO FIGURE AND ITEM NUMBER OR REFERENCE DESIGNATION

FEDERAL STOCK NUMBER	FIGURE NUMBER	ITEM NUMBER OR REF. DESIGNATION
5910-717-0169	5	A1A3C532
5910-717-0169		A1A3C550
5910-717-0169	5	A1A3A8C502
5910-725-1994	8	A1A4A1C313
5910-725-1994	8	A1A4A1C314
5910-725-1994	8	A1A4A1C315
5910-727-3548	8	A1A4A1C324
5910-804-2377	11	A1A5A1C424
5910-804-2378	11	A1A5A1C423
5910-807-3864	11	A1A5A1C422
5910-810-2476	8	A1A4A1C310
5910-818-9758	3	A1A3TB501C528
5910-822-5683		A1A9C715
5910-823-1143	3	A1A3C534
5910-823-1143	3	A1A3TB501C527
5910-823-1143	3 11	A1A3A5C534
5910-823-1143	5	A1A3A8C507
5910-839-8184	5	A1A3C531
5910-839-8184	5	A1A3C542
5910-839-8184	5	A1A3C548
5910-850-0540	8	A1A4A1C318
5910-850-0540	8	A1A4A1C334
5910-850-0541		A1A3C512
5910-850-0541	5	A1A3C539
5910-850-7991		A1A3C526
5910-850-7991	8	A1A4A1C312
5910-850-7991	11	A1A5A1C417
5910-850-9066	7	A1A4A1C276
5910-850-9066	7	A1A4A1C278
5910-850-9066	7	A1A4A1C279
5910-850-9066	8	A1A4A1C316
5910-889-4302	2	A1A2C606
5910-892-7875	3	A1A3A6C530
5910-941-1866	5	A1A3TB502C543
5910-945-7428		A1A3C551
5915-504-7560	2	A1A2FL601
5920-280-4167		A1A10XF101
5920-280-4167		A1A10XF102
5920-280-4167		A1A10XF103
5920-280-5019	15	A1A10F101
5920-504-8634		A1A10F102
5930-204-6393	15	A1A7S102
5930-204-6406	7	A1A4A1S201
5930-204-6406	7	A1A4A1S202
5930-204-6406	7	A1A4A1S205
5930-204-6406	7	A1A4A1S206
5930-204-6406	7	A1A4A1S207
5930-204-6407	7	A1A4A1S203
5930-204-6408	7	A1A4A1S204
5930-204-6409	8	A1A4A1S208
5930-340-6902	15	A1A7S104
5930-503-3585		A1A10S106
5930-548-8570	15	A1A7S107

SECTION IV INDEX-FEDERAL STOCK NUMBER CROSS REFERENCE TO FIGURE AND ITEM NUMBER OR REFERENCE DESIGNATION

FEDERAL STOCK NUMBER	FIGURE NUMBER	ITEM NUMBER OR REF. DESIGNATION
5930-926-0641		A1A3MP7
5930-944-9839	3	A1A3A3S503
5930-999-6929		A1A3A2S505
5930-999-6929		A1A3A4S507
5930-999-6929	5	A1A3A8S501
5930-999-6929	5	A1A13A7S502
5935-063-5789	1	A1A2XC603
5935-063-5789	1	A1A2XC606
5935-063-5789	8	A1A4A1XHR202
5935-063-5789	7	A1A4A1XV201
5935-160-1365	1	A1A2XV601
5935-160-1365	1	A1A2XV602
5935-160-1365		A1A3XRT501
5935-160-1365	5	A1A3XV507
5935-160-1365		A1A3XV510
5935-160-1365		A1A3XV511
5935-160-1365	8	A1A4A1XV205
5935-160-1365	16	A1A8XV801
5935-160-1365	16	A1A8XV802
5935-201-7922		A1A2F607
5935-201-7922	6	A1A4A1E208
5935-201-7922	6	A1A4A1E209
5935-201-7922	6	A1A4A1E210
5935-201-7922	6	A1A4A1E211
5935-201-7922	10	A1A5A1E402
5935-201-7922	10	A1A5A1J416
5935-201-7922	11	A1A5A1J417
5935-204-6389		A1A10J112
5935-204-6390		A1P116
5935-204-6390	6	A1A4A1P206
5935-204-6390	6	A1A4A1P207
5935-204-6390	6	A1A4A1P215
5935-204-6390	12	A1A6P717
5935-204-6391		A1P114
5935-204-6391	6	A1A4A1P213
5935-204-6391	6	A1A4A1P218
5935-204-6391	6	A1A4A1P221
5935-204-6403	6	A1A4A1P205
5935-258-8572	15	A1P112
5935-259-3318	15	A1P120
5935-259-6798	2	A1A2J619
5935-259-6798	14	A1A8J811
5935-260-0516	1	A1A2XV603
5935-260-0516	1	A1A2XV604
5935-260-0516	1	A1A2XV605
5935-260-0516	5	A1A3XV501
5935-260-0516	3	A1A3XV502
5935-260-0516	3	A1A3XV503
5935-260-0516	3	A1A3XV504
5935-260-0516	3	A1A3XV505
5935-260-0516	3	A1A3XV506
5935-260-0516	5	A1A3XV508
5935-260-0516	5	A1A3XV509

AMSEL-ME Form 1 Nov 68 6069

ESC FM 4535-68

SECTION IV INDEX-FEDERAL STOCK NUMBER CROSS REFERENCE TO FIGURE AND ITEM NUMBER OR REFERENCE DESIGNATION

FEDERAL STOCK NUMBER	FIGURE NUMBER	ITEM NUMBER OR REF. DESIGNATION
5935-260-0516	7	A1A4A1XV202
5935-260-0516	8	A1A4A1XV203
5935-260-0516	8	A1A4A1XV204
5935-260-0516		A1A4A1XV207
5935-260-0516	11	A1A5A1XV401
5935-260-0516	13	A1A6XV701
5935-283-1269	15	A1A7J102
5935-295-5006	2	A1A2J620
5935-577-8761	5	A1A3J514
5935-583-2157		A1P101
5935-583-2272		A1A9J901
5935-628-8744		A1A108
5935-628-8744		A1A109
5935-628-8744		A1A110
5935-636-5913	10	A1A5A1J410
5935-687-2147	6	A1A4A1J208
5935-687-2147	12	A1A6J709
5935-729-3750		A1A4A1XV201H1
5935-729-3750		A1A4A1XV203H1
5935-754-8787	15	A1P108
5935-754-8787	15	A1P109
5935-810-7514	6	A1A4A1J217
5935-810-7514	6	A1A4A1J221
5935-850-2250	10	A1A5A1J415
5940-156-7345		A1A2FL601H1
5940-535-9533		A1E119
5940-577-3711		A1W104MP1
5940-577-3711		A1W104MP2
5940-665-5764		A1A3E36
5940-665-5764		A1A3E37
5940-665-5764		A1A3E38
5940-665-5764		A1A3E39
5940-665-5764		A1A3E40
5940-665-5764		A1A3E41
5940-665-5764		A1A3E42
5940-665-5764		A1A3E43
5940-665-5764		A1A3E44
5940-665-5764		A1A3E45
5940-665-5764		A1A3E46
5940-665-5764		A1A3E47
5940-665-5764		A1A3E48
5940-665-5764		A1A3E49
5940-665-5764		A1A3E50
5940-665-5764		A1A3E51
5940-665-5764		A1A3E52
5940-665-5764		A1A3E53
5940-665-5764		A1A3E54
5940-665-5764		A1A3E55
5940-665-5764		A1A3E56
5940-665-5764		A1A3A5E2
5940-665-5764		A1A3A5MP3
5940-665-5764		A1A3A6E3
5940-665-5764		A1A3A6E4

SECTION IV INDEX-FEDERAL STOCK NUMBER CROSS REFERENCE TO FIGURE AND ITEM NUMBER OR REFERENCE DESIGNATION

FEDERAL STOCK NUMBER	FIGURE NUMBER	ITEM NUMBER OR REF. DESIGNATION
5940-983-6129	15	A1A10TB102
5940-983-6129	15	A1A10TB103
5945-204-6392	2	A1A2K601
5950-295-7304	2	A1A2L603
5950-348-1752		A1A4A1E213
5950-348-1752		A1A4A1E214
5950-348-1752		A1A4A1E215
5950-348-1752		A1A4A1E216
5950-348-1752		A1A4A1E218
5950-348-1752		A1A4A1E219-1
5950-348-1752		A1A4A1E219-2
5950-348-1752		A1A4A1E220-1
5950-348-1752		A1A4A1E220-2
5950-348-1752		A1A4A1E221-1
5950-348-1752		A1A4A1E221-2
5950-348-1752		A1A4A1E222-1
5950-348-1752		A1A4A1E222-2
5950-348-1752		A1A4A1E223-1
5950-348-1752		A1A4A1E223-2
5950-348-1752		A1A4A1E224-1
5950-348-1752		A1A4A1E224-2
5950-348-1753		A1A4A1L217
5950-387-0489	8	A1A4A1L201
5950-387-0489	8	A1A4A1L208
5950-387-0489	8	A1A4A1L209
5950-387-0489	8	A1A4A1L211
5950-510-1672	14	A1A8T801
5950-510-1744	6	A1A4A1Z216-1
5950-510-1744	6	A1A4A1Z216-2
5950-510-1744	6	A1A4A1Z216-3
5950-510-1745	6	A1A4A1Z203-1
5950-510-1745	6	A1A4A1Z203-2
5950-510-1746	6	A1AJA1T202
5950-510-1747	6	A1A4A1Z206-1
5950-510-1747	6	A1A4A1Z206-2
5950-510-1748	6	A1A4A1T205
5950-510-1749	6	A1A4A1T204
5950-510-1750	6	A1A4A1Z204-1
5950-510-1750	6	A1A4A1Z204-2
5950-510-1771	2	A1A2L602
5950-510-1772	2	A1A2L601
5950-523-8431	6	A1AJA1T207
5950-523-8431	10	A1A5A1T401
5950-523-8432	6	A1A4A1T206
5950-537-4983	6	A1A4A1T201
5950-537-5124	6	A1A4A1Z202-1
5950-537-5124	6	A1A4A1Z202-2
5950-556-1068	2	A1A2T601
5950-556-1068	2	A1A2T602
5950-645-0358	7	A1A4A1L202
5950-645-0358	7	A1A4A1L203
5950-645-0358	8	A1A4A1L204
5950-645-0358	8	A1A4A1L205

SECTION IV INDEX-FEDERAL STOCK NUMBER CROSS REFERENCE TO FIGURE AND ITEM NUMBER OR REFERENCE DESIGNATION

FEDERAL STOCK NUMBER	FIGURE NUMBER	ITEM NUMBER OR REF. DESIGNATION
5950-645-0358	8	A1A4A1L206
5950-645-0358	8	A1A4A1L207
5950-645-0358	11	A1A5A1A1L402
5950-645-4253	8	A1A4A1L210
5950-645-6509	8	A1A4A1L236
5950-647-8096		A1A4A1T208
5950-698-0226		A1A4A1E225-1
5950-698-0226		A1A4A1E225-2
5950-698-0226		A1A4A1E225-3
5950-698-0226		A1A4A1E226-1
5950-698-0226		A1A4A1E226-2
5950-698-0226		A1A4A1E226-3
5950-698-1978	6	A1A4A1Z201-1
5950-698-1978	6	A1A4A1Z201-2
5950-698-1981	6	A1A4A1T203
5950-698-1984	6	A1A4A1Z205-1
5950-698-1984	6	A1A4A1Z205-2
5950-698-1986	6	A1A4A1Z213-1
5950-698-1986	6	A1A4A1Z213-2
5950-698-1986	6	A1A4A1Z213-3
5950-923-2505		A1A3T506
5950-926-3112	4	A1A3T503
5950-926-3115		A1A3T501
5950-999-2808	3	A1A3A6L502
5950-999-4346	5	A1A3L501
5950-999-4346		A1A3A5L503
5950-999-4428	4	A1A3T501
5950-999-4430	4	A1A3T502
5950-999-4430	4	A1A3T503
5950-999-4430		A1A3T504
5950-999-4430		A1A3T505
5950-999-6929		A1A3A1S506
5955-087-0603	10	A1A5A1Y414
5955-267-4196	10	A1A5A1Y407
5955-267-4197	10	A1A5A1Y404
5955-267-4203	10	A1A5A1Y401
5955-267-4205	10	A1A5A1Y413
5955-267-4208	10	A1A5A1Y408
5955-295-7441	6	A1A4A1Y201
5955-648-9272	10	A1A5A1Y415
5955-667-2665	10	A1A5A1Y406
5955-694-1090		A1A5A1HR401A
5955-881-9363	10	A1A5A1Y405
5955-892-3603	10	A1A5A1Y403
5955-892-3604	10	A1A5A1Y410
5955-892-3649	10	A1A5A1Y402
5955-892-3797	10	A1A5A1Y409
5960-188-3551	2	A1A2V603
5960-188-3551	2	A1A2V604
5960-188-3551	4	A1A3V506
5960-188-6589	4	A1A3V501
5960-188-6589	4	A1A3V502
5960-188-6589	4	A1A3V503

SECTION IV INDEX-FEDERAL STOCK NUMBER CROSS REFERENCE TO FIGURE AND ITEM NUMBER OR REFERENCE DESIGNATION

FEDERAL STOCK NUMBER	FIGURE NUMBER	ITEM NUMBER OR REF. DESIGNATION
5960-188-6589	4	A1A3V504
5960-188-6589	4	A1A3V505
5960-188-6589	4	A1A3V509
5960-262-0210	2	A1A2V601
5960-262-0210	2	A1A2V602
5960-262-0210	6	A1A4A1V205
5960-262-0210	6	A1A4A1V206
5960-262-0221	14	A1A8V801
5960-262-0221	14	A1A8V802
5960-262-1357	6	A1A4A1V207
5960-262-1357	10	A1A5A1V401
5960-263-9913		A1A2E605
5960-264-2089	4	A1A3V508
5960-503-4880	2	A1A2V605
5960-557-6780	6	A1A4A1V202
5960-557-6780	6	A1A4A1V203
5960-557-6780	6	A1A4A1V204
5960-636-1818		A1A6E701
5960-636-2218	4	A1A3V507
5960-636-2218		A1A3V510
5960-636-2218		A1A3V511
5960-686-8085		A1A2E603
5960-686-8085		A1A2E604
5960-686-8085		A1A3F1
5960-686-8085		A1A3F2
5960-686-8085		A1A3F3
5960-686-8085		A1A3E4
5960-686-8085		A1A3E5
5960-686-8085		A1A3E6
5960-686-8085		A1A3E7
5960-686-8085		A1A3E8
5960-686-8085		A1A4A1E201
5960-686-8085		A1A4A1E202
5960-686-8085		A1A4A1E203
5960-686-8085		A1A4A1E204
5960-686-8087	7	A1A2E601
5960-686-8087		A1A2E602
5960-686-8087		A1A3E9
5960-686-8087		A1A3E10
5960-686-8087		A1A3E11
5960-686-8119		A1A4A1E207
5960-686-8119		A1A5A1E401
5960-686-8119		A1A5A4E401
5960-752-5857		A1A3E12
5960-985-8987	6	A1A4A1V201
5961-853-2607	15	A1CR101
5985-034-5268		A1K101
6130-548-0067	15	A1A10CR101
6130-946-0781		A1A9
6145-080-6515		A1A6W1
6145-548-1258		A1W104

SECTION IV INDEX-FEDERAL STOCK NUMBER CROSS REFERENCE TO FIGURE AND ITEM NUMBER OR REFERENCE DESIGNATION

FEDERAL STOCK NUMBER	FIGURE NUMBER	ITEM NUMBER OR REF. DESIGNATION
6240-155-7857		A1A7A2I101
6240-155-7857		A1A7A2I102
6625-510-1815	15	A1A7M102
6625-669-0769	15	A1A7M101
6680-752-8255		A1A4A2M201

FEDERAL STOCK NUMBER	FIGURE NUMBER	ITEM NUMBER OR REF. DESIGNATION

TO FIGURE NUMBER AND REFERENCE DESIGNATION OR ITEM NUMBER

REFERENCE NO.	MFGRS. CODE	FIG. NO.	REF. DESIGNATION OR ITEM NO.
CC0UJ120J	81349	11	A1A5A1C408
CC20CH010C	81349	7	A1A4A1C228
CC20CH010C	81349	7	A1A4A1C251
CC20CKR75C	81349	7	A1A4A1C250
CL64BH080SP1	81349	1	A1A2A1C609
CM15B108KN3	81349	11	A1A5A1C426
CM15B120KN3	81349	11	A1A5A1C427
CM15C330JN3	81349	7	A1A4A1C255
CM15C220JN3	81349	11	A1A5A1C425
CM15C680GN3	81349	1	A1A2C612
CM15C680GN3	81349	11	A1A5A1C421
CM15C820GN3	81349	11	A1A5A1C420
CM15F121GN3	81349	11	A1A5A1C418
CP04A1KB104K1	81349		A1A3A1C520
CP04A1KB104K1	81349	5	A1A3C545
CP04A1KB104K1	81349	5	A1A3C549
CP04A1KB104K1	81349	3	A1A3TB502C537
CP04A1KB104K1	81349	3	A1A3TB502C538
CP04A1KB104K1	81349	5	A1A3TB502C544
CP04A1KB104K1	81349	4	A1A3A2C513
CP04A1KB104K1	81349	3	A1A3A2C517
CP04A1KB104K1	81349	5	A1A3A3C504
CP04A1KB104K1	81349	5	A1A3A4C540
CP04A1KB104K1	81349	3	A1A3A6C523
CP04A1KB104K1	81349	5	A1A3A7C504
CP04A1KB104K1	81349	5	A1A3A7C509
CP04A1KE103K1	81349	5	A1A3C501
CP04A1KE103K1	81349	5	A1A3C508
CP04A1KE103K1	81349	3	A1A3TB501C529
CP04A1KE103K1	81349	3	A1A3A1C521
CP04A1KE103K1	81349	3	A1A3A1C522
CP04A1KE103K1	81349	3	A1A3A2C518
CP04A1KE103K1	81349	3	A1A3A2C519
CP04A1KE103K1	81349	4	A1A3A3C515
CP04A1KE103K1	81349	4	A1A3A3C516
CP04A1KE103K1	81349	5	A1A3A4C541
CP04A1KE103K1	81349	3	A1A3A6C535
CP04A1KE103K1	81349	5	A1A3A7C510
CP04A1KE103K1	81349	5	A1A3A7C511
CP04A1KE103K1	81349	5	A1A3A8C503
CP04A1KE103K1	81349	5	A1A3A8C506
CR27/U	81349	6	A1A4A1Y203
CR36U16000KC	81349	10	A1A5A1Y411
CR36U17000KC	81349	10	A1A5A1Y412
CR45/U-455KC	81349		A1A3Y501
DKCR76-1	94375	9	A1K101K101A
DKCR76-1	94375	9	A1K101K101B
D64624	83267		A1A3MP5
MS15795-304	96906		A1A4A1MP48H1
MS15795-309	96906		A1A2R618H1
MS15795-309	96906		A1A2R619H1
MS20365	96906		A1A4A1MP46H2
MS20365	96906		A1A4A1MP47H1

REFERENCE NO.	MFGRS. CODE	FIG. NO.	REF. DESIGNATION OR ITEM NO.
MS21265-B4N	96906		A1A3MP8
MS24232-5	96906		A1A4A1E205
MS24232-5	96906		A1A4A1E206
MS24232-5	96906		A1A8E801
MS24232-5	96906		A1A8E802
MS35200-13	96906		A1A4A1MP48H1
MS35200-43	96906		1AA7H8
MS35216-2	96906		A1MP3H4
MS35216-12	96906		A1A4A1MP3H2
MS35216-12	96906		A1A4A1MP4H2
MS35216-12	96906		A1A4A1MP5H2
MS35216-12	96906		A1A4A1MP8H2
MS35216-12	96906		A1A4A1MP9H2
MS35216-12	96906		A1A4A1MP10-2
MS35216-12	96906		A1A4A1MP13H2
MS35216-12	96906		A1A4A1MP14H2
MS35216-12	96906		A1A4A1MP15H2
MS35216-12	96906		A1A4A1MP18H2
MS35216-12	96906		A1A4A1MP19H2
MS35216-12	96906		A1A4A1MP20H2
MS35216-12	96906		A1A4A1MP23H2
MS35216-12	96906		A1A4A1MP24H2
MS35216-12	96906		A1A4A1MP25H2
MS35216-12	96906		A1A4A1MP28-2
MS35216-12	96906		A1A4A1MP29H2
MS35216-12	96906		A1A4A1MP30H2
MS35216-12	96906		A1A4A1MP31H2
MS35216-12	96906		A1A4A1MP34H2
MS35216-12	96906		A1A4A1MP35H2
MS35216-12	96906		A1A4A1MP36H2
MS35216-12	96906		A1A4A1MP39H2
MS35216-12	96906		A1A4A1MP40H2
MS35216-12	96906		A1A4A1MP41H2
MS35216-12	96906		A1A4A1XV201H1
MS35216-12	96906		A1A4A1XV202H1
MS35216-12	96906		A1A5A1MP1H1
MS35216-12	96906		A1A5A1MP2H1
MS35216-12	96906		A1A5A1A1H2
MS35216-12	96906		A1A7A2MP5H1
MS35216-12	96906		A1A8XV801H1
MS35216-12	96906		A1A8XV802H2
MS35216-14	96906		A1A2R619H2
MS35216-16	96906		A1MP119H2
MS35216-16	96906		A1P111MP1H2
MS35216-16	96906		A1P112MP1H2
MS35216-16	96906		A1A4A1S208H2
MS35216-16	96906		A1A8TB801H4
MS35216-17	96906		A1A2J619H2
MS35216-17	96906		A1A2J620H2
MS35216-17	96906		A1A8J811H2
MS35216-18	96906		A1A7M101H4
MS35216-18	96906		A1A7M102H4

SECTION V INDEX-REFERENCE NUMBER CROSS REFERENCE

TO FIGURE NUMBER AND REFERENCE DESIGNATION OR ITEM NUMBER

REFERENCE NO.	MFGRS. CODE	FIG. NO.	REF. DESIGNATION OR ITEM NO.
MS35216-22	96906		A1E119H4
MS35216-24	96906		A1K101H4
MS35216-24	96906		A1P120MP1H2
MS35216-24	96906		A1A2A1H4
MS35216-24	96906		A1A4A1XHR202H2
MS35216-24	96906		A1A7A2H4
MS35216-24	96906		A1A10C103H2
MS35216-24	96906		A1A10H6
MS35216-25	96906		A1MP24H1
MS35216-25	96906		A1A2MP603H2
MS35216-25	96906		A1A2MP606H2
MS35216-25	96906		A1A2R617H2
MS35216-25	96906		A1A2R618H2
MS35216-25	96906		A1A10CR102H2
MS35216-27	96906		A1MP4H3
MS35216-27	96906		A1MP28H2
MS35216-27	96906		A1A2MP603H1
MS35216-27	96906		A1A2MP606H1
MS35216-27	96906		A1A5A1S401H4
MS35216-29	96906		A1A5A1S402H4
MS35216-39	96906		A1MP5H4
MS35216-39	96906		A1MP6H2
MS35216-39	96906		A1MP7H5
MS35216-39	96906		A1A6MP1H2
MS35216-43	96906		A1A10TB102H4
MS35216-43	96906		A1A10TB103H4
MS35233-14	96906		A1A3XRT501H1
MS35233-14	96906		A1A3XV502H1
MS35233-14	96906		A1A3XV503H1
MS35233-14	96906		A1A3XV504H1
MS35233-14	96906		A1A3XV505H1
MS35233-14	96906		A1A3XV506H1
MS35233-14	96906		A1A3XV507H1
MS35233-14	96906		A1A3XV508H1
MS35233-14	96906		A1A3XV509H1
MS35233-14	96906		A1A3XV510H2
MS35233-14	96906		A1A3XV511H2
MS35233-14	96906		A1A3A1H4
MS35233-14	96906		A1A3A2H4
MS35233-14	96906		A1A3A3H4
MS35233-14	96906		A1A3A4H3
MS35233-14	96906		A1A3A5H3
MS35233-14	96906		A1A3A6H7
MS35233-14	96906		A1A3A7H4
MS35233-14	96906		A1A3A8H4
MS35233-15	96906		A1A3XV501H1
MS35233-15	96906		A1A3XV502H1
MS35233-15	96906		A1A3XV503H1
MS35233-15	96906		A1A3XV504H1
MS35233-15	96906		A1A3XV505H1
MS35233-15	96906		A1A3XV506H1
MS35233-15	96906		A1A3XV507H1
MS35233-15	96906		A1A3XV508H1

REFERENCE NO.	MFGRS. CODE	FIG. NO.	REF. DESIGNATION OR ITEM NO.
MS35233-18	96906		A1A3A6C525H2
MS35333-76	96906		A1A3MP9H1
MS35338-6	96906		A1A7MP1H2
MS35338-6	96906		A1A7MP2H2
MS35338-21	96906		A1A4A1MP3H2
MS35338-21	96906		A1A4A1MP4H2
MS35338-21	96906		A1A4A1MP5H2
MS35338-21	96906		A1A4A1MP8H2
MS35338-21	96906		A1A4A1MP9H2
MS35228-21	96906		A1A4A1MP10-2
MS35338-21	96906		A1A4A1MP13H2
MS35338-21	96906		A1A4A1MP14H2
MS35338-21	96906		A1A4A1MP15H2
MS35338-21	96906		A1A4A1MP18-H2
MS35338-21	96906		A1A4A1MP19H2
MS35338-21	96906		A1A4A1MP20H2
MS35338-21	96906		A1A4A1MP23H2
MS35338-21	96906		A1A4A1MP24H2
MS35338-21	96906		A1A4A1MP25H2
MS35338-21	96906		A1A4A1MP28-2
MS35338-21	96906		A1A4A1MP29H2
MS35338-21	96906		A1A4A1MP30H2
MS35338-21	96906		A1A4A1MP31H2
MS35338-21	96906		A1A4A1MP34H2
MS35338-21	96906		A1A4A1MP35H2
MS35338-21	96906		A1A4A1MP36H2
MS35338-21	96906		A1A4A1MP39H2
MS35338-21	96906		A1A4A1MP40H2
MS35338-21	96906		A1A4A1MP41H2
MS35338-21	96906		A1A7M101H4
MS35338-21	96906		A1A7M102H4
MS35338-80	96906		A1MP5H4
MS35338-80	96906		A1MP6H5
MS35338-80	96906		A1MP7H5
MS35338-80	96906		A1A2H4
MS35338-80	96906		A1A3H3
MS35338-80	96906		A1A6MP1H2
MS35338-80	96906		A1A8H6
MS35338-80	96906		A1A8T801H3
MS35649-84	96906		A1A8T801H3
MS51964-38	96906		A1A3MP5H4
MS51964-38	96906		A1A3MP6H4
MS90078-4	96906		A1A10F103
NE45	81349	9	A1K101I103
RC20GF	81349	4	A1A3R519
RC20GF	81349	3	A1A3R520
RC20GF	81349	3	A1A3R521
RC20GF	81349		A1A3R561
RC20GF122J	81349	1	A1A2R604
RC20GF224J	81349		A1K101R121
SMA179024	80063	15	A1A7S105
SMB178411	80063		A1A5A1MP4H1
SMB178414	80063		A1MP15

REFERENCE NO.	MFGRS. CODE	FIG. NO.	REF. DESIGNATION OR ITEM NO.
SMB178414	80063		A1MP16
SMB178433	80063		A1A3MP6
SMB178483-1	80063		A1A7MP4H1
SMB178483-2	80063		A1A7MP7H1
SMB178483-3	80063		A1E117H1
SMB178483-3	80063		A1E118H1
SMB178508	80063		A1A4A1MP43
SMB178508	80063		A1A4A1MP44
SMB178665	80063		A1MP13
SMB178665	80063		A1MP14
SMB178712	80063		A1A4A1S201H2
SMB179030	80063	15	A1A7S101
SMB179030	80063	15	A1A7S103
SMB179038	80063		A1A7MP11
SMB179042	80063		A1A7A2MP3
SMB179042	80063		A1A7A2MP4
SMB179043	80063		A1A7A2MP3H1
SMB179043	80063		A1A7A2MP4H1
SMB188389	80063		A1A7MP1H2
SMB188389	80063		A1A7MP2H2
SMB248822-1	80063		A1A2A1H2
SMB248824	80063		A1A5A1MP4H1
SMB248825-2	80063		A1A5A1S402H4
SMB248826	80063		A1A2XC603H2
SMB248826	80063		A1A2XC606H2
SMB248828	80063		A1A2R619H1
SMB248829-3	80063		A1A7MP9H1
SMB248829-3	80063		A1A7MP10H1
SMB248846	80063		A1A7MP9
SMB248846	80063		A1A7MP10
SMB248858-1	80063		A1A4A1MP3H2
SMB248858-1	80063		A1A4A1MP4H2
SMB248858-1	80063		A1A4A1MP5H2
SMB248858-1	80063		A1A4A1MP8H2
SMB248858-1	80063		A1A4A1MP9H2
SMB248858-1	80063		A1A4A1MP10-H2
SMB248858-1	80063		A1A4A1MP13H2
SMB248858-1	80063		A1A4A1MP14H2
SMB248858-1	80063		A1A4A1MP15H2
SMB248858-1	80063		A1A4A1MP18H2
SMB248858-1	80063		A1A4A1MP19H2
SMB248858-1	80063		A1A4A1MP20H2
SMB248858-1	80063		A1A4A1MP23H2
SMB248858-1	80063		A1A4A1MP24H2
SMB248858-1	80063		A1A4A1MP25H2
SMB248858-1	80063		A1A4A1MP28H2
SMB248858-1	80063		A1A4A1MP29H2
SMB248858-1	80063		A1A4A1MP30H2
SMB248858-1	80063		A1A4A1MP31H2
SMB248858-1	80063		A1A4A1MP34H2
SMB248858-1	80063		A1A4A1MP35H2
SMB248858-1	80063		A1A4A1MP36H2
SMB248858-1	80063		A1A4A1MP39H2
SMB248858-1	80063		A1A4A1MP40H2
SMB248858-1	80063		A1A4A1MP41H2
SMB248864	80063		A1A2R618H1
SMB248875	80063		A1A2MP2H4
SMB248932	80063		A1A4A20323
SMB248985	80063		A1A2MP603
SMB248985	80063		A1A2MP606
SMB248987	80063		A1A2A1TB601
SMB248988	80063		A1A2MP3
SMB249006	80063		A1A3MP3
SMB249021	80063		A1A5A1A1TB401
SMB249023	80063		A1A5A1A1
SMB249034	80063		A1A5A1MP3
SMB249063	80063		A1A4A1MP50
SMB249064	80063		A1A4A1E212
SMB249064	80063		A1A4A1E212A
SMB249065	80063	6	A1A4A1HR202
SMB249072	80063		A1A4A1MP3
SMB249072	80063		A1A4A1MP4
SMB249072	80063		A1A4A1MP5
SMB249072	80063		A1A4A1MP8
SMB249072	80063		A1A4A1MP9
SMB249072	80063		A1A4A1MP10
SMB249072	80063		A1A4A1MP13
SMB249072	80063		A1A4A1MP14
SMB249072	80063		A1A4A1MP15
SMB249072	80063		A1A4A1MP23
SMB249072	80063		A1A4A1MP34
SMB249072	80063		A1A4A1MP39
SMB249072	80063		A1A4A1MP40
SMB249072	80063		A1A4A1MP41
SMB249073	80063		A1A4A1MP18
SMB249073	80063		A1A4A1MP19
SMB249073	80063		A1A4A1MP20
SMB249073	80063		A1A4A1MP24
SMB249073	80063		A1A4A1MP25
SMB249073	80063		A1A4A1MP28
SMB249073	80063		A1A4A1MP29
SMB249073	80063		A1A4A1MP30
SMB249073	80063		A1A4A1MP31
SMB249073	80073		A1A4A1MP35
SMB249073	80073		A1A4A1MP36
SMB249105	80063		A1MP21
SMB249113	80063		A1A7A1
SMB249116	80063		A1A10E1
SMB249116	80063		A1A10E2
SMB249116	80063		A1A10E3
SMB249116	80063		A1A10E4
SMB249117	80063		A1A6MP1
SMB249156	80063		A1A4A1S205H1
SMB249187	80063		A1A4A1S201H2
SMB249189	80063		A1A4A1S208H2

SECTION V INDEX-REFERENCE NUMBER CROSS REFERENCE

TO FIGURE NUMBER AND REFERENCE DESIGNATION OR ITEM NUMBER

REFERENCE NO.	MFGRS. CODE	FIG. NO.	REF. DESIGNATION OR ITEM NO.
SMB249194	80063		A1A7MP4
SMB249194	80063		A1A7MP5
SMB249194	80063		A1A7MP7
SMB249200	80063		A1MP22
SMB249203-1	80063		A1MP23
SMB249203-2	80063		A1MP24
SMB249205	80063		A1MP25
SMB249205	80063		A1MP26
SMB249205	80063		A1MP27
SMB249221	80063	15	A1FL101
SMB249226-1	80063		A1A4A1S202H2
SMB249226-1	80063		A1A4A1S208H2
SMB249226-2	80063		A1A4A1S204H4
SMB249226-3	80063		A1A4A1S206H2
SMB249226-4	80063		A1A4A1S203H2
SMB249226-5	80063		A1A4A1S207H2
SMB249250	80063		A1A4A1XV202H1
SMB249250	80063		A1A4A1XV204H1
SMB249250	80063		A1A4A1XV205H1
SMB249250	80063		A1A5A1XV401H2
SMB249251	80063		A1A4A1XV203H1
SMB249251	80063		A1A4A1XV206H1
SMB249251	80063		A1A8XV801H1
SMB249254	80063		A1MP29
SMB249254	80063		A1MP30
SMB249254	80063		A1MP31
SMB249255	80063		A1A5A1J415H1
SMB249256	80063		A1A2XV601H1
SMB249256	80063		A1A2XV602H1
SMB249256	80063		A1A2XV603H1
SMB249256	80063		A1A2XV604H1
SMB249256	80063		A1A2XV605H1
SMB249256	80063		A1A5A1MP1
SMB249256	80063		A1A5A1MP2
SMB249256	80063		A1A7M101H1
SMB249256	80063		A1A7A2MP5
SMB249265	80063		A1A4A1XV205H1
SMB249265	80063		A1A4A1XV207H1
SMB249267	80063		A1A2MP2H3
SMB283170	80063		A1E101H1
SMB283170	80063		A1E102H1
SMB283170	80063		A1E103H1
SMB283170	80063		A1E104H1
SMB283170	80063		A1E106H1
SMB283170	80063		A1E107H1
SMB283170	80063		A1E108H1
SMB283170	80063		A1E109H1
SMB283170	80063		A1E110H1
SMB283170	80063		A1E111H1
SMB283170	80063		A1E112H1
SMB283170	80063		A1E113H1
SMB283170	80063		A1E114H1
SMB283170	80063		A1E115H1
SMB283175	80063		A1A2H4
SMB283175	80063		A1A5A1R404H1
SMB283175	80063		A1A8H6
SMB283187	80063	16	A1A8TB801
SMB283190	80063		A1P112MP1
SMB283193	80063		A1P120MP1
SMB283195	80063	15	A1P111
SMB283195	80063	15	A1P119
SMB283196	80063		A1P111MP1
SMB283196	80063		A1P119MP1
SMB283200	80063	15	A1P110
SMB283221-1	80063	15	A1A7A1R113
SMB283221-3	80063	15	A1A7A1R107
SMB283221-3	80063	15	A1A7A1R108
SMB283221-4	80063	15	A1A7A1R106
SMB283238	80063	8	A1A4A1C275
SMB283243-1	80063	8	A1A4A1C311
SMB283243-1	80063	8	A1A4A1C320
SMB283263	80063		A1A7A2MP2
SMB343615	80063		A1MP28
SMB343668	80063		A1A4A1MP45
SMB535716	80063		A1MP3
SMB535896	80063		A1A3E13
SMB535896	80063		A1A3E14
SMB535896	80063		A1A3E15
SMB535896	80063		A1A3E16
SMB535896	80063		A1A3E17
SMB535896	80063		A1A3E18
SMB535896	80063		A1A3E19
SMB535897	80063		A1A3E20
SMB535915	80063		A1A3MP10
SMB535918	80063		A1A3TB501MP1
SMB535919	80063		A1A3TB501
SMB535920	80063		A1A3TB502MP1
SMB535921	80063		A1A3TB502
SMB535963	80063		A1A3H3
SMB536058	80063		A1E1
SMB536058			A1E2
SMC170492	80063		A1A7MP1
SMC170492	80063		A1A7MP2
SMC178492	80063		A1MP10
SMC178506	80063		A1A4A1MP42
SMC178599	80063	11	A1A5A1S401
SMC178599	80063	11	A1A5A1S402
SMC248986	80063		A1A2A1
SMC248989	80063		A1A2MP1
SMC249026	80063		A1A5A1MP4
SMC249043	80063		A1A5A1
SMC249045	80063		A1A5A1HR401B
SMC249104	80063		A1MP9
SMC249112	80063	15	A1A7A1TB101
SMC249128	80063		A1MP6
SMC249129	80063		A1MP7

TO FIGURE NUMBER AND REFERENCE DESIGNATION OR ITEM NUMBER

REFERENCE NO.	MFGRS. CODE	FIG. NO.	REF. DESIGNATION OR ITEM NO.
SMC249133	80063		A1MP8
SMC283240	80063	15	A1A7C101
SMC283241-2	81349	1	A1A2C601
SMC283241-2	81349		A1A2A1C600
SMC283241-2	81349	1	A1A2A1C604
SMC283241-2	81349	1	A1A2A1C605
SMC283241-2	81349	1	A1A2A1C607
SMC283241-2	81349	1	A1A2A1C608
SMC343606	80063		A1A7A2MP1
SMC343607	80063		A1A7A2
SMC343628	80063		A1A4A1MP1
SMC343628	80063		A1A4A1MP6
SMC343628	80063		A1A4A1MP11
SMC343630	80063		A1A4A1MP16
SMC343630	80063		A1A4A1MP21
SMC343630	80063		A1A4A1MP26
SMC343631	80063		A1A4A1MP32
SMC343632	80063		A1A4A1MP37
SMC343633	80063		A1MP4
SMC343634	80063		A1MP5
SMC535872	80063		A1A3A4E1
SMC535873-1	80063		A1A3A1MP1
SMC535873-1	80063		A1A3A2E1
SMC535873-1	80063		A1A3A3E1
SMC535873-1	80063		A1A3A7E1
SMC535873-2	80063		A1A3A8E1
SMC535874	80063		A1A3A5E1
SMC535884	80063		A1A3A1
SMC535885	80063		A1A3A2
SMC535886	80063		A1A3A3
SMC535886-5	80063		A1A3A3S503H2
SMC535886-10	80063		A1A3A3S503H2
SMC535887	80063		A1A3A4
SMC535887-14	80063		A1A3A4S507H6
SMC535898	80063		A1A3A5
SMC535899	80063		A1A3A6
SMC535906	80063		A1A3A6E1
SMC535912	80063		A1A3A7
SMC535913	80063		A1A3A8
SMC535914	80063		A1A3MP4
SMC536019	80063		A1A9MP1
SMD178491	80063		A1MP12
SMD248801-3	80063		A1A2R617H4
SMD248801-3	80063		A1A2R618H4
SMD248801-3	80063		A1A2R619H4
SMD248801-15	80063		A1A2J619H2
SMD248801-15	80063		A1A2J620H2
SMD248822-2	80063		A1A2MP603
SMD248822-2	80063		A1A2MP606A
SMD248984	80063		A1A8
SMD248984-14	80063		A1A8TB801H8
SMD248990	80063		A1A2MP2
SMD249007-11	80063		A1A5A1J410H1
SMD249085	80063		A1A4A1MP49
SMD249100	80063		A1A4A1
SMD249100-5	80063		A1A4A1J208H1
SMD249100-6	80063		A1A4A1C310H1
SMD249100-7	80063		A1A4A1C227H1
SMD249100-8	80063		A1A4A1C227H1
SMD249129	80063		A1MP7
SMD249131	80063		A1MP1
SMD249132	80063		A1MP2
SMD249134	80063		A1A7
SMD249134-4	80063		A1A7MP1H2
SMD249134-4	80063		A1A7MP2H2
SMD249134-5	80063		A1A7MP8H1
SMD249134-5	80063		A1A7MP9H1
SMD249134-5	80063		A1A7MP10H1
SMD249134-6	80063		A1A7MP3H1
SMD249134-6	80063		A1A7MP12H1
SMD249134-6	80063		A1A7R103H1
SMD249134-6	80063		A1A7R104H1
SMD249134-6	80063		A1A7R105H1
SMD249134-6	80063		A1A7R120H1
SMD249134-6	80063		A1A7S101H1
SMD249134-6	80063		A1A7S102H1
SMD249134-6	80063		A1A7S103H1
SMD249134-6	80063		A1A7S104H1
SMD249134-6	80063		A1A7S105H1
SMD249134-6	80063		A1A7S107H1
SMD249134-9	80063		A1A7MP4H1
SMD249134-9	80063		A1A7MP6H1
SMD249134-9	80063		A1A7MP7H1
SMD249149-1	80063		A1A7MP4H1
SMD249149-1	80063		A1A7MP5H1
SMD249149-1	80063		A1A7MP7H1
SMD249202	80063		A1A4A1MP48
SMD283246	80063		A1A7MP13
SMD343618	80063		A1A10MP1
SMD343619	80063		A1
SMD343619-1	80063		A1MP15H1
SMD343619-1	80063		A1MP16H1
SMD343619-2	80063		A1E117H1
SMD343619-2	80063		A1E118H1
SMD343619-7	80063		A1E117H1
SMD343619-7	80063		A1E118H1
SMD343619-7	80063		A1MP15H1
SMD343619-7	80063		A1MP16H1
SMD343619-10	80063		A1MP19H1
SMD343619-10	80063		A1MP20H1
SMD343622-1	80063		A1MP2H16
SMD343623	80063		A1A10
SMD343626-1	80063		A1A6H711
SMD343629	80063		A1A4
SMD343629-2	80063		A1A4A1T201H1

TO FIGURE NUMBER AND REFERENCE DESIGNATION OR ITEM NUMBER

REFERENCE NO.	MFGRS. CODE	FIG. NO.	REF. DESIGNATION OR ITEM NO.
SMD343629-2	80063		A1A4A1T202H1
SMD343629-2	80063		A1A4A1T203H1
SMD343629-2	80063		A1A4A1T204H1
SMD343629-2	80063		A1A4A1T205H1
SMD343629-2	80063		A1A4A1T206H1
SMD343629-2	80063		A1A4A1Z201-1H1
SMD343629-2	80063		A1A4A1Z201-2H1
SMD343629-2	80063		A1A4A1Z202-1H1
SMD343629-2	80063		A1A4A1Z202-2H1
SMD343629-2	80063		A1A4A1Z203-1H1
SMD343629-2	80063		A1A4A1Z203-2H1
SMD343629-2	80063		A1A4A1Z204-1H1
SMD343629-2	80063		A1A3A1Z204-2H1
SMD343629-2	80063		A1A4A1Z205-1H1
SMD343629-2	80063		A1A4A1Z205-2H1
SMD343629-2	80063		A1A4A1Z206-1H1
SMD343629-2	80063		A1A4A1Z206-2H1
SMD343629-2	80063		A1A4A1Z213-1H1
SMD343629-2	80063		A1A4A1Z213-2H1
SMD343629-2	80063		A1A4A1Z213-3H1
SMD343629-2	80063		A1A4A1Z216-1H1
SMD343629-2	80063		A1A4A1Z216-2H1
SMD343629-2	80063		A1A4A1Z216-3H1
SMD343665	80063		A1A2W601
SMD535870-4	80063		A1A3MP1H2
SMD535870-4	80063		A1A3MP2H2
SMD535870-12	80063		A1A3MP4H2
SMD535877	80063		A1A3MP5
SMD536028	80063		A1A3W501
SME249101-17	80063		A1A4MP46
SME249101-17	80063		A1A4A1MP47
ST-SM-1TUR	98291		A1A9E1
ST-SM-1TUR	98291		A1A9E2
ST-SM-1TUR	98291		A1A9E3
ST-SM-1TUR	98291		A1A9E4
126-806-1001	02660		A1A3W501J512
148	83330		A1A3MP9
24N205201	98738	4	A1A3Z501
399908-001	76854		A1A3A1S506H6
399908-001	76854		A1A3A2S505H6
399908-001	76854		A1A3A3S503H12
399908-001	76854		A1A3A4S507H6
399908-001	76854		A1A3A6C525H2
399908-001	76854		A1A3A7S502H2
399908-001	76854		A1A3A8S501H6
46475	30684	5	A1A3J513
46475	30684	5	A1A3J518
626	79963		A1A3E21
626	79963		A1A3E22
626	79963		A1A3E23
626	79963		A1A3E24
626	79963		A1A3E25
626	79963		A1A3E26
626	79963		A1A3E27
626	79963		A1A3E28
626	79963		A1A3E29
626	79963		A1A3E30
626	79963		A1A3E31
626	79963		A1A3E32
626	79963		A1A3E33
626	79963		A1A3E34
626	79963		A1A3E35
626	79963		A1A3A6E2
79NM62	72962		A1A2MP603H1
79NM62	72962		A1A2MP606H1
9207S8115-7	06540		A1A3A1MP2
9207S8115-7	06540		A1A3A1MP3
9207S8115-7	06540		A1A3A2MP1
9207S8115-7	06540		A1A3A2MP2
9207S8115-7	06540		A1A3A3MP1
9207S8115-7	06540		A1A3A3MP2
9207S8115-7	06540		A1A3A3MP3
9207S8115-7	06540		A1A3A3MP4
9207S8115-7	06540		A1A3A7MP1
9207S8115-7	06540		A1A3A7MP3
9207S8115-7	06540		A1A3A8MP1
9207S8115-7	06540		A1A3A8MP3

SECTION VI. INDEX-REFERENCE DESIGNATION

CROSS REFERENCE TO PAGE NUMBER

REFERENCE DESIGNATION	PAGE NUMBER	REFERENCE DESIGNATION	PAGE NUMBER	REFERENCE DESIGNATION	PAGE NUMBER
		A1E110H1	3-127	A1MP2	3-130
		A1E111	2-7,3-127	A1MP2H16	3-117
		A1E111H1	3-127	A1MP3	3-117
A1	2-1,3-1	A1E112	2-7,3-127	A1MP3H4	3-117
A1C102	3-125	A1E112H1	3-127	A1MP4	3-117
A1CR101	3-125	A1E113	2-7,3-128	A1MP4H3	3-118
A1c1	3-125	A1E113H1	3-128	A1MP4H5	3-117
A1L2	3-125	A1E114	2-7,3-128	A1MP5	3-118
A1E101	2-7,3-126	A1E114H1	3-128	A1MP5H4	3-118
A1E101H1	3-126	A1E115	2-7,3-128	A1MP5H7	3-118
A1E102	2-7,3-126	A1E115H1	3-128	A1MP6	3-118
A1E102H1	3-126	A1E117	2-7,3-128	A1MP6H5	3-118
A1E103	2-7,3-126	A1E117H1	3-128	A1MP7	3-118
A1E103H1	3-126	A1E118	2-8,3-128	A1MP7H5	3-118
A1E104	2-7,3-126	A1E118H1	3-129	A1MP8	3-119
A1E104H1	3-126	A1E119	3-129	A1MP9	3-119
A1E105	2-7,3-126	A1E119H4	3-129	A1MP10	3-119
A1E106	2-7,3-126	A1FL101	3-129	A1MP11	3-119
A1E106H1	3-126	A1K101	3-129	A1MP12	3-119
A1E107	2-7,3-127	A1K101H4	3-130	A1MP13	3-119
A1E107H1	3-127	A1K101I103	3-129	A1MP14	3-119
A1E108	2-7,3-127	A1K101K101A	3-129	A1MP15	3-119
A1E108H1	3-127	A1K101K101B	3-130	A1MP15H1	3-119
A1E109	2-7,3-127	A1K101R121	3-129	A1MP16	3-119
A1E109H1	3-127	A1M16H1	3-120	A1MP16H1	3-119
A1E110	2-7,3-127	A1MP1	3-130	A1MP17	3-120

SECTION VI. INDEX-REFERENCE DESIGNATION

CROSS REFERENCE TO PAGE NUMBER

REFERENCE DESIGNATION	PAGE NUMBER	REFERENCE DESIGNATION	PAGE NUMBER	REFERENCE DESIGNATION	PAGE NUMBER
A1MP18	3-120	A1P108	3-123	A1A2C606	3-3
A1MP19	3-120	A1P109	3-123	A1A2C611	3-3
A1MP19H1	3-120	A1P110	3-123	A1A2C612	3-4
A1MP20	3-120	A1P111	3-123	A1A2E601	2-1,3-4
A1MP20H1	3-120	A1P111MP1	3-123	A1A2E602	2-1,3-4
A1MP21	3-120	A1P111MP1H2	3-123	A1A2E603	2-1,3-4
A1MP21H2	3-120	A1P112	3-123	A1A2E604	2-1,3-4
A1MP22	3-120	A1P112MP1	3-124	A1A2E605	2-1,3-4
A1MP22H1	3-121	A1P112MP1H2	3-124	A1A2E607	3-4
A1MP23	3-121	A1P114	3-124	A1A2FL601	3-4
A1MP23H1	3-121	A1P116	3-124	A1A2FL601H1	3-4
A1MP24	3-121	A1P119	3-124	A1A2FL601H4	3-4
A1MP24H1	3-121	A1P119MP1	3-124	A1A2H4	3-5
A1MP25	3-121	A1P120	3-124	A1A2J619	3-5
A1MP25H1	3-122	A1P120MP1	3-124	A1A2J619H2	3-5
A1MP26	3-122	A1P120MP1H2	3-124	A1A2J620	3-5
A1MP26H1	3-122	A1R101	3-124	A1A2J620H2	3-5
A1MP27	3-122	A1R102	3-125	A1A2K601	3-5
A1MP27H1	3-122	A1W104	3-125	A1A2K601H3	3-5
A1MP28	3-122	A1W104MP1	3-125	A1A2L601	3-6
A1MP28H2	3-123	A1W104MP2	3-125	A1A2L601H4	3-6
A1MP29	3-123			A1A2L602	3-6
A1MP30	3-123			A1A2L602H4	3-6
A1MP31	3-123	A1A2	3-1	A1A2L603	3-6
A1MP119H2	3-124	A1A2C601	3-3	A1A2L603H4	3-6
A1P101	3-123	A1A2C603	3-3	A1A2MP1	3-6

SECTION VI. INDEX-REFERENCE DESIGNATION

CROSS REFERENCE TO PAGE NUMBER

REFERENCE DESIGNATION	PAGE NUMBER	REFERENCE DESIGNATION	PAGE NUMBER	REFERENCE DESIGNATION	PAGE NUMBER
A1A2MP2	3-6	A1A2T601	3-10	A1A2XV604H1	3-13
A1A2MP2H3	3-7	A1A2T601H1	3-10	A1A2XV604H2	3-13
A1A2MP2H4	3-7	A1A2T601H4	3-10	A1A2XV605	3-13
A1A2MP3	3-7	A1A2T602	3-10	A1A2XV605H1	3-13
A1A2MP603	3-7	A1A2T602H4	3-10	A1A2XV605H2	3-13
A1A2MP603H1	3-7	A1A2V601	2-1,3-10	A1A2A1	3-1
A1A2MP603H2	3-7	A1A2V602	2-1,3-10	A1A2A1C602	3-1
A1A2MP606	3-7	A1A2V603	2-1,3-10	A1A2A1C604	3-1
A1A2MP606A	3-7	A1A2V604	2-1,3-10	A1A2A1C605	3-1
A1A2MP606H1	3-8	A1A2V605	2-1,3-10	A1A2A1C607	3-1
A1A2MP606H2	3-7	A1A2W601	3-10	A1A2A1C608	3-1
A1A2R601	3-8	A1A2XC603	3-11	A1A2A1C609	3-1
A1A2R602	3-8	A1A2XC603H2	3-11	A1A2A1H2	3-2
A1A2R603	3-8	A1A2XC606	3-11	A1A2A1H4	3-1
A1A2R604	3-8	A1A2XC606H2	3-11	A1A2A1R605	3-2
A1A2R609	3-8	A1A2XC606H4	3-11	A1A2A1R606	3-2
A1A2R617	3-8	A1A2XV601	3-11	A1A2A1R608	3-2
A1A2R617H1	3-8	A1A2XV601H1	3-12	A1A2A1R610	3-2
A1A2R617H2	3-8	A1A2XV601H2	3-12	A1A2A1R611	3-2
A1A2R617H4	3-8	A1A2XV602	3-12	A1A2A1R612	3-2
A1A2R618	3-9	A1A2XV602H1	3-12	A1A2A1R614	3-2
A1A2R618H1	3-8	A1A2XV602H2	3-12	A1A2A1R615	3-2
A1A2R618H2	3-9	A1A2XV603	3-12	A1A2A1R621	3-3
A1A2R618H4	3-9	A1A2XV603H1	3-12	A1A2A1R622	3-3
A1A2R619	3-9	A1A2XV603H2	3-12	A1A2A1R625	3-3
A1A2R619H1	3-9	A1A2XV604	3-13	A1A2A1R626	3-3
A1A2R619H2	3-9				
A1A2R619H4	3-9				

SECTION VI. INDEX-REFERENCE DESIGNATION

CROSS REFERENCE TO PAGE NUMBER

REFERENCE DESIGNATION	PAGE NUMBER	REFERENCE DESIGNATION	PAGE NUMBER	REFERENCE DESIGNATION	PAGE NUMBER
A1A2A1R627	3-3	A1A3E6	2-1,3-27	A1A3E32	3-30
A1A2A1TB601	3-3	A1A3E7	2-1,3-27	A1A3E33	3-30
A1A3	3-13	A1A3E8	2-2,3-28	A1A3E34	3-30
A1A3C501	3-25	A1A3E9	2-2,3-28	A1A3E35	3-30
A1A3C508	3-25	A1A3E10	2-2,3-28	A1A3E36	3-30
A1A3C512	3-25	A1A3E11	2-2,3-28	A1A3E37	3-30
A1A3C526	3-26	A1A3E12	2-2,3-28	A1A3E38	3-30
A1A3C531	3-26	A1A3E13	3-28	A1A3E39	3-30
A1A3C532	3-26	A1A3E14	3-28	A1A3E40	3-30
A1A3C533	3-26	A1A3E15	3-28	A1A3E41	3-30
A1A3C534	3-26	A1A3E16	3-28	A1A3E42	3-30
A1A3C536	3-27	A1A3E17	3-28	A1A3E43	3-30
A1A3C539	3-26	A1A3E18	3-28	A1A3E44	3-31
A1A3C542	3-26	A1A3E19	3-28	A1A3E45	3-31
A1A3C545	3-26	A1A3E20	3-29	A1A3E45H1	3-31
A1A3C546	3-26	A1A3E21	3-29	A1A3E46	3-31
A1A3C547	3-26	A1A3E22	3-29	A1A3E46H1	3-31
A1A3C548	3-26	A1A3E23	3-29	A1A3E47	3-31
A1A3C549	3-27	A1A3E24	3-29	A1A3E47H1	3-31
A1A3C550	3-27	A1A3E25	3-29	A1A3E48	3-32
A1A3C551	3-27	A1A3E26	3-29	A1A3E48H1	3-32
A1A3E1	2-1,3-27	A1A3E27	3-29	A1A3E49	3-32
A1A3E2	2-1,3-27	A1A3E28	3-29	A1A3E49H1	3-32
A1A3E3	2-1,3-27	A1A3E29	3-29	A1A3E50	3-32
A1A3E4	2-1,3-27	A1A3E30	3-29	A1A3E50H1	3-32
A1A3E5	2-1,3-27	A1A3E31	3-29	A1A3E51	3-33

SECTION VI. INDEX-REFERENCE DESIGNATION

CROSS REFERENCE TO PAGE NUMBER

REFERENCE DESIGNATION	PAGE NUMBER	REFERENCE DESIGNATION	PAGE NUMBER	REFERENCE DESIGNATION	PAGE NUMBER
A1A3E51H1	3-33	A1A3MP6	3-36	A1A3R532	3-39
A1A3E52	3-33	A1A3MP6H4	3-36	A1A3R533	3-39
A1A3E52H1	3-33	A1A3MP7	3-36	A1A3R536	3-39
A1A3E53	3-33	A1A3MP8	3-37	A1A3R537	3-39
A1A3E53H1	3-33	A1A3MP9	3-37	A1A3R538	3-39
A1A3E54	3-34	A1A3MP9H1	3-37	A1A3R545	3-39
A1A3E54H1	3-34	A1A3MP10	3-37	A1A3R546	3-39
A1A3E55	3-34	A1A3R501	3-37	A1A3R547	3-39
A1A3E55H1	3-34	A1A3R503	3-37	A1A3R548	3-39
A1A3E56	3-34	A1A3R504	3-37	A1A3R553	3-39
A1A3E56H1	3-34	A1A3R505	3-37	A1A3R554	3-39
A1A3H3	3-35	A1A3R506	3-37	A1A3R558	3-40
A1A3H4R534	3-19	A1A3R509	3-37	A1A3R559	3-40
A1A3J513	3-35	A1A3R510	3-37	A1A3R560	3-40
A1A3J514	3-35	A1A3R512	3-37	A1A3R561	3-40
A1A3J518	3-35	A1A3R513	3-38	A1A3R562	3-40
A1A3L501	3-35	A1A3R517	3-38	A1A3R563	3-40
A1A3MP1	3-35	A1A3R519	3-38	A1A3R564	3-40
A1A3MP1H2	3-35	A1A3R520	3-38	A1A3R565	3-40
A1A3MP2	3-35	A1A3R521	3-38	A1A3RT512	3-40
A1A3MP2H2	3-36	A1A3R522	3-38	A1A3T501	3-40
A1A3MP3	3-36				
A1A3MP3H4	3-36	A1A3R523	3-38	A1A3T501H2	3-41
A1A3MP4	3-36	A1A3R526	3-38	A1A3T502	3-41
A1A3MP4H2	3-36	A1A3R527	3-38	A1A3T502H2	3-41
A1A3MP5	3-36	A1A3R528	3-38	A1A3T503	3-41
A1A3MP5H4	3-36	A1A3R531	3-38	A1A3T503H2	3-41

SECTION VI. INDEX-REFERENCE DESIGNATION

CROSS REFERENCE TO PAGE NUMBER

REFERENCE DESIGNATION	PAGE NUMBER	REFERENCE DESIGNATION	PAGE NUMBER	REFERENCE DESIGNATION	PAGE NUMBER
A1A3T504	3-41	A1A3TB502R549	3-44	A1A3XV503H1	3-47
A1A3T504H2	3-41	A1A3TB502R550	3-44	A1A3XV504	3-47
A1A3T505	3-41	A1A3TB502R555	3-44	A1A3XV504H1	3-47
A1A3T505H2	3-42	A1A3TB502R556	3-44	A1A3XV505	3-48
A1A3T506	3-42	A1A3TB502R557	3-44	A1A3XV505H1	3-48
A1A3T506H2	3-42	A1A3V501	2-2,3-44	A1A3XV505H2	3-48
A1A3T506H3	3-42	A1A3V502	2-2,3-44	A1A3XV506	3-48
A1A3TB501	3-42	A1A3V503	2-2,3-44	A1A3XV506H1	3-48
A1A3TB501C527	3-42	A1A3V504	2-2,3-44	A1A3XV506H2	3-48
A1A3TB501C528	3-42	A1A3V505	2-2,3-45	A1A3XV507	3-49
A1A3TB501C529	3-42	A1A3V506	2-2,3-45	A1A3XV507H1	3-49
A1A3TB501H2	3-42	A1A3V507	2-2,3-45	A1A3XV508	3-49
A1A3TB501MP1	3-42	A1A3V508	2-2,3-45	A1A3XV508H1	3-49
A1A3TB501R539	3-43	A1A3V509	2-2,3-45	A1A3XV508H2	3-50
A1A3TB501R540	3-43	A1A3V510	2-2,3-45	A1A3XV509	3-50
A1A3TB501R541	3-43	A1A3V511	2-2,3-45	A1A3XV509H1	3-50
A1A3TB501R542	3-43	A1A3W501	3-45	A1A3XV510	3-50
A1A3TB501R543	3-43	A1A3W501H2	3-45	A1A3XV510H2	3-50
A1A3TB501R544	3-43	A1A3W501J512	3-46	A1A3XV511	3-50
A1A3TB502	3-43	A1A3XRT501	3-46	A1A3XV511H1	3-51
A1A3TB502C537	3-43	A1A3XRT501H1	3-46	A1A3XV511H2	3-51
A1A3TB502C538	3-43	A1A3XV501	3-46	A1A3Y501	2-3,3-51
A1A3TB502C543	3-43	A1A3XV501H1	3-46	A1A3Z501	3-51
A1A3TB502C544	3-43	A1A3XV502	3-47	A1A3Z501H2	3-51
A1A3TB502H2	3-44	A1A3XV502H1	3-47	A1A3Z502	3-51
A1A3TB502MP1	3-44	A1A3XV503	3-47	A1A3Z502H3	3-51

SECTION VI. INDEX-REFERENCE DESIGNATION

CROSS REFERENCE TO PAGE NUMBER

REFERENCE DESIGNATION	PAGE NUMBER	REFERENCE DESIGNATION	PAGE NUMBER	REFERENCE DESIGNATION	PAGE NUMBER
A1A3Z503	3-51	A1A3A2R525	3-16	A1A3A4MP1	3-19
A1A3Z503H2	3-52	A1A3A2S505	3-16	A1A3A4MP2	3-19
A1A3A1	3-14	A1A3A2S505H2	3-16	A1A3A4R535	3-19
A1A3A1C520	3-14	A1A3A2S505H6	3-16	A1A3A4R551	3-19
A1A3A1C521	3-14	A1A3A3	3-16	A1A3A4R552	3-19
A1A3A1C522	3-14	A1A3A3C504	3-17	A1A3A4S507	3-19
A1A3A1H4	3-14	A1A3A3C515	3-17	A1A3A4S507H2	3-19
A1A3A1MP1	3-14	A1A3A3C516	3-17	A1A3A4S507H6	3-19
A1A3A1MP2	3-14	A1A3A3E1	3-17	A1A3A5	3-20
A1A3A1MP3	3-14	A1A3A3H4	3-17	A1A3A5C534	3-20
A1A3A1R511	3-14	A1A3A3MP1	3-17	A1A3A5E1	3-20
A1A3A1R529	3-15	A1A3A3MP2	3-17	A1A3A5E2	3-20
A1A3A1R530	3-15	A1A3A3MP3	3-17	A1A3A5E2H1	3-20
A1A3A1S506	3-15	A1A3A3MP4	3-17	A1A3A5H3	3-20
A1A3A1S506H2	3-15	A1A3A3R514	3-17	A1A3A5L503	3-20
A1A3A1S506H6	3-15	A1A3A3R515	3-17	A1A3A5MP3	3-20
A1A3A2	3-15	A1A3A3R516	3-18	A1A3A5MP3H1	3-20
A1A3A2C513	3-15	A1A3A3R518	3-18	A1A3A5R566	3-21
A1A3A2C517	3-15	A1A3A3S503	3-18	A1A3A6	3-21
A1A3A2C518	3-15	A1A3A3S503H2	3-18	A1A3A6C505	3-21
A1A3A2C519	3-15	A1A3A3S503H12	3-18	A1A3A6C523	3-21
A1A3A2E1	3-15	A1A3A4	3-18	A1A3A6C525	3-21
A1A3A2H4	3-16	A1A3A4C540	3-18	A1A3A6C525H2	3-21
A1A3A2MP1	3-16	A1A3A4C541	3-18	A1A3A6C530	3-21
A1A3A2MP2	3-16	A1A3A4E1	3-18	A1A3A6C535	3-21
A1A3A2R524	3-16	A1A3A4H3	3-19	A1A3A6E1	3-22

SECTION VI. INDEX-REFERENCE DESIGNATION

CROSS REFERENCE TO PAGE NUMBER

REFERENCE DESIGNATION	PAGE NUMBER	REFERENCE DESIGNATION	PAGE NUMBER	REFERENCE DESIGNATION	PAGE NUMBER
A1A3A6E2	3-22	A1A3A8H4	3-25	A1A4A1C255	3-53
A1A3A6E2H1	3-22	A1A3A8MP1	3-25	A1A4A1C256	3-53
A1A3A6E3	3-22	A1A3A8MP3	3-25	A1A4A1C257	3-53
A1A3A6E4	3-22	A1A3A8R502	3-25	A1A4A1C273	3-53
A1A3A6E4H1	3-22	A1A3A8S501	3-25	A1A4A1C274	3-53
A1A3A6H7	3-22	A1A3A8S501H2	3-25	A1A4A1C275	3-54
A1A3A6L502	3-22	A1A3A8S501H4	3-25	A1A4A1C276	3-54
A1A3A7	3-23	A1A3A8S501H6	3-25	A1A4A1C277	3-54
A1A3A7C504	3-23	A1A4	3-52	A1A4A1C278	3-54
A1A3A7C509	3-23	A1A4MP46	3-73	A1A4A1C279	3-54
A1A3A7C510	3-23	A1A4X1XV202H1	3-82	A1A4A1C280	3-54
A1A3A7C511	3-23	A1A4X1XV204H1	3-84	A1A4A1C281	3-54
A1A3A7E1	3-23	A1A4X1XV204H2	3-83	A1A4A1C282	3-54
A1A3A7H4	3-23	A1A4A1	3-52	A1A4A1C284	3-54
A1A3A7MP1	3-23	A1A4A1C226	3-52	A1A4A1C285	3-54
A1A3A7MP3	3-23	A1A4A1C227	3-52	A1A4A1C286	3-54
A1A3A7R507	3-23	A1A4A1C227H1	3-52	A1A4A1C287	3-55
A1A3A7R508	3-24	A1A4A1C228	3-52	A1A4A1C288	3-55
A1A3A7S502H2	3-24	A1A4A1C229	3-52	A1A4A1C289	3-55
A1A3A7S502H21	3-24	A1A4A1C248	3-52	A1A4A1C290	3-55
A1A3A8	3-24	A1A4A1C249	3-52	A1A4A1C297	3-55
A1A3A8C502	3-24	A1A4A1C250	3-53	A1A4A1C300	3-55
A1A3A8C503	3-24	A1A4A1C251	3-53	A1A4A1C301	3-55
A1A3A8C506	3-24	A1A4A1C252	3-53	A1A4A1C302	3-55
A1A3A8C507	3-24	A1A4A1C253	3-53	A1A4A1C303	3-55
A1A3A8E1	3-24	A1A4A1C254	3-53	A1A4A1C304	3-55

SECTION VI. INDEX-REFERENCE DESIGNATION

CROSS REFERENCE TO PAGE NUMBER

REFERENCE DESIGNATION	PAGE NUMBER	REFERENCE DESIGNATION	PAGE NUMBER	REFERENCE DESIGNATION	PAGE NUMBER
A1A4A1C305	3-56	A1A4A1E202	2-3,3-58	A1A4A1E223-1	3-60
A1A4A1C307	3-56	A1A4A1E203	2-3,3-58	A1A4A1E223-2	3-60
A1A4A1C308	3-56	A1A4A1E204	2-3,3-58	A1A4A1E224-1	3-60
A1A4A1C309	3-56	A1A4A1E205	2-3,3-58	A1A4A1E224-2	3-60
A1A4A1C310	3-56	A1A4A1E206	2-3,3-58	A1A4A1E225-1	3-61
A1A4A1C310H1	3-56	A1A4A1E207	2-3,3-58	A1A4A1E225-2	3-61
A1A4A1C311	3-56	A1A4A1E208	3-58	A1A4A1E225-3	3-61
A1A4A1C312	3-56	A1A4A1E209	3-59	A1A4A1E226-1	3-61
A1A4A1C313	3-56	A1A4A1E210	3-59	A1A4A1E226-2	3-61
A1A4A1C314	3-56	A1A4A1E211	3-59	A1A4A1E226-3	3-61
A1A4A1C315	3-56	A1A4A1E212	3-59	A1A4A1HR202	3-61
A1A4A1C316	3-57	A1A4A1E212A	3-59	A1A4A1J208	3-61
A1A4A1C317	3-57	A1A4A1E213	3-59	A1A4A1J208H1	3-61
A1A4A1C318	3-57	A1A4A1E214	3-59	A1A4A1J217	3-61
A1A4A1C319	3-57	A1A4A1E215	3-59	A1A4A1J221	3-61
A1A4A1C320	3-57	A1A4A1E216	3-59	A1A4A1L201	3-62
A1A4A1C321	3-57	A1A4A1E217	3-59	A1A4A1L202	3-62
A1A4A1C322	3-57	A1A4A1E218	3-59	A1A4A1L203	3-62
A1A4A1C324	3-57	A1A4A1E219-1	3-60	A1A4A1L204	3-62
A1A4A1C325	3-57	A1A4A1E219-2	3-60	A1A4A1L205	3-62
A1A4A1C326	3-57	A1A4A1E220-1	3-60	A1A4A1L206	3-62
A1A4A1C327	3-58	A1A4A1E220-2	3-60	A1A4A1L207	3-62
A1A4A1C328	3-58	A1A4A1E221-1	3-60	A1A4A1L208	3-62
A1A4A1C329	3-58	A1A4A1E221-2	3-60	A1A4A1L209	3-62
A1A4A1C334	3-58	A1A4A1E222-1	3-60	A1A4A1L210	3-62
A1A4A1E201	2-3,3-58	A1A4A1E222-2	3-60	A1A4A1L211	3-62

SECTION VI. INDEX-REFERENCE DESIGNATION CROSS REFERENCE TO PAGE NUMBER

REFERENCE DESIGNATION	PAGE NUMBER	REFERENCE DESIGNATION	PAGE NUMBER	REFERENCE DESIGNATION	PAGE NUMBER
A1A4A1L236	3-62	A1A4A1MP16	3-66	A1A4A1MP31	3-70
A1A4A1MP1	3-63	A1A4A1MP17	3-66	A1A4A1MP31H2	3-70
A1A4A1MP2	3-63	A1A4A1MP18	3-66	A1A4A1MP32	3-70
A1A4A1MP3	3-63	A1A4A1MP18-H2	3-66	A1A4A1MP33	3-70
A1A4A1MP3H2	3-63	A1A4A1MP18H2	3-66	A1A4A1MP34	3-70
A1A4A1MP4	3-63	A1A4A1MP19	3-67	A1A4A1MP34H2	3-70
A1A4A1MP4H2	3-63	A1A4A1MP19H2	3-67	A1A4A1MP35	3-70
A1A4A1MP5	3-63	A1A4A1MP20	3-67	A1A4A1MP35H2	3-70
A1A4A1MP5H2	3-63	A1A4A1MP20H2	3-67	A1A4A1MP36	3-71
A1A4A1MP6	3-64	A1A4A1MP21	3-67	A1A4A1MP36H2	3-71
A1A4A1MP7	3-64	A1A4A1MP22	3-67	A1A4A1MP37	3-71
A1A4A1MP8	3-64	A1A4A1MP23	3-67	A1A4A1MP38	3-71
A1A4A1MP8H2	3-64	A1A4A1MP23H2	3-68	A1A4A1MP39	3-71
A1A4A1MP9	3-64	A1A4A1MP24	3-68	A1A4A1MP39H2	3-71
A1A4A1MP9H2	3-64	A1A4A1MP24H2	3-68		
A1A4A1MP10-2	3-65	A1A4A1MP25	3-68	A1A4A1MP40	3-72
A1A4A1MP10	3-65	A1A4A1MP25H2	3-68	A1A4A1MP40H2	3-72
A1A4A1MP10H2	3-65	A1A4A1MP26	3-68	A1A4A1MP41	3-72
A1A4A1MP11	3-65	A1A4A1MP27	3-68	A1A4A1MP41H2	3-72
A1A4A1MP12	3-65	A1A4A1MP28-2	3-69	A1A4A1MP42	3-72
A1A4A1MP13	3-65	A1A4A1MP28	3-69	A1A4A1MP42H2	3-72
A1A4A1MP13H2	3-65	A1A4A1MP28H2	3-69	A1A4A1MP43	3-72
A1A4A1MP14	3-65	A1A4A1MP29	3-69	A1A4A1MP44	3-72
A1A4A1MP14H2	3-65	A1A4A1MP29H2	3-69	A1A4A1MP45	3-73
A1A4A1MP15	3-66	A1A4A1MP30	3-69	A1A4A1MP46H2	3-73
A1A4A1MP15H2	3-66	A1A4A1MP30H2	3-69	A1A4A1MP47	3-73

SECTION VI. INDEX-REFERENCE DESIGNATION CROSS REFERENCE TO PAGE NUMBER

REFERENCE DESIGNATION	PAGE NUMBER
A1A4A1MP47H1	3-73
A1A4A1MP47H1H1	3-73
A1A4A1MP48	3-73
A1A4A1MP48H1	3-73
A1A4A1MP49	3-74
A1A4A1MP50	3-74
A1A4A1MP50H2	3-74
A1A4A1MP73H2	3-67
A1A4A1P205	3-74
A1A4A1P206	3-74
A1A4A1P207	3-74
A1A4A1P213	3-74
A1A4A1P215	3-74
A1A4A1P218	3-74
A1A4A1P221	3-74
A1A4A1R201	3-75
A1A4A1R202	3-75
A1A4A1R203	3-75
A1A4A1R204	3-75
A1A4A1R205	3-75
A1A4A1R206	3-75
A1A4A1R207	3-75
A1A4A1R208	3-75
A1A4A1R209	3-75
A1A4A1R210	3-75
A1A4A1R211	3-75
A1A4A1R212	3-76
A1A4A1R213	3-76
A1A4A1R214	3-76
A1A4A1R215	3-76
A1A4A1R216	3-76
A1A4A1R217	3-76
A1A4A1R218	3-76
A1A4A1R219	3-76
A1A4A1R220	3-76
A1A4A1R221	3-76
A1A4A1R222	3-76
A1A4A1R223	3-77
A1A4A1R224	3-77
A1A4A1R225	3-77
A1A4A1R226	3-77
A1A4A1R227	3-77
A1A4A1R228	3-77
A1A4A1R229	3-77
A1A4A1R230	3-77
A1A4A1R231	3-77
A1A4A1R232	3-77
A1A4A1R233	3-77
A1A4A1R234	3-77
A1A4A1R235	3-78
A1A4A1S201	3-78
A1A4A1S201H2	3-78
A1A4A1S202	3-78
A1A4A1S202H2	3-78
A1A4A1S203	3-78
A1A4A1S203H2	3-78
A1A4A1S204	3-78
A1A4A1S204H4	3-78
A1A4A1S205	3-78
A1A4A1S205H1	3-79
A1A4A1S206	3-79
A1A4A1S206H2	3-79
A1A4A1S207	3-79
A1A4A1S207H2	3-79
A1A4A1S208	3-79
A1A4A1S208H2	3-79
A1A4A1T201	3-79
A1A4A1T201H1	3-79
A1A4A1T202	3-79
A1A4A1T202H1	3-80
A1A4A1T203	3-80
A1A4A1T203H1	3-80
A1A4A1T204	3-80
A1A4A1T204H1	3-80
A1A4A1T205	3-80
A1A4A1T205H1	3-80
A1A4A1T206	3-80
A1A4A1T206H1	3-80
A1A4A1T207	3-80
A1A4A1T207H2	3-81
A1A4A1T208	3-81

SECTION VI. INDEX-REFERENCE DESIGNATION

CROSS REFERENCE TO PAGE NUMBER

REFERENCE DESIGNATION	PAGE NUMBER	REFERENCE DESIGNATION	PAGE NUMBER	REFERENCE DESIGNATION	PAGE NUMBER
A1A4A1T208H2	3-81	A1A4A1XV206H1	3-84	A1A4A1Z205-2H1	3-87
A1A4A1V201	2-3,3-81	A1A4A1XV206H2	3-84	A1A4A1Z206-1	3-87
A1A4A1V202	2-3,3-81	A1A4A1XV207	3-85	A1A4A1Z206-1H1	3-87
A1A4A1V203	2-3,3-81	A1A4A1XV207H1	3-85	A1A4A1Z206-2	3-87
A1A4A1V204	2-3,3-81	A1A4A1XV207H2	3-85	A1A4A1Z206-2H1	3-87
A1A4A1V205	2-3,3-81	A1A4A1Y201	2-3,3-88	A1A4A1Z213-1	3-87
A1A4A1V206	2-3,3-81	A1A4A1Y203	2-4,3-88	A1A4A1Z213-1H1	3-87
A1A4A1V207	2-3,3-81	A1A4A1Z201-1	3-85	A1A4A1Z213-2	3-87
A1A4A1XHR202	3-82	A1A4A1Z201-1H1	3-85	A1A4A1Z213-2H1	3-87
A1A4A1XHR202H2	3-82	A1A4A1Z201-2	3-85	A1A4A1Z213-3	3-87
A1A4A1XRH202H2	3-82	A1A4A1Z201-2H1	3-85	A1A4A1Z213-3H1	3-87
A1A4A1XV201	3-82	A1A4A1Z202-1	3-85	A1A4A1Z216-1	3-87
A1A4A1XV201H1	3-82	A1A4A1Z202-1H1	3-85	A1A4A1Z216-1H1	3-88
A1A4A1XV201H2	3-82	A1A4A1Z202-2	3-85	A1A4A1Z216-2	3-88
A1A4A1XV202	3-82	A1A4A1Z202-2H1	3-86	A1A4A1Z216-2H1	3-88
A1A4A1XV202H1	3-82	A1A4A1Z203-1	3-86	A1A4A1Z216-3	3-88
A1A4A1XV202H2	3-83	A1A4A1Z203-1H1	3-86	A1A4A1Z216-3H1	3-88
A1A4A1XV203	3-83	A1A4A1Z203-2	3-86	A1A4A2	3-88
A1A4A1XV203H1	3-83	A1A4A1Z203-2H1	3-86		
A1A4A1XV203H2	3-83	A1A4A1Z204-1	3-86	A1A4A2MP201	3-88
A1A4A1XV204	3-83	A1A4A1Z204-1H1	3-86	A1A4A2MP202	3-88
A1A4A1XV204H2	3-83	A1A4A1Z204-2	3-86	A1A4A2O201	3-89
A1A4A1XV205	3-84	A1A4A1Z204-2H1	3-86	A1A4A2O201A	3-89
A1A4A1XV205H1	3-84	A1A4A1Z205-1	3-86	A1A4A2O202	3-89
A1A4A1XV205H2	3-84	A1A4A1Z205-1H1	3-86	A1A4A2O203	3-89
A1A4A1XV206	3-84	A1A4A1Z205-2	3-86	A1A4A2O204	3-89

SECTION VI. INDEX-REFERENCE DESIGNATION

CROSS REFERENCE TO PAGE NUMBER

REFERENCE DESIGNATION	PAGE NUMBER
A1A4A20205	3-89
A1A4A20212	3-89
A1A4A20213	3-89
A1A4A20218	3-89
A1A4A20243	3-89
A1A4A20246	3-89
A1A4A20254	3-89
A1A4A20261	3-90
A1A4A20283	3-90
A1A4A20295	3-90
A1A4A20296	3-90
A1A4A20307	3-90
A1A4A20316	3-90
A1A4A20317	3-90
A1A4A20323	3-90
A1A4A20324	3-90
A1A4A20328	3-90
A1A4A20390	3-90
A1A4A20392	3-91
A1A4A20393	3-91
A1A4A20394	3-91
A1A4A2A210	3-88
A1A5	2-4,3-91
A1A5A1	3-91
A1A5A1C402	3-91
A1A5A1C403	3-91
A1A5A1C404	3-91
A1A5A1C407	3-92
A1A5A1C408	3-92
A1A5A1C410	3-92
A1A5A1C411	3-92
A1A5A1C412	3-92
A1A5A1C413	3-92
A1A5A1C414	3-92
A1A5A1C415	3-92
A1A5A1C417	3-92
A1A5A1C418	3-92
A1A5A1C419	3-92
A1A5A1C420	3-93
A1A5A1C421	3-93
A1A5A1C422	3-93
A1A5A1C423	3-93
A1A5A1C424	3-93
A1A5A1C425	3-93
A1A5A1C426	3-93
A1A5A1C427	3-93
A1A5A1C428	3-93
A1A5A1C429	3-93
A1A5A1C429H2	3-93
A1A5A1C430	3-94
A1A5A1C430H2	3-94
A1A5A1C431	3-94
A1A5A1C431H2	3-94
A1A5A1C4016	3-91
A1A5A1E401	2-4,3-94
A1A5A1E402	3-94
A1A5A1HR401A	3-94
A1A5A1HR401B	3-94
A1A5A1J410	3-94
A1A5A1J410H1	3-94
A1A5A1J415	3-94
A1A5A1J415H1	3-95
A1A5A1J416	3-95
A1A5A1J417	3-95
A1A5A1MP1	3-95
A1A5A1MP1H1	3-95
A1A5A1MP2	3-95
A1A5A1MP2H1	3-95
A1A5A1MP3	3-96
A1A5A1MP4	3-96
A1A5A1MP4H1	3-96
A1A5A1R404	3-96
A1A5A1R404H1	3-96
A1A5A1S401	3-96
A1A5A1S401H4	3-97
A1A5A1S402	3-97
A1A5A1S402H4	3-97
A1A5A1T401	3-97
A1A5A1T401H2	3-97

SECTION VI. INDEX-REFERENCE DESIGNATION

CROSS REFERENCE TO PAGE NUMBER

REFERENCE DESIGNATION	PAGE NUMBER
A1A5A1V401	2-4,3-97
A1A5A1XV401	3-98
A1A5A1XV401H2	3-98
A1A5A1Y401	2-4,3-98
A1A5A1Y402	2-4,3-98
A1A5A1Y403	2-4,3-98
A1A5A1Y404	2-4,3-98
A1A5A1Y405	2-4,3-98
A1A5A1Y406	2-4,3-98
A1A5A1Y407	2-4,3-98
A1A5A1Y408	2-4,3-98
A1A5A1Y409	2-4,3-99
A1A5A1Y410	2-4,3-99
A1A5A1Y411	2-4,3-99
A1A5A1Y412	2-4,3-99
A1A5A1Y413	2-4,3-99
A1A5A1Y414	2-5,3-99
A1A5A1Y415	2-5,3-99
A1A5A1A1	3-91
A1A5A1A1H2	3-91
A1A5A1A1L402	3-95
A1A5A1A1R405	3-96
A1A5A1A1R406	3-96
A1A5A1A1R407	3-96
A1A5A1A1TB401	3-97
A1A5A4E401	2-4
A1A6	3-99
A1A6C705	3-99
A1A6E701	2-5,3-99
A1A6H711	3-99
A1A6J709	3-99
A1A6MP1	3-100
A1A6MP1H2	3-100
A1A6P717	3-100
A1A6R701	3-100
A1A6R702	3-100
A1A6R703	3-100
A1A6W1	3-100
A1A6XV701	3-100
A1A7	3-100
A1A7C101	3-103
A1A7H5	3-103
A1A7J102	3-103
A1A7J102H1	2-5,3-103
A1A7M101	3-104
A1A7M101H1	3-104
A1A7M101H3	3-104
A1A7M101H4	3-104
A1A7M102	3-104
A1A7M102H4	3-104
A1A7MP1	3-104
A1A7MP1H2	3-105
A1A7MP2	3-105
A1A7MP2H2	3-105
A1A7MP3	3-105
A1A7MP3H1	2-5,3-105
A1A7MP4	3-105
A1A7MP4H1	2-5,3-105
A1A7MP5	3-106
A1A7MP5H1	3-106
A1A7MP6	3-106
A1A7MP6H1	2-5,3-106
A1A7MP7	3-106
A1A7MP7H1	2-5,3-106
A1A7MP8	3-107
A1A7MP8H1	2-5,3-107
A1A7MP9	3-107
A1A7MP9H1	3-107
A1A7MP10	3-107
A1A7MP10H1	3-107
A1A7MP11	3-107
A1A7MP11H2	3-107
A1A7MP12	3-108
A1A7MP12H1	2-5,3-108
A1A7MP13	3-108
A1A7R103	3-108
A1A7R103H1	2-5,3-108
A1A7R104	3-108

SECTION VI. INDEX-REFERENCE DESIGNATION

CROSS REFERENCE TO PAGE NUMBER

REFERENCE DESIGNATION	PAGE NUMBER
A1A7R104H1	2-5,3-108
A1A7R105	3-108
A1A7R105H1	2-5,3-109
A1A7R119	3-109
A1A7R120	3-109
A1A7R120H1	2-5,3-109
A1A7S101	3-109
A1A7S101H1	2-6,3-109
A1A7S102	3-109
A1A7S102H1	2-6,3-109
A1A7S103	3-110
A1A7S103H1	2-6,3-110
A1A7S104	3-110
A1A7S104H1	2-6,3-110
A1A7S105	3-110
A1A7S105H1	2-6,3-110
A1A7S107	3-110
A1A7S107H1	2-6,3-110
A1A7A1	3-100
A1A7A1R106	3-101
A1A7A1R107	3-101
A1A7A1R108	3-101
A1A7A1R109	3-101
A1A7A1R110	3-101
A1A7A1R111	3-101
A1A7A1R112	3-101
A1A7A1R113	3-101
A1A7A1R114	3-101
A1A7A1R115	3-101
A1A7A1R116	3-101
A1A7A1R117	3-101
A1A7A1R118	3-102
A1A7A1R124	3-102
A1A7A1TB101	3-102
A1A7A2	3-102
A1A7A2H4	3-102
A1A7A2I101	2-5,3-102
A1A7A2I102	2-5,3-102
A1A7A2MF5	3-103
A1A7A2MP1	3-102
A1A7A2MP2	3-102
A1A7A2MP3	3-102
A1A7A2MP3H1	3-102
A1A7A2MP4	3-103
A1A7A2MP4H1	3-103
A1A7A2MP5	3-103
A1A7A2MP5H1	3-103
A1A8	2-6,3-111
A1A8E801	2-6,3-111
A1A8E802	2-6,3-111
A1A8H6	3-111
A1A8J811	3-111
A1A8J811H2	3-111
A1A8T801	3-111
A1A8T801H3	3-111
A1A8TB801	3-112
A1A8TB801H4	3-112
A1A8TB801H8	3-112
A1A8V801	2-6,3-112
A1A8V802	2-6,3-112
A1A8XV801	3-112
A1A8XV801H1	3-112
A1A8XV801H2	3-112
A1A8XV802	3-113
A1A8XV802H2	3-113
A1A9	2-6,3-113
A1A9C715	3-113
A1A9E1	3-113
A1A9E2	3-113
A1A9E3	3-113
A1A9E4	3-113
A1A9H2	3-113
A1A9J901	3-114
A1A9MP1	3-114
A1A9R901	3-114
A1A9R902	3-114
A1A9T901	3-114
A1A9T901H4	3-114
A1A9T902H4	3-114

SECTION VI. INDEX-REFERENCE DESIGNATION

CROSS REFERENCE TO PAGE NUMBER

REFERENCE DESIGNATION	PAGE NUMBER	REFERENCE DESIGNATION	PAGE NUMBER	REFERENCE DESIGNATION	PAGE NUMBER
A1A10	3-114	A1A108	3-125		
A1A10C103	3-114	A1A109	3-125		
A1A10C103H2	3-114	A1A110	3-125		
A1A10CR102	3-115	A1A310	3-28		
A1A10CR102H2	3-115	A4A1A20321	3-90		
A1A10E1	3-115	1AMP4H5	3-117		
A1A10E2	3-115	1AA7H8	3-103		
A1A10E3	3-115	1A4A1C298	3-55		
A1A10E4	3-115	1A4A1C323	3-57		
A1A10F101	2-6,3-115	1A7S107H1	3-110		
A1A10F102	2-6,3-115				
A1A10F103	2-6,3-115				
A1A10H2	3-116				
A1A10H6	3-116				
A1A10J112	3-116				
A1A10MP1	3-116				
A1A10S106	3-116				
A1A10S106H1	2-6,3-116				
A1A10TB102	3-116				
A1A10TB102H4	3-116				
A1A10TB103	3-116				
A1A10TB103H4	3-117				
A1A10XF101	3-117				
A1A10XF102	3-117				
A1A10XF103	3-117				
A1A13A7S502	3-24				

By Order of the Secretary of the Army:

W. C. WESTMORELAND,
General, United States Army,
Chief of Staff.

Official:

VERNE L. BOWERS,
Major General, United States Army,
The Adjutant General.

Distribution:

To be distributed in accordance with DA Form 12-51 (qty rqr block No. 506) organizational maintenance requirements for AN/TRD-15.

☆ U.S. GOVERNMENT PRINTING OFFICE: 1972—714-214/383